

ADDENDUM TO BID REQUEST

Addendum Number: 1

Addendum Date: 11/3/23

BID No. 6176

Bid Due Date: 11/14/23

DETAIL OF ADDENDUM

ADDENDUM TO BID REQUEST FOR 323 MAPLE ST, WOONSOCKET

Item #1

Add:

Interior

INTERIOR DOOR - STABILIZE, PLANE & ADJUST

Rm #3

Side D

After establishing any required floor containment with polyethylene sheeting, remove door hinge pins and carry to a fully contained lead work room. Place pins in plastic bag on jamb for safekeeping. Plane door edges and adjust the hasp and strike plate to minimize door/jamb friction and contact. Mist deteriorated paint with water to the point of saturation. Replace stop molding. Clean and de-gloss door with detergent wash, rinse, dry and HEPA vacuum any paint chips, dust and debris. Spot prime and top coat with premium acrylic latex. Re-install door on hinges.

Item #2

Add::

Exterior

BARE SOIL - INSTALL 4" MULCH AND LANDSCAPE BARRIER

Side ABC

200 sq/ft at
foundation

Install a 4' wide, U.V. resistant landscape barrier (or landscape timbers) over bare soil with 6" landscape staples (or 10"spikes) 1' on center, after mowing lawn as low as practical. Install landscape fabric, Overfill area with at least 4" of pine bark or shredded hardwood mulch.

All other terms and conditions remain unchanged.

Contractor