



Bid No. 6216 – Supply of Sewer Pipe and Fittings

ADDENDUM NO. ONE (1)	EFFECTIVE DATE: MARCH 5, 2024
PAGE 1 of 1	
The following changes, additions and/or deleting published February 22, 2024, are now in full for addendum.	,
Notice to all prospective bidders:	
DRAWING ADDITION	
1) Clarification for the 18" CAST IRON ROAD B	SOX - STAMPED "SEWER"
Drawing rendition of the 18" Cast Iron R the specifications	Road Box – Stamped "Sewer" is added to
END OF AD	DENDUM
Kenneth A. Allaire	3/5/24
Kenneth A. Allaire, CPM, CPIM Purchasing Agent	Date:

18" CAST IRON ROAD BOX - STAMPED "SEWER"







DROP CLEANOUT IN PAVED AREA DETAIL

<u>N.T.S.</u>

NOTES: 1. SEWER LATERALS SHALL HAVE A MINIMUM 24" SEPARATION VERTICALLY AND 10' SEPARATION HORIZONTALLY FROM ALL WATER SUPPLY LINES.

2. A TRANSITION MAY BE MADE BACK TO SDR35 PVC AT EITHER SIDE OF THE DROP CLEANOUT.

3. A 6"X6"X4" WYE MAY BE USED TO TRANSITION FROM 6" TO 4" PIPE.