



# City of Woonsocket

## Agenda

City Council Regular Meeting  
Monday, February 3, 2020 @ 7:00 PM  
169 Main Street, Woonsocket, RI, 02895

---

Page

**1. CALL TO ORDER / ROLL CALL**

**2. PRAYER**

**3. PLEDGE OF ALLEGIANCE**

**4. AGENDA FOR BOARD OF LICENSE COMMISSIONERS**

[20.LC.05](#) Application of licenses and renewal of licenses (listing attached). 3

**5. CITIZENS GOOD AND WELFARE**

(Please limit comments to five minutes)

**6. APPROVAL/CORRECTION OF MINUTES**

[Min.01.27.20](#) Minutes of Regular Meeting held January 27th, 2020. 5 - 11

**7. CONSENT AGENDA**

All items on the consent agenda are indicated with an asterisk (\*).

**8. COMMUNICATIONS FROM MAYOR**

None.

**9. COMMUNICATIONS FROM CITY OFFICERS**

[20.CO.04\\*](#) From City Engineer regarding new Water Treatment Plant status report. 13 - 21

**10. COMMUNICATIONS AND PETITIONS**

None.

**11. GOOD AND WELFARE**

(Five minutes limit; per Council Rules of Order)

**12. ORDINANCES PASSED FOR THE FIRST TIME**

None.

**13. ORDINANCES TABLED UNTIL THIS MEETING**

None.

**14. NEW ORDINANCES**

[20.O.03](#) Authorizing the Fire Chief of the City of Woonsocket to purchase a 2020 Ford F550 Emergency Medical Services Rescue vehicle.- 23 - 56

Gendron

**15. RESOLUTIONS TABLED UNTIL THIS MEETING**

[20.R.08](#) Authorizing the cancellation of certain taxes.-Gendron 57 - 59

**16. NEW RESOLUTIONS**

[20.R.14](#) Authorizing the cancellation of certain taxes.-Gendron 61 - 63

[20.R.15](#) Granting permission to use City property.-Gendron 65 - 70

[20.R.16](#) Resolution in opposition of the TCI Gas Tax and the Transportation and Climate Initiative-Gendron, Brien, Cournoyer, Sierra & Ward 71 - 72

[20.R.17](#) Recognizing paramedic Remi Graber on their act of bravery in protecting the lives of two individuals.-Kithes 73 - 75

[20.R.18](#) Granting permission to use City property.-Gendron 77 - 78

**17. ADJOURNMENT**

For additional information or to request interpreter services, or other special services for the hearing impaired, please contact City Clerk Christina Harmon three (3) days prior to the meeting at (401) 762-6400, or by the Thursday prior to the meeting.

Posted January 30, 2020

**AGENDA FOR BOARD OF LICENSE COMMISSIONERS**

**NEW LICENSES**

**CLASS F1 LIQUOR W/ENTERTAINMENT**

St. Stanislaus Kostka Church, 174 Harris Avenue, February 15, 2020 (DJ)

**RENEWALS**

**1<sup>st</sup> CLASS VITUALING**

Danny's Breakfast Place, 1039 Cass Avenue

**2<sup>nd</sup> CLASS VITUALING**

Community Café, 181 Cumberland Street







# CITY OF WOONSOCKET

## MINUTES

### CITY COUNCIL REGULAR MEETING

MONDAY, JANUARY 27, 2020 @ 7:00 PM

169 MAIN STREET, WOONSOCKET, RI, 02895

---

#### 1. CALL TO ORDER / ROLL CALL

Council Present: Jon Brien  
James Cournoyer  
Alex Kithes  
Denise Sierra  
David Soucy  
John Ward  
Daniel Gendron

Council Absent:

#### 2. PRAYER

The prayer is read by the Clerk.

#### 3. PLEDGE OF ALLEGIANCE

The Pledge of Allegiance is given by the assembly.

#### 4. AGENDA FOR BOARD OF LICENSE COMMISSIONERS

##### **Application of licenses and renewal of licenses (listing attached).**

Vice President Brien moved that the licenses be granted. Councilman Kithes seconded the motion.

Passed 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For

Councilman Ward  
President Gendron

For  
For

**5. CITIZENS GOOD AND WELFARE**

Bryce Schintzius, Vaughan Miller, Charmaine Webster, Phillip Labrecque, Carol Wilson Allen, Estelle Bubble, Jeremy Eaden & Sandy Miller.

**6. APPROVAL/CORRECTION OF MINUTES**

[Min.12.16.19&01.13.20](#) **Amended minutes of Regular Meeting held December 16th, 2019 & Regular Meeting held January 13th, 2020.**

Councilman Kithes moved that the amended minutes of the regular meeting held December 16th, 2019 & regular meeting held January 13th, 2020, be approved as submitted. Vice President Brien seconded the motion.

Passed 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

**7. CONSENT AGENDA**

Councilman Ward moved that the consent agenda be approved as submitted. Councilman Kithes seconded the motion.

Passed 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For

Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

**8. COMMUNICATIONS FROM MAYOR**

**9. COMMUNICATIONS FROM CITY OFFICERS**

[20.CO.03\\*](#) From City Solicitor regarding claim of Midgalia Malave.

**10. COMMUNICATIONS AND PETITIONS**

[20.CP.03](#) A request of Bryce Schintzius to address the City Council regarding zoning violations at a residential property on Oakley Road.

Withdrawn.

[20.CP.04](#) Request of Councilman Ward to address the following items:  
1.RI General Assembly House Bill 2020 - H7171 The Governor's Budget Proposal for Fiscal Year 2021  
2.2nd Avenue truck traffic  
3.Investment Board  
a.Selection of new investment advisory firm.  
b.Use of "Good & Welfare" and the non-descript notation of member comments.

Addressed the council.

**11. GOOD AND WELFARE**

All Councilors passed.

**12. ORDINANCES PASSED FOR THE FIRST TIME (DATE)**

None.

**13. ORDINANCES TABLED UNTIL THIS MEETING**

None.

**14. NEW ORDINANCES**

None.

**15. RESOLUTIONS TABLED UNTIL THIS MEETING**

None.

**16. NEW RESOLUTIONS**

**20.R.08 Granting permission to use City property.-Gendron**

Councilman Kithes moved to table. Councilman Ward seconded the motion.

Passed 7 to 0 by voice vote.

Councilman Kithes	For
Councilman Ward	For
Vice President Brien	For
Councilman Cournoyer	For
Councilwoman Sierra	For
Councilman Soucy	For
President Gendron	For

Vice President Brien moved to take out of order Resolution 20-R-13. Councilwoman Sierra seconded the motion.

Passed 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

[20.R.13](#)     **Referring a request for designation into the Historic Structures Floating Overlay District property known as Woonsocket Assessor's Plat 10, Lot 22, former National Guard Armory, to the Woonsocket Planning Board.-Gendron**  
that the resolution be passed.

Councilman Cournoyer moved that the ordinance be tabled, advertised for hearing and referred to planning for advice & recommendation.  
Councilman Soucy seconded the motion.

Passed 7 to 0 by voice vote.

Councilman Cournoyer	For
Councilman Soucy	For
Vice President Brien	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Ward	For
President Gendron	For

[20.R.09](#)     **Authorizing the Mayor to purchase the property located at 29 Reservoir Road, North Smithfield, Rhode Island, also known as Assessor's Plat 21, Lot 10-Gendron**

Councilman Ward moved that the resolution be passed. Councilman Cournoyer seconded the motion.

Passed 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

[20.R.10](#)     **Authorizing the cancellation of certain taxes.-Gendron**

Councilman Kithes moved that the resolution be passed. Councilman Ward seconded the motion.

Passed 7 to 0 by voice vote.

Councilman Kithes	For
Councilman Ward	For
Vice President Brien	For
Councilman Cournoyer	For
Councilwoman Sierra	For
Councilman Soucy	For
President Gendron	For

[20.R.11](#) **Authorizing the cancellation of certain taxes.-Gendron**

Councilman Ward moved that the resolution be passed. Councilwoman Sierra seconded the motion.

Passed 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

[20.R.12](#) **Ensuring that any relocation or replacement of the “John R. Dionne Track and Field” will remain so designated.-Gendron, Brien, Cournoyer, Ward & Sierra**

Councilman Cournoyer moved motion to move the question. Vice President Brien seconded the motion.

Passed 6 to 1 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For

Councilman Kithes	Against
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

Vice President Brien moved that the resolution be passed. Councilman Cournoyer seconded the motion.

also seconded by Ward. 5 to 2 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	Against
Councilwoman Sierra	For
Councilman Soucy	Against
Councilman Ward	For
President Gendron	For

## 17. ADJOURNMENT

Councilman Cournoyer moved that the meeting be and it is hereby adjourned at 8:33 P.M. Councilwoman Sierra seconded the motion.

**Passed**

---

Attest: Christina Harmon, City Clerk





## Status Report No. 24

### City of Woonsocket - Drinking Water Treatment Facility Capital Improvements Project

Date: January 23, 2020

Prepared by: CDM Smith

On July 31, 2017 the City of Woonsocket, Rhode Island ("City") entered in to an Agreement with Woonsocket Water Services, LLC ("Company"); note that, during the proposal review process, the "Company" was also referred to as "the AECOM Team". The Agreement is for the Company to design, construct and operate a new water treatment facility with a design capacity of 7.0 million gallons per day, expandable to 10.5 million gallons per day, on the City-owned property on Jillson Avenue. Construction is to be complete and the facility fully operational no later than December 31, 2020.

Status Report No. 24 details the work completed from December 18, 2019 through January 22, 2020.

#### PROJECT SCHEDULE

All design packages have been delivered to the City and stamped by RIDOH, which completes the design phase of the project. The City has issued to the Company a full notice to proceed with construction of Capital Improvements. It is anticipated the new water treatment plant will be fully operational on December 31, 2020.

#### PROJECT BUDGET

Original Contract Sum	\$ 56,752,800.00
Total Change Orders	\$ 159,033.00
Current Contract Sum	\$ 56,911,833.00
Total Paid to Date	\$ 32,297,000.27
Current Retainage	\$ 1,568,435.92
Current Payment Under Review	\$ _____

## PROJECT CHANGE ORDERS

### PROPOSED

*PCO No 9 - PCB and PAH Remediation:* Work under Change Order No 2 has been completed. Confirmatory soil samples indicated additional remediation work will be required. The Company is proposing a fixed Engineering Services cost of \$9,574 plus the cost of excavation, disposal, sampling and lab costs associated with the removal of contaminated material within the defined area at a unit cost of \$106.80 per ton. WWS has completed the additional excavation and disposal of the contaminated soils along the WTP access road. A final change order for this work will be developed.

### FUTURE

*Sick Leave Act* - A new law passed in the State of Rhode Island regulating the minimum sick leave time employees in the State must receive. WWS has evaluated the act and estimated the cost impacts it may have on the project. This is under review.

### EXECUTED

*Change Order No. 1 – PCB and PAH Notification and Delineation: \$41,868.00*

This change order covered the compensation for the Preparation/review of Notification to RIDEM and resulting RIDEM response and conduct the required site delineation of the PCB and PAH contamination to determine the extent of excavation required along the facility's primary access road.

*Change Order No. 2 – PCB and PAH Remediation: \$114,919.00*

Field work to further delineate the PCB and PAH contamination along the facility's primary access road was completed (CO-01). Lab results showed reportable levels of PCB were found to a depth of 3-feet, while PAH contamination were found to a depth of 6-feet. The Company has proposed Change Order No 2 (CO-02) to "Dig and Haul" contaminated soil off-site, conduct confirmatory sampling, development of reports and management activities during excavation for a total cost of \$114,919.00. If confirmatory samples show additional remediation is required a proposed change order would be developed.

*Change Order No 3 – Excavation/Removal Hazardous Materials: \$100.70/Ton (Time & Material)* Covers handling of hazardous materials while installing new water mains along Joffre Ave, Acres Ave, Reservoir Ave and Manville Rd. Company will only be compensated for material removed for disposal at a rate of \$100.70 per ton.

*Change Order No 4 – Raw/Finished Piping Modifications: \$202,988.00 (CREDIT)*

Company is deleting from the design ~620 linear feet of 24" ductile iron water main. The finished water main runs from the intersection of Acres Ave and Reservoir Ave to Joffre Ave and Logee St. The Company had proposed deleting ~450 linear feet of 24" ductile iron main between Manville Road and Lydia Avenue. However, deleting the ~450 linear feet of 24" ductile iron main would have meant transmission of raw water through an existing 100 year old main and the loss of redundancy.

*Change Order No 5 – Interior Process Piping Material Change: \$129,600 (CREDIT)*

Company will credit \$129,600 by installing epoxy line carbon steel pipe in lieu of ductile iron pipe within all facilities. This includes piping within the WTP, Raw Water Pump Station and Finish Water Pump Station.

*Change Order No 6: National Grid Natural Gas Service: \$66,239*

National grid has provided an invoice totaling \$114,740 to complete the installation of new gas main and gas service required at the new treatment facility. A utility allowance of \$50,000 was placed into the construction contract. CO No 6 will cover the remaining balance plus bond and insurance increases incurred by WWS.

*Change Order No 7 - Natural Gas Booster Station:* The Company has provided a change order of \$108,000 to design and construct a gas booster station required to operate HVAC equipment at the treatment plant due to low line pressures in the distribution system. Design details have been coordinated between WWS and National Grid.

*Change Order No. 8 - 30" Line Stop:* The Company has provided a change order of \$80,430 to furnish and install a line stop in order to connect the new raw water line to the existing pipe network. During pressure testing it was discovered the existing line valves did not provide the required isolation to enable this connection to be made. It has been determined a line stop is required in order to connect the new raw water main into the existing pipe network.

*Change Order No. 9 – Manville Road Full Width Paving:* At the request of the City, the Company has provided a change order of \$80,175 to provide full width curb to curb paving in all disturbed areas of Manville Road. The agreement originally called for only disturbed areas to be paved.

## **PROJECT SUBMITTALS**

- All design packages have been approved for construction.

## PROJECT PERMITTING

- All RIDEM and RIDOH permitting activities have been completed for the project.

## FIELD WORK/CONSTRUCTION ACTIVITIES

- Completed placing sections of the elevated slab at the Chlorine Contact tank (CCT).
- Begin SWW basin elevated slab
- Complete placing tank pads in chemical containment areas and place chemical storage tanks inside the WTP building
- Continue interior chemical piping in WTP
- Continue cable tray installation in treatment building/admin area
- Continue DAF equipment installation
- Remove contaminated soils from site entrance road
- Begin water line for site water service at WTP
- Continue footings at RWPS
- Install sanitary sewer and water service at RWPS

# Water Treatment Plant

## DESIGN-BUILD-OPERATE PROJECT UPDATE

WOONSOCKET WATER SERVICES, LLC



### Water Treatment Plant Timeline

**Project Introduction.** The City of Woonsocket, Rhode Island issued a request for proposals (RFP) in August 2015 for the design and construction of a new water treatment facility. Woonsocket Water Services, LLC, (WWS) a team comprised of AECOM, C.H. Nickerson, and Suez, submitted a proposal in February 2016 for the design-build-operate project and was awarded the project in July 2017. The project is currently in the construction phase.

**Design.** Once the contract was signed, the project was kicked off with the City in August 2017 with the initiation of design packages and permitting with local and state regulatory agencies. The design packages consist of the following packages: Package 1 - Early Site Work; Package 2 - Raw Water Pumping Station, connecting pipelines, and structural foundations of the Water Treatment Plant; and Package 3 - Water Treatment Plant.

RIDOH approved Package 1 on May 30, 2018; Package 2 on July 20, 2018; and Package 3 on September 28, 2018. All packages have been stamped and approved by RIDOH, which completes the design phase of the project.

**Permitting.** All RIDEM and RIDOH permitting activities have been completed for the project. The RIDOH participates in monthly progress review meetings with the project team and the City and will continue to participate and monitor the project throughout construction and startup. Representatives from the RIDEM make period site visits to the WTP site to conduct site inspections related to construction storm water controls.

RIDEM approved a permit modification to the original Freshwater Wetlands permit on June 7<sup>th</sup>, 2019. The permit modification request modifies the amount of off-site compensation that would be provided, to include the impervious area that will be created with the sidewalk improvements on Jillson Avenue and the extension of Acres Avenue to the new Secondary Access Road from the new WTP.

**Construction.** In January, the following activities were conducted:

**Water Treatment Plant:**

- a. Complete placing sections of the elevated slab at the Chlorine Contact tank (CCT)
- b. Begin SWW basin elevated slab
- c. Complete placing tank pads in chemical containment areas and place chemical storage tanks inside the WTP building
- d. Continue interior chemical piping in WTP
- e. Continue cable tray installation in treatment building/admin area
- f. Continue DAF equipment installation
- g. Remove contaminated soils from site entrance road
- h. Begin water line for site water service

**Raw Water Pump Station:**

- a. Continue footings at RWPS
- b. Install sanitary sewer and water service
- c. Install bollards

**Upcoming Activities (3 Month Look Ahead)**

- Continue review of construction submittals
- Complete concrete formwork, reinforcement installation and concrete placement at the Spent Washwater (SWW) basin
- Continue installation of chemical pipeline and chemical tanks in the process building
- Continue installation of electrical conduit and wire

- Continue DAF system equipment installation
- Complete footings & slab on grade at RWPS

## Site Photographs

The following project photographs were taken in January 2020. These photographs depict the ongoing activities related to concrete work for the SWW basin and treatment building chemical areas, as well as site work for RWPS.



Placement of elevated slab section at the CCT





Removal of contaminated soils at the site access road



Installation of footings at RWPS



**Design-Build-Operate Contract Update**

TOTAL CONTRACT AMOUNT	\$56,911,833
EXPENDED THROUGH DECEMBER 13 <sup>th</sup> 2019	\$33,865,436.18
PERCENT COMPLETE	60%
ANTICIPATED TREATMENT PLANT COMPLETION DATE	No Later than 12/31/2020



# City of Woonsocket Rhode Island



## Ordinance

### Chapter

February 3, A.D. 2020

#### **AUTHORIZING THE FIRE CHIEF OF THE CITY OF WOONSOCKET TO PURCHASE A 2020 FORD F550 EMERGENCY MEDICAL SERVICES RESCUE VEHICLE**

- WHEREAS,** The Fire Department is in need of said vehicle to replace a 2011 Chevrolet 4500 Emergency Medical Services Transport Vehicle; and
- WHEREAS,** The Fire Department will follow the HGACBUY interlocal contract for cooperative purchasing Contract #AM10-18 through Specialty Vehicles, Inc.; and
- WHEREAS,** The Fire Department requires this vehicle as soon as possible for the public safety of the citizens and the emergency medical services providers.

#### **IT IS ORDAINED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET AS FOLLOWS:**

**SECTION 1.** That the Fire Chief is authorized to purchase from Specialty Vehicles, Inc. one (1) new/unused Life Line Emergency Medical Vehicle Type 1-AD, Class I Emergency Medical Rescue Vehicle mounted on a new/unused 2020 Ford F550 4x4 Superduty Cab/Chassis. The amount not to exceed \$306,860, as shown in Proposal (Exhibit A.)

**SECTION 2.** This Ordinance shall take effect on the eleventh consecutive day following its passage by the City Council as provided in Chapter III, Section 9 of the Woonsocket Home Rule Charter and all Ordinances or parts of Ordinances inconsistent herewith are hereby repealed.

Daniel M. Gendron  
City Council President  
By Request of the Administration




Exhibit A

18 Commerce Blvd.  
Plainville, MA 02762  
Tel: 508.699.0616  
Fax: 508.699.0977  
Toll Free: 888.699.0616  
[www.svine.com](http://www.svine.com)

## Specialty Vehicles, Inc.

<b>SUBMITTED TO:</b>	<b>BIDDER:</b>	<b>MANUFACTURER:</b>
Chief Paul Shatraw Woonsocket Fire Department 5 Cumberland Hill Road Woonsocket, RI 02895	Specialty Vehicles, Inc. 18 Commerce Blvd. Plainville, MA 02762 Sales Rep: Mark Hooper	Life Line Emergency Vehicles 1 Life Line Drive Sumner, IA 50674

<b>DESCRIPTION OF VEHICLE:</b>	<b>DATE:</b> January 14, 2020
2020 Ford Superduty F550 4x4 custom built Life Line Emergency Vehicles "Superliner" Type 1-AD, Class 1 Emergency Medical Rescue Vehicle.	
All pricing for this proposal is based off the current Houston-Galveston Area Council (H-GAC) Contract AM10-18.	
<b>PRICING BREAKDOWN:</b>	
<b>TOTAL DELIVERED PRICE OF VEHICLE:</b>	<b>\$ 306,860.00</b>
<b>DELIVERY / TERMS &amp; CONDITIONS:</b>	
Delivery lead-time shall be within 150-180 calendar days from receipt of custom ordered chassis, final work order / drawings and a signed sales contract between the City of Woonsocket Fire Department and Specialty Vehicles, Inc.; whichever occurs first.	
Specialty Vehicles, Inc. reserves the right to withdraw this proposal if not accepted within 60 calendar days.	
Terms: Net cash due upon delivery and acceptance. No Federal, State or Local Taxes are included.	

Thank you for the opportunity to submit our proposal. If you have any questions please feel free to contact me at (888) 699-0616.

Respectfully Submitted,

*Mark C. Hooper*

Mark C. Hooper  
President

## **Memo**

To: Christine Chamberland, Finance Director  
From: Paul A. Shatraw, Fire Chief  
CC: Mayor Lisa Baldelli-Hunt; Eugene Jalette, Public Safety Director; John DeSimone, City Solicitor; Cindy Johnston, Deputy Finance Director/Controller, & Paul Luba, State Fiscal Advisor  
Date: January 22, 2020  
Re: Ford F550 Emergency Medical Services Rescue Vehicle

---

### **Financial Summary**

CDBG Grant Account #1-408-408XX-60133 \$306,860

### **Background and Explanation**

This purchase is for a new 2020 Ford F550 Emergency Medical Services Rescue Vehicle for a total purchase price of \$306,860. The cost will be reimbursed with CDBG Grant funds. The vehicle is being purchased under the Houston-Galveston Area Council (HGAC) Contract AM10-18. HGAC Contract and Specialty Vehicles quote are attached.

### **Budgetary Impact**

<i>Expenditures</i>	<b>FY 2020</b>
<b>CDBG Fund</b>	<b>\$306,860</b>
<b>General Fund</b>	
<b>School Funds</b>	



# LIFE LINE

EMERGENCY VEHICLES

H-GAC PROPOSAL 01-14-2020

CITY OF WOONSOCKET FIRE DEPARTMENT  
Chief Paul A. Shatraw  
5 Cumberland Hill Road  
Woonsocket, RI 02895  
401-765-2500  
Ext 6841  
pshatraw@woonsocketri.org

SPECIALTY VEHICLES, INC.  
Mark C. Hooper  
18 Commerce Blvd.  
Plainville, MA 02762  
888-699-0616 (NE Only)  
508-699-0616  
mhooper@svine.com

Exp. Date: 01/31/2020  
Quote No: 10030-0002  
BODY: SUPER D 171" SUPERLINER TYPE I-AD

01/14/2020

Page 1

PART NO	DESCRIPTION	QTY
	<b>== 171" SUPERLINER TYPE I-AD - 1.000 07/01/19 ==</b>	<b>1</b>
	<b>SHOP NOTE:</b> NOTE: Build To Be Compliance Thru Change Notice 11.	
	<b>MASTER PARTS REVISION DATE (Start 07-01-19 to 10-01-19)</b>	<b>1</b>
00-00-0500	LIFE LINE WARRANTY <b>SHOP NOTE:</b> Warranties Include: Lifetime Modular Body Warranty.  Lifetime Limited Cabinet Warranty.  5-Year/60,000 Mile Product Conversion Warranty.  10-Year/100,000 Mile Electrical Warranty Elite System. Includes 4 Years/100,000 Mile On Screens. "Lifetime" On All Harnesses Manufactured And Installed By Life Line.  6-Year Pro-Rated Axalta Paint Warranty. Which Is As Follows: For 3 Years 100%. 4th Year 50%. 5th Year 25%. 6th Year 10%.	<b>1</b>
00-00-0800	Customer Contact Person (Required For Factory Use) <b>SHOP NOTE:</b> Specify Name And Number: Paul Shatraw, Fire Chief. Office-401-765-2500 x 6841. Cell- 401-692-0975. Fax-401-597-6675.	<b>1</b>
00-00-2900	Sales Rep: Mark Hooper 1-508-699-0616 <b>SHOP NOTE:</b> Specialty Vehicles, Inc. (O): 508-699-0616. (C): 508-789-0828.	<b>1</b>

PART NO	DESCRIPTION	QTY
00-00-FL00	Fill Unit With Fuel For Delivery (Charge To Dealer Account)	1
00-00-FN00	Specify FORD Fleet Number If Available (FORD Chassis Only)	1
	<b>SHOP NOTE:</b>	
	Specify FIN Number: QJ055	
	City Of Woonsocket Fire Department.	
	5 Cumberland Hill Road	
	Woonsocket, RI 02895	
	Verified By Jim Simpson.	
00-00-PU00	Specify Previous Unit Number: #4390	1
	<b>***BODY STYLE***</b>	1
00-02-1600	171" x 96" SUPERLINER TYPE I CRAWL-THRU (F-450/550 OR DODGE)	1
	<b>SHOP NOTE:</b>	
	Full Height Bellows Between Cab And Module - From Top Of Cab Floor To Bottom Of Cab Roof.	
	There Will Be A Lower Pass Thru Cabinet Installed. See Option #65-07-9000 For Cabinet.	
	Make The Pass Thru As Wide And Tall As Possible. This Will Allow A Larger Pass Thru Area For Communication.	
	Includes Sliding Window With Latch On Cab Side For KKK Compliance.	
	Includes Life Line Elite Gen3 Electrical System.	
	<b>***CHASSIS***</b>	1
10-00-0100	Chassis VIN Number: (FACTORY USE ONLY)	1
10-00-5100	2020 Ford F-550 193" W.B. 18,000 GVWR 4 WD Cab/Chassis	1
	<b>SHOP NOTE:</b>	
	With Standard Ford O.E.M. 3-Year/36,000 Mile Warranty.	
	Includes Standard Life Line Options:	
	*XLT 193" WB Chassis Cab.	
	*Medium Earth Gray Interior.	
	*Oxford White Exterior. (See Section #85 For Life Line Cab Paint Requirements).	
	*40/20/40 Cloth Seat.	
	*Preferred Equipment Package #663A.	
	*6.7L Power Stroke V8 Diesel.	
	*6-Speed Automatic Transmission.	
	*225/70Rx19.5G BSW Max Traction.	
	*4.10:1 Limited Slip Rear Axle.	
	*Rapid Heat Supplemental Heater.	
	*Rubber Cab Floor Mat In Lieu Of Carpet.	
	*Telescoping Trailer Tow Mirrors - Power.	
	*XLT Trim Package.	
	=Less Tire Inflation Monitor.	
	=18000# GVWR Package.	
	*Electronic Shift On The Fly.	
	*Engine Block Heater.	
	*Ambulance Prep Package #47L W/ Special Emissions.	
	=Dual Extra Heavy-Duty Alternator.	
	=Operator Commanded ReGen.	
	*Steel Wheels.	
	*Spare Tire And Wheel (Steel).	
	*Jack.	
	*Adjustable Gas/Brake Pedal.	
	*(2) OEM Key's / Fob's Total.	
	*Daytime Running Lights.	
	See Option #10-00-5405 For Ford Option #21N - Navigation System And Option #913 - SYNC 3. (Both Options Required).	
10-00-5405	Order Ford F Series Chassis with Sync3 and Navigation System	1
	<b>SHOP NOTE:</b>	
	Ordered With Chassis.	

PART NO	DESCRIPTION	QTY
	Code #913 - Sync3. Code #21N - Navigation System.	
10-00-6050	Liquid Spring Suspension Kit For Ford F-Series <b>SHOP NOTE:</b> Install Control Module On Left Side Of Steering Wheel On OEM Dash.	1
10-01-3400	<b>**FACTORY USE ONLY**</b> <b>SHOP NOTE:</b> Spare Chassis Keys And Owner's Manual Present.	1
10-01-8000	Delete Standard Wheel Covers	1
10-01-9500	Ship The Spare Tire Loose <b>SHOP NOTE:</b> Wheel To Be Steel As Supplied From Ford.	1
10-02-1200	F-Series O.E.M. Door Mirrors <b>SHOP NOTE:</b> Dual Arm Power/Heated Trailer Tow Mirrors.	1
10-02-3500	O.E.M. AM-FM Radio W/Cab Speakers <b>SHOP NOTE:</b> NOTE: Chassis Ordered With The Following Ford Options: *Option #21N - Navigation System. *Option #913 - SYNC 3. (Both Options Required).	1
10-02-5000	Low Voltage Throttle Manager <b>SHOP NOTE:</b> Activated With Park Brake Applied.	1
10-02-5700	Hand Held Cab Spot Light <b>SHOP NOTE:</b> Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord And Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat.  Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger.  Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete.	1
10-03-0000	Large Custom Floor Console <b>SHOP NOTE:</b> Match Previous Unit #4390.  Includes Top Flat 3" Forward Area: *USB Outlet Toward Passenger Cab Side.  Includes Angled Area For: *Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degree Angle. *Map Light On Side Of Console - Passenger Side.  Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounted On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cup Holders (Silicone) And Seal To Console.  Angled And Flat Portion For Communications To Be Narrower Than Map Storage / Drink Holder Area.  Flat Area Under Mobile Radios To Include Removable Black ABS Panel. Ship Loose (1) Additional Black ABS Panel For Future Use.	1



PART NO	DESCRIPTION	QTY
	On Lower Pass Thru Cab Wall: *Emergency Access Inc. Model #2800 Key Box. *(2) Portable Radio Chargers. *(1) Glove Holder - Stainless Steel.	
10-03-1500	Bosch Digital Engine Hourmeter On Driver's Side Of Front Console <b>SHOP NOTE:</b> Mounted On The Driver's Side Of The Front Console, By The Drivers Right Knee.  Use Bosch #SP0F000060 Digital Hour Meter. LL Part #E18076.	1
10-03-8200	Add Auto Dump Feature To Rear O.E.M. Lowering Suspension System <b>SHOP NOTE:</b> Wire Circuit To Auto Dump From The Primary Rear Door Switch.  Includes: ON/OFF Safety Switch On Inner Primary Rear Door Panel.  Whelen 3" Round Amber LED System Dumped Flashing Warning Light Installed In Ceiling.	1
10-04-0000	F-Series & Dodge Four Battery System <b>SHOP NOTE:</b> (2) Mounted Under The Hood. Standard OEM Batteries.  (2) Mounted In The Standard Battery Compartment. Batteries In P-2 To Be Match Ford OEM.	1
10-04-3500	Owner's Manual (1 Included With Unit)	1
10-05-0110	Strike First HD Vehicle Bracket for 5 Pound Fire Extinguisher (Ea) <b>SHOP NOTE:</b> Strike First Part #HDVB-1. LL Part #F18225.  Specify Mounting Location: (1) Under Foot End Of Squad Bench Toward Exterior Wall Standing Up.  (1) D-2 Compartment On Right Side On Top Shelf.	2
10-DL-0100	Power Door Locks <b>SHOP NOTE:</b> Specify Custom Option: Program Vehicle To Disable Auto Power Door Lock At Road Speed. Power Door Locks Shall Not Activate At 5 MPH +.  NOTE: Module Body Power Door Locks (Compartments And Entry Doors) Shall Unlock / Lock With OEM Key Fob's.	1
	<b>***MODULAR BODY TYPE I***</b>	1
15-01-1655	KKK Package Thru Change Notice 11 <b>SHOP NOTE:</b> Includes: Upgraded Vinyl 40 Oz.  *(2) 5# Fire Extinguishers. See Option #10-05-0110 For Strike First HD Vehicle Brackets And Mounting Locations.  *Oxygen Wrench. Shipped Loose.  *Lock On Cab To Module Sliding Window. Lockable From Cab Side.  *Meet Federal K-Spec Up Thru Change Notice 11.  *Weight Stickers For All Interior Storage Areas.	1
15-01-5000	Standard 72" Finished Headroom	1
15-01-8510	Cab To Module Sliding Crawl-Thru Door <b>SHOP NOTE:</b> Contains A Sliding Window With Latch. Latch On The Cab Side And Latched In The Open And Closed Positions For KKK Compliance.	1

PART NO	DESCRIPTION	QTY
15-01-9005	Cab To Module Sliding Pass-Thru Window	1
15-02-0500	C.P.I. # VC0004-1 Vents (3 STD)	1
15-02-1600	1 Piece Stainless Steel Wheel Well Trim Rings (Small)	1
	<b>SHOP NOTE:</b> 18.75" Radius For Ford F-Series.	
15-02-2500	Standard Cast Fuel Fill Housing	1
	<b>SHOP NOTE:</b> Mounted On The Streetside Of The Module Body Aft Of Rear Axle.	
15-02-2605	Standard F-Series DEF Fill Mounted Streetside Module in Front of Wheel Well	1
	<b>SHOP NOTE:</b> Mounted On The Streetside Of The Module Body Forward Of Rear Axle.	
	Includes CPI Housing Part #FG4503-1-163-B . LL Part #F04049.	
15-DL-9902	Standard Lowered Front Body Skirts F-Series & Dodge	1
	<b>SHOP NOTE:</b> Includes 3" Drop Skirt For Streetside And Curbside.	
	Includes Dual Step In Side Entry Door Step Well.	
	See Option #20-02-6110 For NFPA Tread Plate Requirements.	
	<b>***MODULE DOORS AND WINDOWS***</b>	1
20-00-0100	2 Red Reflectors On Each Module Entry Door	1
	<b>SHOP NOTE:</b> One Mounted At The Top And One Mounted At The Bottom.	
20-00-0500	Combination Extruded/Pan. Formed Module Entry Doors	1
	<b>SHOP NOTE:</b> With Clean Seal #50512 Door Gaskets. Includes Stainless Steel Sill Plates.	
20-01-0000	Full Height Side Entry Door With Gas Style Hold-Open	1
	<b>SHOP NOTE:</b> Position The Hold-Open At 90 Degrees.	
	Identified As P-3.	
20-01-1000	Side & Rear Entry Door Thresholds With Black/Yellow Safety Anti Slip Tape	1
20-01-2900	Sliding Side Entry Door Window (Bronze Tint)	1
	<b>SHOP NOTE:</b> Sliding Window With Screen And Bronze Tint.	
20-01-3500	Rear Doors With Grabber Style Hold-Opens	1
	<b>SHOP NOTE:</b> Installed At The Top Of The Rear Doors In Standard Location.	
20-01-5400	Fixed Rear Entry Door Windows (Bronze Tint)	1
	<b>SHOP NOTE:</b> With Bronze Tint Option.	
20-01-9000	Delete Exterior Assist Handle On Side Or Rear Entry Doors (Ea)	3
	<b>SHOP NOTE:</b> Specify Deletion Location: (1) Side Entry Door. (2) Rear Entry Doors.	
20-02-0000	Tri-Mark 030-18 Free Float Handles with Chrome Exterior And Black Pocket	1
20-02-1500	Primary & Secondary Exterior & Interior Rear Door Free Float Handles Standard	1
20-02-1600	Secondary Door Release Latches On All Entry Doors	1
	<b>SHOP NOTE:</b> (3) Label LH Arrow. LL Part #L04025. (3) Label RH Arrow. LL Part #L04026.	

PART NO	DESCRIPTION	QTY
20-02-2500	Shielded Cable Activated Module/Compartment Door Latches	1
20-02-3500	Cage Nuts On All Door Panels	1
20-02-4100	Smooth Aluminum Plate Lower Module Entry Door Trim Panels	1
	<b>SHOP NOTE:</b> Install Trim Panels Using Screws With Marlite Washers ILOS.	
20-02-5500	Stainless Trim On Hinge Side Of Door Extrusions (Ea)	13
	<b>SHOP NOTE:</b> Specify Locations: (1) P-1 Compartment. (1) P-3 Side Entry Door. (1) P-4 Compartment. (2) D-1 Compartment. Includes Hinge And Non-Hinged Sides. (2) D-2 Compartment. (2) D-4 Compartment. (2) R-1 Rear Entry Door. Includes Hinge And Non-Hinged Sides. (2) R-2 Rear Entry Door. Includes Hinge And Non-Hinged Sides.  All To Be Full Height.  D-1 Compartment Include Stainless Steel On Non-Hinged Door Edge On Outer Edge Of Body. Visible With Door Closed. Extend Into Inner Extrusion. The Stair Chair Damages The Painted Edges On The Non-Hinged Extrusion. To Match Previous Unit #4390 And All Other Older Units.	
20-02-6110	Deeper Side Entry Stepwell With NFPA Tread & Oxygen Storage ILOS	1
	<b>SHOP NOTE:</b> Left Side For Portable Oxygen Tank Storage. Deeper Step Well ILOS.	
	<b>***EXTERIOR COMPARTMENTS***</b>	1
25-00-0100	SPECIAL NOTE TO DEALER	1
	<b>SHOP NOTE:</b> Custom Compartment Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	
25-00-0200	2 Red Reflectors On Each Full Height Compartment Door	1
	<b>SHOP NOTE:</b> One Mounted At The Top And One Mounted At The Bottom.  One Reflector Mounted On Each Standard Height Compartment Door.	
25-00-0500	Combination Extruded/Pan Formed Compartment Doors	1
	<b>SHOP NOTE:</b> With Clean Seal #50512 Door Gaskets And Stainless Steel Sill Plates. Includes Gas Style Hold-Opens Unless Otherwise Noted.  Special Note To Production: Position All Gas Hold-Opens For Maximum Allowable Door Opening. Does Not Include Doors That May Hit Other Compartment Doors.	
25-00-0600	Polished Diamond Plate Exterior Compartment Door Panels	1
25-01-0000	Magnetic Compartment Door Switches	1
25-01-1000	Polyurethane Compartment Lining-Standard Gray	1
25-01-2500	Standard TecNiq Model E41 LED Strip Lighting Surface Mounted Compartment Lights	1
	<b>SHOP NOTE:</b> One Strip To Be Installed Vertically Inside Door Frame Against Wall #1 Or #3 As The Standard.  The Standard Light Lengths Used Are: 18" E22140. 31.5" E22141. 54" E22145. 72" E22149.	
25-01-3220	18" TecNiq Model E41 LED Strip Lighting IATS For Exterior Compartment (Ea)	3
	<b>SHOP NOTE:</b> Specify Location(s).	

PART NO	DESCRIPTION	QTY
	(1) P-1 Compartment - Ceiling Near Door Frame Front Edge.	
	(1) P-4 Compartment - Ceiling Near Door Frame Front Edge.	
	(1) D-1 Compartment - Ceiling Near Door Frame Front Edge.	
25-01-3224	31.5" TecNiq Model E41 LED Strip Lighting IATS For Exterior Compartment (Ea)	3
	<b>SHOP NOTE:</b>	
	Specify Location(s):	
	(1) D-2 Compartment - Near Door Frame On Wall Opposite Standard.	
	(1) D-2 Compartment - Ceiling Near Door Frame Front Edge.	
	(1) D-4 Compartment - Ceiling Near Door Frame Front Edge.	
25-01-3225	54" TecNiq Model E41 LED Strip Lighting IATS For Exterior Compartment (Ea)	3
	<b>SHOP NOTE:</b>	
	Specify Location(s):	
	(1) P-1 Compartment - Near Door Frame On Wall Opposite Standard.	
	(1) P-1 Compartment - Wall #2 / Wall #3 In The Corner.	
	(1) D-4 Compartment - Near Door Frame On Wall Opposite Standard.	
25-01-3226	72" TecNiq Model E41 LED Strip Lighting IATS For Exterior Compartment (Ea)	2
	<b>SHOP NOTE:</b>	
	Specify Location(s):	
	(1) P-4 Compartment - Near Door Frame On Wall Opposite Standard.	
	(1) D-1 Compartment - Near Door Frame On Wall Opposite Standard.	
25-01-3300	Stainless Steel Compartment Vents	1
25-04-3000	Delete Superliner Curbside Front Backboard Compartment	1
	<b>SHOP NOTE:</b>	
	Specify Alternate Backboard Compartment: Curbside Rear P-4 Compartment.	
25-04-3500	Full Height Superliner Curbside Front IS/OS Compartment	1
	<b>SHOP NOTE:</b>	
	P-1 Compartment.	
	Allow For 16" Pass Thru Width.	
	Increase Depth To 28".	
25-04-5100	Move Superliner IS/OS And Side Entry Door Forward	1
	<b>SHOP NOTE:</b>	
	Side Entry Door Is Identified As P-3.	
25-04-6505	Aluminum Adjustable IS/OS Compartment Shelf w/Dri-Dek Mat(Ea)	3
	<b>SHOP NOTE:</b>	
	Smooth Aluminum Shelves.	
	Includes Dri-Dek Mat.	
	Specify Lip Size: .75" Lip On All Sides.	
25-04-7500	Vortex Lined Walls In IS/OS Compartment	1
	<b>SHOP NOTE:</b>	
	Specify Color: Standard Gray.	
25-04-8000	Superliner Curbside Front Battery Compartment	1
	<b>SHOP NOTE:</b>	
	P-2 Compartment.	
	(2) Of The (4) Batteries With Slide-Out Tray.	
	Additional Batteries To Match Ford OEM Batteries Under Hood.	
25-05-3000	Superliner Curbside Rear Backboard / Oxygen Compartment	1
	<b>SHOP NOTE:</b>	
	P-4 Compartment.	
	Includes .188" Fixed Vertical Divider. Includes Oval Holes In The Divider To Access O2 Straps.	
	Divider To Be Installed To Allow More Space For Backboards. Divider To Be Installed	
	Approximately 14.25" From Wall #1.	
	Delete Standard Horizontal Shelf.	



PART NO	DESCRIPTION	QTY
	Oxygen Storage Will Be On The Right Side Of Compartment. Includes Approximately 15" Between Divider And Wall #3.	
	Widen Compartment To Maximum Width. To Be 29.5" Interior Width.	
	Does NOT Include Small Utility Compartment Behind The Wheel Well Area Due To Increase Width Of P-4 Compartment.	
25-05-3500	Superliner Full Height Streetside Front Compartment <b>SHOP NOTE:</b> D-1 Compartment.	1
	Increase Compartment Depth To Accommodate Stryker #6252 Stair Chair.	
	Pass Thru Width To Be 19.50" Wide To Allow Car Seat To Be Stored And Removed From Compartment.	
	Use Wider Style Door Hold Open To Allow Door To Open Wider And Create Wider Pass Thru Opening. Cannot Interfere With Cab Door Opening / Closing.	
	Include Stainless Steel On Non-Hinged Door Edge On Outer Edge Of Body. Visible With Door Closed. Extend Into Inner Extrusion. The Stairchair Damages The Painted Edges On The Non-Hinged Extrusion.	
25-05-5000	Superliner Streetside Double Door Intermediate Compartment <b>SHOP NOTE:</b> D-2 Compartment.	1
	Modify Width Due To Wider D-1 Compartment.	
25-05-6500	Streetside Wheel Well Slide Out Drawer Compartment <b>SHOP NOTE:</b> D-3 Compartment.	1
	Make As Wide As Possible.	
25-05-9000	3/4 Height Single Door Streetside Rear Compartment <b>SHOP NOTE:</b> D-4 Compartment. Split Depth. Upper Depth To Be 11.75" Deep. Wall #2 Upper Section Is To Be Plated For SCBA Storage.	1
25-11-8015	Smooth Aluminum Adjustable Shelf W/ Dri-Dek Matting (Ea) <b>SHOP NOTE:</b> Smooth Aluminum With Standard 2" Lips Unless Otherwise Specified Below. Includes Dri-Dek Mat.	6
	Specify Compartments: (2) D-2 Compartment. (1) D-4 Compartment. Lower Section. (3) P-4 Compartment Above Oxygen Bottle. Shelves To Include 3/4" Lips On All Edges.	
25-12-1010	Fixed .188" Vortex Covered Aluminum Vertical Divider (Ea) <b>SHOP NOTE:</b> Specify Compartment: (1) D-1 Compartment. Modify The Divider To Allow A Stryker #6252 Stairchair To Be Stored Between Divider And Wall #3.	1
	Custom Height Divider Due To Child Seat Stored On Shelf.	
25-12-1110	S.V.I. Adjustable Ceiling Backboard Divider (Ea) <b>SHOP NOTE:</b> Specify Compartment: P-4 Compartment.	1

PART NO	DESCRIPTION	QTY
	Install An Adjustable Divider In The Ceiling Of The Rear Backboard Compartment To Prevent The Backboards From Coming Out Of The Compartment When The Door Is Open. Divider To Be Full Width Of The Backboard Area Only. Hang Down From The Compartment Ceiling Approximately 16" To Cover The Last 2"-3" Of The Backboard. The Last 1" Shall Be Angled Towards The Exterior With 30 Degree Angle.	
25-12-5015	Fixed Smooth Aluminum Shelf W/Dri-Dek Matting (Ea) <b>SHOP NOTE:</b> Smooth Aluminum With Standard 2" Lips. Includes Dri-Dek Mat.	2
	Specify Compartment: (1) D-1 Compartment. Top Of Compartment For Air Horn Compressor.	
	(1) D-1 Compartment. Above Stairchair. To Allow Evenflo Tribute Model #38111190 Car Seat To Be Secured To Shelf.	
25-12-8000	Add IS/OS Access To Exterior Compartment (Ea) <b>SHOP NOTE:</b> Specify Compartment: P-4 Compartment. Above Oxygen Bottle To Ceiling.  Height Of IS/OS Access To Match #4390. From The Top Of The Zico Oxygen Bottle Bracket To The Ceiling.	1
	Need To Have Access To "M" Tank Valve To Turn On/Off. Customer Does Not Mind Seeing The Valve From The Inside Door.	
25-12-9000	Black Dri-Dek On Compartment Floor (Each) <b>SHOP NOTE:</b> Specify Compartment: (1) P-1 Compartment. (1) P-4 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-3 Compartment (Slide-Out Drawer). (1) D-4 Compartment.	6
25-13-6500	Split Level Compartment Depth Design (Ea) <b>SHOP NOTE:</b> Specify Compartment: D-4 Compartment.	1
	Add Additional Reinforcement To Wall #2 To Allow SCBA Brackets To Be Secured To The Compartment Wall.	
25-CS-0500	S.C.B.A. Bracket (Ea) <b>SHOP NOTE:</b> Specify Compartment: (2) D-4 Compartment.	2
	Zico Walk-A-Way Brackets. Includes Zico Collision Restraint Straps. Zico Part #1010PM3.	
25-DL-0100	SCBA Storage Plating And Installation <b>SHOP NOTE:</b> Specify Custom Option: D-4, Wall #2 Upper Section Is To Be Plated For SCBA Storage.  Install (2) Dealer Supplied SCBA Brackets On The Upper Section Of Wall #2. Location To Match Previous Unit #4082.	2
	Zico Walk-A-Way Brackets. Includes Zico Collision Restraint Straps. Zico Part #1010PM3.	
	<b>***REAR STEP AND BUMPER ASSEMBLY***</b>	1
30-01-0100	STD Rear Bumper With Angled Style End Caps <b>SHOP NOTE:</b> Includes Standard Reinforced Corner Angle Supports And Sub-Frame Bumper. Center Section And End Caps To Be At The Same Height.	1

PART NO	DESCRIPTION	QTY
	Truss Head Style Phillips Screws Are To Be Used To Secure The Diamond Plate Bumper Pod To The Sub-frame	
	Use New Style Rear Bumper - Decreased Height From Patient Floor To Rear Step By 1-1/2".	
30-01-2510	Vortex Covered Steel Bumper Sub-frame	1
30-01-3000	Recessed Rear Kick Plate For Bumper Flip Up Section	1
	<b>SHOP NOTE:</b> Includes Standard Bumper Design.	
30-01-3530	Recessed Area Diamond Plate Rear Kick Plate	1
	<b>SHOP NOTE:</b> Diamond Tread Plate To Be In Recessed Area Only.	
	Smooth Aluminum On Outboard Rear Wall Area.	
	Includes Extending The Stainless Steel Sill Plate To Top Of Notch.	
	<b>***IMPACT RAILS, STONE SHIELDS AND RUNNING BOARD***</b>	1
35-01-0000	One Piece Body Side Panels With Lower Impact Rails	1
	<b>SHOP NOTE:</b> Includes Lower Impact Rails Only.	
35-01-3000	Diamond Plate Running Boards With Grip Strut	1
	<b>SHOP NOTE:</b> Welded On Grip Strut.	
35-01-7110	Whelen 2G 4" Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr)	1
	<b>SHOP NOTE:</b> Whelen Part #20COCDOR With #2GFLANGC 2G Series ABS Chrome Plated Flange Kit For Surface Mount.	
	Use Deutsch Waterproof Connectors.	
35-01-7520	Rear Mud Flaps With Stainless Steel Hem Weights	1
35-01-9000	Stainless Steel Compartment And Entry Door Sill Plates	1
35-02-0000	Drip Rail Over Door (Ea.)	9
	<b>SHOP NOTE:</b> Specify Compartments: (1) P-1 Compartment. (1) P-2 Compartment. (1) P-3 Side Entry Door. (1) P-4 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (Size And Ship Loose For Dealer To Install). (1) D-4 Compartment. (1) Above Rear Doors. (Size And Ship Loose For Dealer To Install).	
35-02-0900	Frame Rail Cover	1
	<b>SHOP NOTE:</b> A Full Width Diamond Plate Frame Cover To Be Installed Between The Cab And The Module.	
35-02-2500	36" High Front Stone Guards	1
	<b>SHOP NOTE:</b> With Sealed Top Edge.	
35-02-4500	Rear Corner Stone Guards - 33"	1
	<b>SHOP NOTE:</b> With Sealed Top Edge.	
	Increase Height To Be Same Height At Front.	
	33" High (Front Skirt Rail Is Dropped).	

PART NO	DESCRIPTION	QTY
35-02-5500	Polished Stainless Steel Plate Under Fuel Fill Area	1
35-02-6015	Polished Stainless Steel Plate Under a DEF Fill Area	1
	<b>***ELECTRICAL SYSTEM***</b>	1
40-00-0550	Elite G3 Touch Screen Electrical System	1
	<b>SHOP NOTE:</b>	
	Includes:	
	(1) Front Switch Panel - Installed On Angled Portion Of Front Console. Install With Nutcerts.	
	(1) Rear Switch Panel. Streetside Main Action Area Forward Of Elite Cabinet Near Top Of Cabinet. Install With Nutcerts.	
	(1) Carling Rocker Switch For Center Strip Lights. Location: R.F.S. Cabinet. Includes Stainless Steel Guards Around Switch. LL Part #E24072.	
	This Is A Combination 15-Minute Timed Switch Activated When Ignition Is "Off" And Also On / Off When Keyed Ignition Is "On".	
	(1) Momentary Disable Rocker Switch For Curb Side Scene Lights.	
	Location: R.F.S. Cabinet. Includes Stainless Steel Guard Around The Switch. LL Part #E24072.	
	(1) Electric Oxygen with Regulator And Oxygen Display.	
	Regulator Mounted On A Bracket Remote From The Oxygen Tank.	
	Includes High Pressure Hose From The Tank To The Regulator.	
	(3) Power Point Studs - They Will Include A Full-Time Hot, Battery On (Module Power "Hot") And Ground. These Are Rated 20 AMPS Or Less. Standard Location, Electrical Closet.	
	(1) Rostra Back-Up Camera. Camera Will Be Displayed Thru The Ford OEM Navigation. Exterior Camera Above Rear Doors To Be Black ILOS. See Option #40-06-4015 For More Specifics.	
	Interior Dome Lights On Low With Entry Door.	
	Inverter Will Come On With Ignition, Along With Button Provided On Switch Panel.	
40-01-0430	Stainless Steel Guard For Carling Switch (ea)	2
	<b>SHOP NOTE:</b>	
	Specify Location(s):	
	(1) Side Scene Light Disable Switch On R.F.S.	
	(1) Center Strip Lights On R.F.S.	
	LL Part #E24072.	
40-01-0610	Relocate Breaker Box to Cab Area	1
	<b>SHOP NOTE:</b>	
	Behind Passenger Cab Seat.	
	Requires Additional Cab / Module Wire Run Boot On Type I. (LL Part #U10002).	
	Ship Tire Jack Loose.	
40-01-2000	Reverse Activated Alarm With Momentary Auto Reset Switch	1
	<b>SHOP NOTE:</b>	
	ECCO #575 Alarm.	
40-01-5000	Super Auto Eject Shoreline - 20 Amp	1
	<b>SHOP NOTE:</b>	
	Specify Location: Above D-2 Compartment.	
	Includes Stainless Steel Removable Exterior Access Panel. LL Part #1602SS.	
	Specify Inlet Cover Color: Yellow.	
40-01-6900	<b>**FACTORY USE ONLY**</b>	1
	<b>SHOP NOTE:</b>	
	Shoreline Inlet Adapter Plug Present.	
40-02-4610	Kussmaul AP1500, 1500 Watt Inverter/Charger, Includes 20A Auto Eject Shoreline	1
	<b>SHOP NOTE:</b>	



PART NO	DESCRIPTION	QTY
	Kussmaul Inverter Part #091-263-12-1500. UL Listed 1500 Watt Inverter / 55 Amp Battery Charger. Includes Built In Automatic Transfer Switch. Meets NFPA 1917 And KKK Specifications.	
	Inverter/Battery Charger Unit To Be Installed On The Floor Of Electrical Cabinet.	
	NOTE: Does Not Include Interior Status Indicator Panels.	
	Includes Kussmaul Kit #70-03-1304.	
	20 Amp Auto Eject With Deluxe Cover And Bar Graph. Yellow Cover.	
	Auto Eject To Be Mounted On Stainless Steel Panel Above D-2 Compartment For Exterior Access. Kussmaul Part #091-185-009SS.	
40-03-0000	Action Area Dual 2.1 amp USB Charger And 20 amp 12v Outlet <b>SHOP NOTE:</b> Full Time Hot Circuit. Install In The Upper Forward Section Of The Action Area. LL Part #E26088.	1
40-03-2000	R.F.S. Cabinet Dual 2.1 amp USB Charger And 20 amp 12v Outlet <b>SHOP NOTE:</b> Mounted High On Wall #1. Full Time Hot Circuit. LL Part #E26088.	1
40-03-5500	Add 12 Volt Power Outlet (Ea) <b>SHOP NOTE:</b> Full Time Hot Circuit. Specify Locations: (1) On The Main Streetside Wall. Far End Towards The Rear Of The Module Near The Left Rear Base Cabinet. Up High On Wall To Match Previous Unit #4390.  (1) Slide Out Drawer At the Rear Of The Streetside Module For Smithworks IV Warmer.  (1) Cab Area Behind The Driver Cab Seat.  (1) Computer Printer. Top Ceiling Height Cabinet Above The Pass Thru. Wall #3.  (1) For Engel Cooler Installed On Wall #3 In Rear Corner Down Low Of Lower Pass Thru Cabinet.	5
40-03-6000	Action Area 125 Volt Outlet <b>SHOP NOTE:</b> Install In The Upper Forward Section Of The Action Area.	1
40-03-7000	R.F.S. Cabinet 125 Volt Outlet <b>SHOP NOTE:</b> Mounted High On Wall #1 Near The 12V Outlet.	1
40-03-8500	Add 125 Volt Outlet (Ea) <b>SHOP NOTE:</b> Specify Locations: (1) Computer Printer. Top Ceiling Height Cabinet Above The Pass Thru. Wall #3.  (1) Cab Area. Install Near The Pass Thru Area Within Reach Of The Driver Or Passenger. For Cell Phone.  (1) Above Lower Pass Thru Countertop On R.F.S Cabinet Wall.  (1) Telemetry Area. Down Low In Corner Near Left Rear Base Cabinet. Raise Off Counter By 6".  (1) Action Area Hinged Flip Up Cabinet Area. Inside Cabinet On Streetside Wall At Rear. For Stryker Battery Charger.	5
40-03-8610	Add Dual USB Charging Port <b>SHOP NOTE:</b> Specify Location:	3

PART NO	DESCRIPTION	QTY
	(1) Cab Front Console - Forward Flat Section On Passengers Side.	
	(1) Main Action Area Above Counter Top / Below Action Area Cabinet Toward D-1 Compartment Wall.	
	(1) Above Lower Pass Cabinet on RFS Wall, Near 125V Outlet.	
	LL Part #E26095.	
40-04-3800	Smithworks 12 Volt Floor Mount IV Fluid Warmer Tray (Ea) <b>SHOP NOTE:</b> Specify Cabinet Location: Slide-Out Drawer Under Telemetry Area. Install Towards The Cab Portion Of The Drawer (Forward).  Circuit Is Wired To 12 Volt Outlet. Full Time Hot.  REQUIRES BATTERY CHARGER. MANUFACTURER WARRANTY ONLY APPLIES.	1
40-04-4000	Power Door Locks For Side Entry & Rear Entry Doors <b>SHOP NOTE:</b> Wired To Cab Doors.  NOTE: Module Body Power Door Locks (Compartments And Entry Doors) Shall Unlock / Lock With OEM Key Fob's.	1
40-04-4500	Additional Power Door Lock (Ea) <b>SHOP NOTE:</b> Door Locks Are Wired Thru The O.E.M. Door Lock Switches. Door Locks Are Thermally Protected With Pulsed Signals. Specify Compartment Locations: (1) P-1 Compartment. (1) P-4 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-4 Compartment.  Does NOT Include P-2 Battery Compartment.	6
40-04-5500	Hidden Switch In Grille For Power Door Locks (Unlock Only) <b>SHOP NOTE:</b> Use Same Switch As Rear License Plate (Stealth Switch). Mount In Same Location As Previous Unit #4390.	1
40-04-6000	Hidden Switch In Rear License Plate Housing (Unlock Only)	1
40-04-7000	Interior Body Switch For Power Door Locks (Ea) <b>SHOP NOTE:</b> Specify Locations: (1) Side Entry Door. (1) Rear Entry Door. Primary Door.	2
40-06-4015	Rostra Rear View Camera With Cable for F-Series OEM Built In Dash Monitor ILOS <b>SHOP NOTE:</b> Includes: Rostra Back Up Camera To The Exterior Rear Module Wall Above The Rear Doors. The Camera Cable Will Be Run From The Camera To An OEM Plug At The Rear Of The Chassis. The Plug Runs To The OEM Navigation In The Front Console.  Includes Ford Service To Program The Camera Mode To Be Turned On.  Includes: -Rostra Back Up Camera. -Cable From Camera To OEM Harness.  Camera Color: Black. Rostra Part #250-8628-BIR. LL Part #E26106.	1

PART NO	DESCRIPTION	QTY
	MANUFACTURER WARRANTY ONLY APPLIES.	
	NOTE: Camera Mode Must Be Activated By Don's Truck Center.	
40-DL-0100	Streamlight Survivor C4 LED Charger Base, Part #90503 <b>SHOP NOTE:</b> Specify Custom Option: (2) Streamlight Survivor C4 LED Handlights With 12V Charger Base. Wired Direct To Battery. Color: Orange. Streamlight Part #90503.  Location: D-4 Compartment. Below Split Depth Near Wall #3. Hang Down From Split Depth Notch.  Match Previous Location #4390.	2
40-DL-0200	Buss Bar Strip For Future Electrical <b>SHOP NOTE:</b> Specify Custom Option: Add Buss Bar Strip With (5) 40 Amp Circuit Breakers To Allow For Customer To Add Additional 12V Components Later To The Vehicle. Mark Area Of Electrical Closet.  All Wiring To Be "Battery Direct" Hot.  Match Previous Unit #4390.	1
40-DL-0300	Portable Radio Pre-Wire <b>SHOP NOTE:</b> Specify Custom Option: Pre-Wire For (2) Portable Radio Chargers In Cab. Located In Crawl-Thru Area Above Floor Line.	2
	<b>***INTERIOR LIGHTING***</b>	1
45-01-0000	Oxygen Compartment Light	1
45-01-0500	Side Entry Door Stepwell 3" Round LED Light <b>SHOP NOTE:</b> Whelen 3" Round Super-LED Surface Mounted.	1
45-01-2605	Whelen #80C0EHCR "LED" Frosted Round Ceiling Light ILOS (Ea) <b>SHOP NOTE:</b> Frosted Lens.  4-Streetside. 4-CurbSide.	8
45-01-3000	12" Grote 60591 LED Action Area Light <b>SHOP NOTE:</b> Switch Integral Of Light Fixture.	1
45-01-7540	4-ROM 18" Rectangular DuroLumen Recessed "LED" Center Strip Lights <b>SHOP NOTE:</b> Includes Switch In Switch Panels For Lights To Operate On 12V With HI/Lo Switch. ROM Part #R03853. Lights Will Be On "High" With Timer Switch.  Specify Switch Location: Right Front Stack Wall. Includes Metal Trim Guard Around Switch For Protection. LL Part #E24072.  Includes Hi / Low Separate Switches In Elite Touch Screen For 12V Operation.	1
	<b>***EXTERIOR LIGHTING***</b>	1
50-01-0000	Whelen 600 Series "LED" Stop/Tail Lights (Pr) <b>SHOP NOTE:</b> Whelen #60BTT Lights. Red LED With Red Lens.	1

PART NO	DESCRIPTION	QTY
	Mounted Above The Rear Kick Plate.	
50-01-6000	Whelen 600 Series "LED" Populated Amber Turn Lights (Pr) <b>SHOP NOTE:</b> Whelen Part #60A00TAR. Includes Colored Lens.	1
	Mounted Above The Rear 600 Series LED Stop/Tail Lights.	
	Wire To Flash Sequentially In The Direction Of The Arrow.	
50-02-7000	Whelen M6T Series "LED" Amber Arrow Turn Light IATS (Pr) <b>SHOP NOTE:</b> Whelen Part #60A00TAR. Includes Colored Lens.	1
	Specify Location: Front Wall Below Whelen 900 LED Flashers.	
	Wire To Flash Sequentially In The Direction Of The Arrow.	
50-02-9000	C.P.I. License Plate Housing <b>SHOP NOTE:</b> Mounted In The Center Of The Rear Recessed Diamond Tread Plate Kick Panel.  Includes Dual LED Lights.	1
50-02-9530	Delete Whelen 600 Series Back-Up Lights (Pr) <b>SHOP NOTE:</b> See Option #50-DL-0100 For Whelen 600 Rear Lower LED Scene / Reverse Lights.	1
50-03-2100	Two Reverse Activated Whelen 900 "LED" Rear Load Lights <b>SHOP NOTE:</b> Whelen Part #9SC0ENZR Lights.	1
50-03-5600	Whelen 900 "LED" Side Scene Lights (Two Each Side) <b>SHOP NOTE:</b> Whelen Part #9SC0ENZR Lights.	1
50-03-9000	Right Side Scene Lights On With Open Side Entry Door	1
50-04-2000	Rear Side Scene Lights On In Reverse IATS	1
50-04-5510	3" Round Super-LED Surface Mounted Compartment Door Flashing Light (Ea) <b>SHOP NOTE:</b> Whelen Part #3SR00FRR - Red LED With Red Lens.	2
	Specify Locations: (1) Side Entry Door Upper Interior Door Panel In Outboard Location. Upper And Lower Lights To Flash Opposite.	
	(1) Secondary Rear Entry Door Lower Interior Door Panel In Outboard Location. Light To Flash Opposite Primary Rear Entry Door.	
	Set To Flash On/Off At Slow Rate.	
50-04-5710	3" Round Super-LED Surface Mounted Door Flashing Light (Ea) <b>SHOP NOTE:</b> Includes Individual Door Switch Circuit.  Whelen Part #3SR00FRR - Red LED With Red Lens.	2
	(1) Side Entry Door Lower Inner/Outer Door Panel. Utilize Single Door Switch. Lights To Flash Opposite.	
	(1) Primary Rear Entry Door Lower Interior Door Panel In Lower Outboard Corner.	
	Set To Flash On/Off At Slow Rate.	
50-04-7501	Whelen "OS" Series LED ICC Marker Lights ILOS (Ea) <b>SHOP NOTE:</b>	8



PART NO	DESCRIPTION	QTY
	(6) Part #0SR00MCR Red LED Whelen Marker Lights ILOS. (2) Part #0SA00MCR Amber LED Whelen Marker Lights ILOS.	
50-04-8100	Innovative Lighting Slimline Front DOT Light <b>SHOP NOTE:</b> Mounted Above The Drip Rail.	1
50-DL-0100	Reverse Activated Whelen 600 "LED" Rear Reverse / Scene Lights <b>SHOP NOTE:</b> Specify Custom Option: (2) Whelen Part #6SC0ENZR 600 Series Super-LED Gradient Opti-Scenelight, Surface Mount. Includes Chrome Flange Kit.  Mounted Below The Rear Doors. Top Of Light To Be Near Bottom Edge Of Doors When Opened. Mounted Inboard Of The Rear 600 Series LED Red Flashers.	2
	<b>***RADIO PROVISIONS AND AIR HORNS***</b>	1
	<b>SHOP NOTE:</b> Does NOT Include Installation Of Customer Supplied Radio Equipment. All Customer Supplied Radio Equipment Must Be Received At Life Line Prior To Construction Start Date.	
55-01-3120	15"/18" Buell Strombos Air Horns Thru Bumper Valance F-Series w/HDRR Compressor <b>SHOP NOTE:</b> Specify Compressor Location: D-1 Compartment, Ceiling Height. Up High. Include Mesh Cover Over The Pump. Reference Location Of Air Horn Compressor From Unit #4390.  Includes: *Heavy Duty Rapid Recovery Compressor. LL Part #F15008. *One Standard Frame Mounted Air Tank. *(1) 15" Air Horn. LL Part #. *(1) 18" Air Horn. LL Part #.  Specify Carling Switch Location: Front Console. (1) To Left Of Siren For Driver Seat Use. Use Euro Style Momentary Switch.  Use Teflon Tape For All Fitting Connections.  Air Horn Trumpets To Match #4390. Per Work Order On #4390 Specified (1) 15" / (1) 18".	1
55-01-6000	Add Secondary Air Tank To Air Horn System <b>SHOP NOTE:</b> Air Tank Contains Manual Drain Valve.  Extend The Drain Pull Cords From Both Air Tanks Out To The Rear Of The Unit For Easier Access For Draining Tanks.	1
55-01-7550	Add Second Rocker Switch To Air Horn System <b>SHOP NOTE:</b> Specify Location: (1) To Right Of Siren For Passenger Seat Use. Use Euro Style Momentary Switch.	1
55-01-8500	KE-794 Antenna Base With Coax <b>SHOP NOTE:</b> Specify Termination Location: (1) Front Module Roof To The Front Console. Label #1.  Leave 18" (Minimum) Between Each Module Antenna Base.  Include Rain Caps On All Module Roof Antenna Bases.	1
55-02-1500	KE-794 Module Roof Antenna Base/Coax (Ea) <b>SHOP NOTE:</b> Specify Termination Location: (1) Mid-Front Module Roof To Front Console. Label #2.	3

PART NO	DESCRIPTION	QTY
	(1) Mid-Rear Module Roof To Behind The Streetside Action Area. Label #3.	
	(1) Rear Module Roof To Behind The Streetside Action Area. Label #4.	
	Leave 18" (Minimum) Between Each Module Antenna Base.	
	Include Rain Caps On All Module Roof Antenna Bases.	
55-02-5800	Radio Pre-Wire Power Studs Over 20 AMP (Ea) <b>SHOP NOTE:</b> Full Time Power And Ground And Battery On (Ignition On) Circuits. Buss Bar Termination Studs. Specify Termination Locations: (1) Covered Power Buss Bar Under The Cab Console.  NOTE: Radio Installer Will Tap In (2) #12 Hot Power And (1) #14 Ignition Cable For The Radio System. Make Sure It Can Handle This.  (1) Covered Power Buss Bar In The Panel Behind The Driver's Seat.  (1) Covered Power Buss Bar Behind The Streetside Action Area Switch Panel.  All Wiring To Be 10-Gauge. Includes 30-Amp Breakers.	3
55-02-6500	Install Customer Supplied Radio Cables (Ea) <b>SHOP NOTE:</b> Specify Routing And Termination Location: (1) This Is A Shielded Cable. Install From The Rear Switch Panel To The Front Console. This Will Power The Remote Microphone And The Speaker.	1
55-DL-0100	Install Dealer Supplied USB Printer Cable <b>SHOP NOTE:</b> Specify Custom Option: (1) USB Cable. From Printer To Computer. Roll Up And Terminate Behind The Vent. Match Previous Unit #4390.	1
	<b>***SIRENS AND EMERGENCY LIGHTING***</b>	1
	<b>SHOP NOTE:</b> Special Note: Secondary Mode Will Not Come On Automatically In The Park / Neutral Mode.	
60-01-1200	Whelen 295HFSA7 Dual Amplifier System ILOS <b>SHOP NOTE:</b> Includes Dual Amp Option. Mount Remote In Electrical Cabinet With Access To Dip Switches.  OEM Horn Shall Not Sound With Siren Thru OEM Horn Ring.	1
60-01-4510	SAD3815 and SAP3816 Thru Bumper Siren Speakers (F-Series) <b>SHOP NOTE:</b> CPI Part #SAD3815-17FSD-1. CPI Part #SAP3816-17FSD-1.	1
60-01-9000	4 Whelen 900 Super "LED" Side Module Warning Lights <b>SHOP NOTE:</b> Whelen Part #90RR5FRR - Red LED With Red Lens. Mount The Side Lights Inline.  Wired To Primary / Secondary Switch / Circuit.	1
60-02-2000	2 Whelen 900 Super "LED" Front Module Warning Lights <b>SHOP NOTE:</b> Whelen Part #90RR5FRR - Red LED With Red Lens.  Wired To Primary / Secondary Switch / Circuit.	1
60-02-5500	1 Whelen 900 Super "LED" Center Front Module Warning Light <b>SHOP NOTE:</b>	1

PART NO	DESCRIPTION	QTY
	Whelen Part #90CC5FCR - White With Clear Lens.	
	Wired To Primary / Secondary Switch / Circuit. "Off" In Secondary Mode.	
60-02-9500	2 Whelen 900 Super "LED" Rear Module Warning Lights <b>SHOP NOTE:</b> Whelen Part #90RR5FRR - Red LED With Red Lens.	1
	Wired To Primary / Secondary Switch / Circuit.	
60-03-3004	1 Whelen 600 Series Super "LED" Center Rear Module Warning Light <b>SHOP NOTE:</b> Whelen Part #60A02FAR. Amber LED With Amber Lens.	1
	Wire Thru PRI/SEC Switch / Circuit. Cut-Out In Secondary.	
	Use 600 Series Due To Rear Observation / BackUp Camera.	
60-04-4610	Emergency Lights On In Reverse <b>SHOP NOTE:</b> Wired To "Rear Flasher" Switch / Circuit.	1
	Includes Cut-Out Switch In Front Switch Panel.	
60-04-5280	2 Whelen ION Wide Angle Super "LED" Grille Lights (Type I) <b>SHOP NOTE:</b> Whelen Part #WIONSMCR - Red LED With Clear Lens. Includes Chrome Flange Kit.	1
	Installed In The Upper Section Of The Grille.	
	Wired To Primary / Secondary Switch / Circuit. "Off" In Secondary Mode.	
60-05-0496	2 Whelen 700 Super "LED" Intersection Lights (Type I) <b>SHOP NOTE:</b> Whelen Part #70R02FRR - Red LED With Red Lens.	1
	Wired To Primary / Secondary Switch / Circuit. "Off" In Secondary Mode.	
60-06-6000	2 Whelen 700 Super "LED" Rear Wheel Well Lights <b>SHOP NOTE:</b> Whelen Part #70R02FRR - Red LED With Red Lens.	1
	Wired To "Rear Flasher" Switch / Circuit.	
60-07-1910	Add Scan Lock Button, (ea.) <b>SHOP NOTE:</b> (1) Wired To "Primary / Secondary" Switch / Circuit. (1) Wired To "Rear Flashers" Switch / Circuit. (1) Wired To "Front Flashers" Switch / Circuit. (1) Wired To "Forward Clear" Switch / Circuit.	4
60-09-4453	Whelen ION "LED" Grille Light Clear Lens with Chrome Flange <b>SHOP NOTE:</b> Whelen Part #WIONSMCC - Clear LED With Clear Lens. Includes Chrome Flange Kit.	2
	Specify Location: (2) Lower Section Of The Front Grille.	
	Wire To Flash in Wig Wag Flash Pattern. Wire To "Clear Flasher" Switch In Front Switch Panel.	
60-09-7000	Whelen 600 Red Or Amber Or Blue Super "LED" Light (Ea) <b>SHOP NOTE:</b> Whelen Part #60R02FRR. Red LED With Red Lens.	2

PART NO	DESCRIPTION	QTY
	Below Rear Doors / Outboard Of 600 Series Reverse Light. Wire To "Rear Flasher" Switch / Circuit.	
	Wire To Flash In "X" Pattern With "Rear Flashers" Rear Module Body Warning Lights.	
60-10-0130	Rear Window Level Whelen 900 Red Or Amber Or Blue Or Clear Super "LED" Lights(2) <b>SHOP NOTE:</b> Whelen Part #90RR5FRR - Red LED With Red Lens.	1
	Center Portion Of Rear Door Windows. Wire To "Rear Flasher" Switch / Circuit.	
	Wire To Flash In "X" Pattern With "Rear Flashers" Rear Module Body Warning Lights.	
60-10-2000	Whelen 900 Red/Amber/Blue or Clear Super "LED" Light (Ea) <b>SHOP NOTE:</b> Whelen Part #90RR5FRR - Red LED With Red Lens.	2
	Specify Location: (2) Front Module Wall. (1) Each Side Of The Forward Facing Center Clear. Wire Thru "Front Flasher." Switch / Circuit.	
60-11-5000	Whelen AFM560 LED/Halogen Flasher 5-Outlet 60 Watts (Ea) <b>SHOP NOTE:</b> #1 Wired To PRI/SEC Switch In Front Console. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Rear Wall Upper/Outboard 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Front Intersection 700 Series LED Light Heads. (1) Rear Center 600 Amber LED Light Head. (1) Front Center 900 Clear LED Light. (2) Upper Grille Area ION Red LED Lights.  #2 To Power The "REAR FLASHERS" LED Light Heads: (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Lower Rear 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Reverse / Scene Lights.  #3 To Power The "FRONT FLASHER" LED Light Heads: (2) Front Red 900 Lights. Positions 2,4.  #4 To Power The "FORWARD CLEAR" LED Light Heads: (2) ION Lights In The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design.  Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely.  Do Not Bury Switches. Easily Accessible And Visible.	4
	<b>***PATIENT COMPARTMENT***</b>	1
65-00-0100	Standard Solid Surface Construction Interior Cabinets	1
65-00-9900	SPECIAL NOTE TO DEALER <b>SHOP NOTE:</b> Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	1
65-01-2000	Standard Smooth Headliner	1
65-01-3000	1/4" Clear Polycarbonate Sliding Doors On Cabinets <b>SHOP NOTE:</b> Includes Brushed Finish Interior Trim.	1



PART NO	DESCRIPTION	QTY
65-02-2230	<p>"Complete Package" Stryker Power Load System</p> <p><b>SHOP NOTE:</b> Includes: Complete Stryker #6390 Power-LOAD System Installed. Mounted In Center Position.</p> <p>Floor Structure - Tapping Blocks.</p> <p>Wired With 10-Gauge Power And Ground With A 15-Amp Circuit Breaker Powered By Shoreline Or Battery On Power.</p> <p>DELETE Standard Life Line Floor Mount For Push Rail. No Required.</p> <p>This Option Does NOT Include Cot.</p> <p>Includes Stryker Standard 1-Year Warranty On Power-LOAD. See Option #65-02-2253 For Stryker "PREVENT" ProCare Extended Warranty, Stryker Part #76011PT.</p>	1
65-02-2253	<p>Stryker Power-LOAD PREVENT ProCare Extended Warranty #76011PT</p> <p><b>SHOP NOTE:</b> Specify Custom Option: Stryker ProCare "Power-LOAD" Extended Warranty. PREVENT. Stryker Part #76011PT (With Batteries).</p> <p>Coverage For (6) Additional Years In Addition To Stryker Standard (1) Year Warranty. Total Warranty: (7) Years.</p> <p>Prevent Includes: *Stryker OEM Parts. *Labor And Travel Expense. *Battery Servicing And Replacement. *Stryker-Trained Service Specialist. *2-Hour Call Back Time. *24-72 Hour Turnaround Time. *Documentation For Governing Bodies. *Annual PM Inspection Service.</p> <p>NOTE: This Warranty Is Thru Stryker And Not Associated With Specialty Vehicles, Inc. / Life Line Emergency Vehicles. All Claims / Services To Be Handled By Stryker.</p> <p>Does NOT Includes Year #1 PM Service.</p>	1
65-02-8000	<p>L.R.O. Cabinet With Speed Load Door</p> <p><b>SHOP NOTE:</b> With Positive Lock Feature. To Include (1) PVC Adjustable Shelf Each Side Of Center Full Height Divider.</p>	1
65-03-3500	<p>L.C.O. Cabinet With Speed Load Door</p> <p><b>SHOP NOTE:</b> With Positive Lock Feature.</p> <p>Same Depth And Height As Overhead Cabinets.</p> <p>Includes (1) Adjustable PVC Shelf.</p> <p>Vehicle Does Not Include Side CPR Seat.</p>	1
65-03-7500	<p>L.F.O. Cabinet With Speed Load Door</p> <p><b>SHOP NOTE:</b> With Positive Lock Feature.</p> <p>To Include (1) PVC Adjustable Shelf Each Side Of Center Full Height Divider.</p>	1
65-04-1000	<p>Left Rear Base Cabinet With Sliding Polycarbonate Door</p> <p><b>SHOP NOTE:</b></p>	1

PART NO	DESCRIPTION	QTY
	Includes (1) Adjustable shelf.	
	Shallow Cabinet Depth Due To Split Depth In Exterior D-4 Compartment.	
	Similar To Previous Unit #4390.	
65-04-6600	Delete Standard Telemetry Area Cabinet <b>SHOP NOTE:</b> No Lip On Telemetry Area Counter Top. Match Previous Unit #4390.	1
65-04-8100	Delete Standard Lower Telemetry Area Cabinet (Factory Use) <b>SHOP NOTE:</b> Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-04-8500	Action Area Cabinet With Sliding Polycarbonate Door <b>SHOP NOTE:</b> Forward Section To Be For Elite Switch Panel, 12V Outlet, 125V Outlet And Department Installed Radios.  Cabinet To Be 17-1/2" H x 18" W x 8-1/2" D.  125V And 12V Outlets To Be Mounted Up High.	1
65-05-2100	Delete Standard Lower Action Area Cabinet (Factory Use) <b>SHOP NOTE:</b> Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-05-3600	Delete STD Action Area Tip-Out Trash Cabinet (Factory Use) <b>SHOP NOTE:</b> Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-05-5000	Cabinets ILOS Side Facing CPR Seat <b>SHOP NOTE:</b> CPR Seat Is Closed Off With Hinged Flip-Up Door With Gas Shocks. To Be Even With Countertops. The Paddle Handle Is To Be Mounted On The Top ILO The Face. Laminated Countertop. This Requires A Special Latch. Part # C01094 Southco Push To Close Latch. Similar to 4082.  Vehicle Will Not Have Side CPR Seat.  Similar To Previous Unit #4390.	1
65-05-8600	EVS 1780S Rear Facing Seat On Pedestal/Swivel Base <b>SHOP NOTE:</b> Specify Medi-VAC Color: MV112 Claret (Red). #1780S Seamless EVS Seat.  Includes EVS Provided Pedestal Base For Compliance.  Includes 3-Point Seat Belt.  <b>SPECIAL NOTE:</b> Move The Attendant Seat Towards The Center To Match Unit #4390. Need To Make The Seat Swivel In All Locations Without Hitting The Electrical Closet.  Additionally, The Seat Must Be Able To Access The Computer Installed On The Countertop Of The Lower Pass Thru.	1
65-05-9795	Delete Contoured Ergo Backrest/IMMI 4 Point Seatbelt (Ea) <b>SHOP NOTE:</b> (1) Curbside Squad Bench. Includes (2) Seated Positions On Curbside Squad Bench. (1) Street Side CPR Seat. Side CPR Seat Not Required.	2

PART NO	DESCRIPTION	QTY
65-06-2000	Rear Facing Electrical Cabinet And Door <b>SHOP NOTE:</b> Vent Accordingly.	1
65-06-9000	Cabinet Above The Walk-Thru With Hinged Solid Door <b>SHOP NOTE:</b> Specify Hinge Side: Two (2) Cabinets With Solid Doors.  Ceiling Height Cabinet To Be For Printer. Must Have 10" Clear Opening. Install M1Latch With Separate Key Lock Cylinder On Left Side Of The Cabinet So It Does Not Interfere With The Paper Tray. Top Hinged Door. Requires Printer To Be Secured To Cabinet Bottom.  Bottom Cabinet With Dual Hinged Doors With M1 Latch With Separate Key Lock Cylinder On Left Hinged Door. Miscellaneous Storage. A Department Supplied Metal Narcotics Box Will Be Installed On The Floor Of This Cabinet. Blue Narcotics Cabinet Measures 10" W x 7-1/2" Deep x 3-3/4" High With Flip Up Top Lid.  Must Have 20" Clear Opening Height From The Bottom Of The Pass Thru Cabinets And The Lower Pass Thru Cabinet Corian Counter Top For Computer.  Upper Cabinets Must Be Made To Accommodate The Equipment Carried. CRITICAL.  NOTE: Upper Bottom Cabinet Will Not Contain Vents. Bottom Cabinet With Hinged Doors To Contain Separate Key Lock Cylinder Due To Narcotics Stored Within Cabinet.	1
65-07-2000	Delete Right Front Upper ALS Cabinet Doors <b>SHOP NOTE:</b> See Option #65-07-9000 For Full Height Right Front Stack.	1
65-07-5000	Delete Right Front Lower ALS Cabinet Doors <b>SHOP NOTE:</b> See Option #65-07-9000 For Full Height Right Front Stack.	1
65-07-6000	Full Height ALS Cabinet Solid Doors <b>SHOP NOTE:</b> Trim The Open Edges With Stainless Steel.  NOTE: Match #4082 With A Small Lip At The Bottom Of The Cabinet.  See Option #65-CS-1200 For Net Across Opening.	1
65-07-9000	Add Cabinet In The Lower Walk-Thru Area <b>SHOP NOTE:</b> With Solid Surface Corian Counter Top Area. Includes Standard Lip.	1
65-07-9500	CS Squad Bench w/Contoured Ergo Backrests w/2 Piece Lid & Divider <b>SHOP NOTE:</b> Includes 2 Sets Of Black IMMI 4-Point Seat Belts Includes 3 Cot Restraints & Retractors. Backrest Color To Be: Claret MV112.  Match Previous Unit #4390. Floor To Top Of Lids Is 19-7/8" High.  Forward Lid Is Fixed Due To Drawer And Sharps/Waste Storage Accommodations.  Drop Foot End Of Storage Under Squad Bench To Floor For Added Storage.  NOTE: There Is 70 3/8" From The Rear Wall To The "A" Bar Cushion.	1
65-08-4900	Formed Stainless Removable "A" Bar At Head Of Squad Bench <b>SHOP NOTE:</b> Mounted At The Head Of The Squad Bench ILOS Cushion Area.  Does Not Contain Sharps Or Waste Containers.	1

PART NO	DESCRIPTION	QTY
	Includes Removable Pin At Connection Point That Allow The "A" Bar To Be Removed.	
65-08-8500	Squad Bench Headrest Cushion	1
65-09-2000	Two Section Bandage Cabinet With Speed Load Doors	1
	<b>SHOP NOTE:</b> Specify Cabinet Depth: 10".	
	Add 1/2" Angle To Bottom Front Face Floor Of The Cabinets Interior To Prevent Objects From Falling Out When Opening Cabinets.	
	Non-Framed Polycarbonate Doors.	
	NOTE: Cannot Use Speed Load Door Due To Height Of Cabinet.	
	Match Previous Unit #4390.	
65-09-6100	Recessed Glove (Three) Box Storage In Side Door Cushion Area	2
	<b>SHOP NOTE:</b> (1) Above Rear Entry Doors. (1) Above Side Entry Door.	
	Recessed Storage Box With Top Hinged Polycarbonate Door.	
	<b>SPECIAL NOTE:</b> Unless Otherwise Specified, Cabinet Will Fit A 5" High x 10" Wide x 4" Deep Glove Box.	
65-09-8000	Single Metal Glove Butler (Ea)	1
	<b>SHOP NOTE:</b> Specify Location: In Cab On Lower Pass Thru Wall.	
	Move Towards Streetside Near Vertical Welting To Allow Emergency Access System Lock Cabinet To Be Secured To Lower Pass Thru Wall On Right Side Of Metal Glove Holder.	
	Location To Match Previous Unit #4390.	
65-09-8500	100" Long Formed Streetside Ceiling Grab Rail	1
65-10-0000	Custom Length Formed Curbside Ceiling Grab Rail	1
	<b>SHOP NOTE:</b> Specify Custom Length: 60".	
65-10-0500	Formed "L" Door Assist Rails Mounted On The Hinge Side	1
65-10-2500	Formed Assist Rail On The Left Rear Wall	1
	<b>SHOP NOTE:</b> 12" Assist Rail Is Standard Size.	
65-10-5000	Two C.P.I. #IV2008 Rubber Recessed IV Brackets	1
	<b>SHOP NOTE:</b> (2) Mounted In The Mid/Rear Cot Position.	
65-10-6100	Add C.P.I. #IV2008 Rubber Recessed IV Bracket (Ea)	2
	<b>SHOP NOTE:</b> Specify Location: (2) Mounted In The Forward Cot Position.	
65-10-9000	Southco Cabinet Latches	1
	<b>SHOP NOTE:</b> SouthCo M1 Stainless Latches To Be Used For All Piano Hinged Heavy Polycarbonate Doors And Slide-Out Drawers.	
	SouthCo C5 Black Push Button Latches To Be Used For Lower Pass Thru Cabinet Door (Left Only) And Upper Right Front Stack Cabinet Doors.	
	SouthCo M1 Latch To Be Used For Lower Pass Thru Cabinet Door On Right Side Where Portable Oxygen Slides Out.	

PART NO	DESCRIPTION	QTY
	Latches To Be Compliant With Change Notice 11 Unless Otherwise Noted.	
65-11-3500	Locking Cabinet Drawer With Separate Key Lock (Ea) <b>SHOP NOTE:</b> Specify Cabinet Location: (1) Below Telemetry Counter Top. Smithworks IV Warmer Cabinet. (1) Lower Telemetry Area Below 1st Drawer. Customer To Store Bio Hazard Supplies. (1) Face Of Squad Bench To The Rear Of The BioWaste Drawer. 6" H x 12" W x 17" D.  All Slide-Out Drawer To Match Previous Unit #4390.  All Locking Cabinet Drawers And Doors To Be Keyed Alike.  Stainless M1 Latch With Separate Locking Cylinder.	3
65-12-3600	Locking Cabinet Door (Separate Cylinder Lock) <b>SHOP NOTE:</b> Specify Cabinet Location: (1) Lower Pass Thru Cabinet. (Where Engel Cooler Is Installed).  (1) Cabinet Directly Above Cab To Module Pass Thru Window / Below Printer Cabinet. Where Narcotics Blue Box Is Stored.  (1) Cabinet Above The Pass Thru. Top Cabinet At Ceiling Height Where Printer Is Stored.	3
65-13-1600	Slide Out Sharps And Waste BioWaste Drawer <b>SHOP NOTE:</b> Specify Cabinet Location: Specify Cabinet Location: Face Of Squad Bench. Head End.  Includes #8970 Sharps Container And Standard Rubbermaid Waste Container.  Waste At Face Of Opening And Sharps To Rear Section.  Includes M1 Latch On Door.	1
65-15-0001	Interior Laminate: Mouse Matte 928-58	1
65-17-0267	Seam Sealed Cushions "KKK" Vinyl: DA-314 Desert Rose (Dark Red) <b>SHOP NOTE:</b> This Vinyl May Be Sent to EVS For Back Rests & Medi-Vac Seating For Exact Matches.	1
65-17-0512	EVS Seamless/Medi-Vac Vinyl Color: Claret MV112 (Red Maroon) <b>SHOP NOTE:</b> Matches Oxen Maroon.	1
65-18-0004	Welting Between Cabinets: Maroon <b>SHOP NOTE:</b> 180-05	1
65-19-0001	Counter Tops (Main): Stormy Gray (Dusk) <b>SHOP NOTE:</b> Standard With 1" Lip.  No Lip In Telemetry Area Due To Swivel Bracket For Monitor.  Top: Dusk. Middle: White. Bottom / Base: Dusk.	1
65-20-0005	Counter Tops (Accent Stripe): Glacier White <b>SHOP NOTE:</b> Standard With 1" Lip.  No Lip In Telemetry Area Due To Swivel Bracket For Monitor.	1



PART NO	DESCRIPTION	QTY
	Top: Dusk. Middle: White. Bottom / Base: Dusk.	
65-21-0017	Lonseal Floor Selection: Lonplate I #161 Metallic Gray <b>SHOP NOTE:</b> Rolled Up 6" On Both Sides. Match Previous Unit #4390.	1
65-CS-1200	Cargo Net Over The R.F.S. Cabinet ILOS Door(s) Full Height <b>SHOP NOTE:</b> Match Previous Unit #4390.	1
65-CS-3000	Total Available Seating Positions In this Unit <b>SHOP NOTE:</b> (7) Total Including Cab, Module and Stretcher.  (2) Cab. (1) Attendant Seat. (1) Side CPR Seat. (2) Curbside Squad Bench. (1) Stretcher.	1
65-DL-0100	Writing Board On Curbside Wall <b>SHOP NOTE:</b> Specify Custom Option: Above Squad Bench Seat Lid On P-4 Compartment Wall Shall Contain A Writing Board. Secured To Wall With Fast Leads. Trim With Stainless Steel.  As Large / Wide As Possible.	1
65-DL-0200	Streetside Aisle Storage Cabinet Above Lower Pass Thru <b>SHOP NOTE:</b> Specify Custom Option: Includes Right Hinged Solid Door With One (1) Vent At Top And One (1) Vent At Bottom.  No Adjustable Shelving Inside Required.  Make As High And Deep And Wide As Possible.	1
<b>***PATIENT COMPARTMENT ENVIRONMENTAL SYSTEMS***</b>		1
70-01-0500	12 Volt Powered Fresh Air Intake <b>SHOP NOTE:</b> Circuit Wired Thru The Exhaust Vent Circuit And Switch.	1
70-01-1010	Turbo 4000 12 Volt Powered 4" Exhaust Fan ILOS <b>SHOP NOTE:</b> (1) Atwood 4" Fan. LL Part #E09226. (1) 4" Vent Hose. LL Part #M040666. (2) LL Aluminum Manifolds. (1) Additional CPI Low-Profile Vent. (2) Interior Perko Vents.	1
70-01-1600	Cabinet Mounted Free Blow 12 Volt Hoseline Rear Heat/AC Unit <b>SHOP NOTE:</b> Includes Digital Temperature on ELITE Display. Includes Climate Indicators For Heat/AC/Fan Speed. Includes High-Medium-Low Fan Speeds.  Evaporator Model #ACHU1131.	1
70-01-2400	Inline Booster Coolant Pump <b>SHOP NOTE:</b> 12 Volt Centrifugal Pump To Boost The Flow Capacity Of The Coolant System.	1

PART NO	DESCRIPTION	QTY
	Installed In D-1 Compartment Behind Removable Access Panel.	
70-01-2500	Standard R.F.S. Overhead Cabinet Heat/AC Unit Location	1
70-01-4510	Hoseline Front Wall Mounted Aux 12 Volt A/C Condenser (Type I Modular Body)	1
	<b>SHOP NOTE:</b> Condenser Model #TMC2007. Dual Inner Liner Will Help Cool The Patient Compartment Faster. Low Profile Condenser.	
	Condenser Body To Be Painted Body Color.	
	Use Life Line Manufactured Brackets For A/C Condenser.	
	Must Be Above (3) 900 Series Flashers On Front Wall.	
	The Unit When Installed Must Be Easy To Remove From Wall If Needed.	
70-01-6520	Ultimate Additional Insulation Pkg with Yellow Certifoam Body/Floor/Doors (R-6)	1
	<b>SHOP NOTE:</b> Includes: Step #1: 2" Thick Plank Non-Deteriorating High Density Yellow Certifoam Insulation Between All Framing Including Module Body Walls, Floor, Ceiling And Exterior Compartment Doors. All Insulation Shall Be Cut To Fit Between All Structures With Minimal Voids.	
	Step #2: Install A 4-MIL Vapopr Barrier Covering The Module Body Walls, Ceiling And Patient Entry Doors.	
	Step #3: Acoustic Dampening Material Shall Be Installed On All (4) Sides Of The Side Entry Door Step Well And Wheel Wells.	
	Step #4: A 3/8" Thick Thermal Heat And Sound Insulation Product Featuring 100% Synthetic Fiber Felt That Provides Sound And Comfort Control As Well As A High-Tech Foil Heat Barrier That Blocks 70% Of Radiant Heat Up To 1500-Degrees Fahrenheit Installed On The Underside Of The Aluminum Sub Floor System. The Material Shall Include The Following Characteristics: Lightweight, Durable Shield, Reduces Sound, Absorbs Vibration, Protects From Radiant Heat, Provide An Extra Layer Of Insulating Padding, Flame Retardant.	
	Step #5: A Non-Permeable Sound Dampening Material That Is Moisture Resistant For Additional Insulation Shall Be Installed In Addition To The 4-MIL Vapor Barrier. This Insulating Material Shall Be Installed In All Walls.	
	The Closed Cell Neoprene Shall Include The Following Characteristics. Soft / Expanded / Closed Cell Foam Rubber, Flame Resistant - FMVSS 301 Self - Extinguishing, Service Temperature Of -40 To 250 Degrees Fahrenheit.	
	Step #6: All Floor Structural Tubes Shall Be Filled With Expanding Foam Insulation.	
70-01-6610	Automotive Grade Underbody Undercoating W/2nd Coat On Module Floor	1
70-DL-0100	Slide-Out Tray For Engel Cooler	1
	<b>SHOP NOTE:</b> Specify Custom Option: Life Line Manufactured White Powder Coated Slide Out Tray Designed To Secure Woonsocket Fire Supplied Engel Cooler.	
	Includes 1" Strap With Metal Buckle On Each End With To Secure To Slide Out Tray.	
	Includes Latch To Keep Closed / Stored Position.	
	Installed In Lower Pass Thru Cabinet.	
	Match Previous Unit #4390.	

PART NO	DESCRIPTION	QTY
<b>***OXYGEN SYSTEM***</b>		
75-01-0000	Ohio Style Action Area Oxygen Outlet	1
75-01-2000	Ohio Style Ceiling Mounted Oxygen Outlet	1
75-01-4000	Ohio Style Right Wall Mounted Oxygen Outlet	1
	<b>SHOP NOTE:</b> Does Not Allow Tube Style Flowmeter To Be Installed.	
75-01-6500	Add Ohio Style Oxygen Outlet(s) (Ea)	1
	<b>SHOP NOTE:</b> Specify Location: (1) Action Area Next To Standard Outlet.	
75-01-8000	Interior Oxygen Access/Viewing Door	1
	<b>SHOP NOTE:</b> Access Door Will Be Polycarbonate Framed Door With M1 Latch. Lower Section Of IS/OS Access To The P-4 Compartment.	
75-01-8600	"M" Oxygen Tank Bracket In Streetside Front Compartment	1
	<b>SHOP NOTE:</b> Specify Location: P-4 Compartment. Mounted On Wall #2. Similar To Previous Unit #4390.	
	Includes Zico Ratchet Style Straps #3030-135-138 For Oxygen Bottle ILOS.	
75-02-3710	Drill Mounting Plate For Both "H" or "M" Tank For O2 Bracket	1
	<b>SHOP NOTE:</b> Set Up For "M" Cylinder At Delivery.	
75-02-9500	Oxygen Wrench Installed In Oxygen Compartment/Cabinet	1
75-03-3010	ZICO Model QR-D-2 Quick Release Strapless Portable Oxygen Tank Bracket	2
	<b>SHOP NOTE:</b> Specify Location: (2) Side Entry Door Step Well Area.	
	Do Not Drop Step Well. Install Between "A" Bar Mounts.	
	Raise Off The Floor By 2" To Allow Cleaning Under The Brackets.	
75-DL-0100	Oxygen Regulator / Transducer	1
	<b>SHOP NOTE:</b> Specify Custom Option: Mount The Oxygen Bottle Regulator To Wall #3 Of P-4 Compartment. Oxygen Gauge To Face The P-4 Compartment Opening. Includes Braided Stainless Steel Line To Connect To Onboard Oxygen Tank That Is Long Enough To Hook Up Tank Outside Of Vehicle When Securing The Main Oxygen Bottle.	
<b>***SUCTION SYSTEM***</b>		
80-01-0000	12 Volt Gast Suction Pump Controlled By Switch on Switch Panel	1
80-01-1500	1 Ohio Style Action Area Suction Outlet	1
	<b>SHOP NOTE:</b> Includes Quick Disconnect For Outlet. Mount Forward Of Suction Container In The Street Side Action Area.	
	Includes Vacuum Connector (Male) With Proper Sized Metal Barb Fitting To Adapt To Suction Hose From Connector To Canister.	
80-01-7500	SSCOR 22000 Suction Unit W/23002 Disposable Trap Set	1
	<b>SHOP NOTE:</b> Includes Flush Mounted Action Area Panel And Disposable Trap Set.	
	Includes Standard Suction Outlet #80-01-1500.	
	Includes Vacuum Connector (Male) With Proper Sized Metal Barb Fitting To Adapt To Suction Hose From Connector To Canister.	



PART NO	DESCRIPTION	QTY
	<b>***PAINT***</b>	
85-00-0100	Standard Axalta Paint Process And Warranty	1
	<b>SHOP NOTE:</b>	
	Includes 6 Year Pro-Rated Paint Warranty.	
	Which Is As Follows:	
	For 3 Years 100%.	
	4th Year 50%.	
	5th Year 25%.	
	6th Year 10%.	
85-01-0000	Repaint Chassis ILOS O.E.M. White	1
	<b>SHOP NOTE:</b>	
	Touch-Up Paint Is Included For Colored Chassis.	
	Specify Color: Red # L0762EW. Same As Previous Unit #4390.	
	At Time Of Painting Vehicle, Include (2) Additional Spray Out Cards. Install In Plastic Sleeve Secured To The Bottom Of The Interior Electrical Closet Door. Make Certain They Are Completely Dry Before Inserting In Sleeve.	
85-01-1500	Paint Module Body Other Color ILOS O.E.M. White	1
	<b>SHOP NOTE:</b>	
	Touch-Up Paint Is Included For Colored Module Body.	
	Specify Color: Red # L0762EW. Same As Previous Unit #4390.	
	At Time Of Painting Vehicle, Include (2) Additional Spray Out Cards. Install In Plastic Sleeve Secured To The Bottom Of The Interior Electrical Closet Door. Make Certain They Are Completely Dry Before Inserting In Sleeve.	
85-01-4500	Delete Standard Beltline Stripe	1
85-02-8500	Custom Two-Tone Paint	1
	<b>SHOP NOTE:</b>	
	Specify Location And Color:	
	Paint The Module Roof O.E.M. White From The Roof Corner Extrusion In Approximately 6".	
	White Area Not Visible From The Ground.	
85-02-9500	Do Not Paint The Nader Pins/Install After Paint Process	1
85-02-9585	Paint AC Condenser Cover	1
	<b>SHOP NOTE:</b>	
	Specify Color: Red # L0762EW.	
85-03-0000	Standard 1/4" Black Reflective Edge Pinstripe	1
	<b>SHOP NOTE:</b>	
	Applied To Top And Bottom Of Both Scotchlite Stripes.	
	Tape Off Edges Before Any Buffing / Compounding To Prevent Build Up On The Pinstripe.	
85-03-5000	6" Scotchlite Striping (Per Foot)	75
	<b>SHOP NOTE:</b>	
	Specify Color And Location: 3M 680 Series White Reflective.	
	Start 3" Above The Lower Crash Rail Starting At Rear Of Vehicle And Go Straight Towards Cab. Do Not Drop Stripe Forward Of Rear Axle.	
	Match Unit #4390.	
	Send Paint / Graphics Layout Drawings For Approval.	
85-03-6000	10" Scotchlite Striping (Per Foot)	75
	<b>SHOP NOTE:</b>	
	Specify Color And Location: Mid Body 3M 680 Series White Reflective Stripe. Includes Rear Wall.	
	Match Previous Unit #4390.	


PART NO	DESCRIPTION	QTY
	Send Paint / Graphics Layout Drawings For Approval.	
85-03-7000	Painted Wheels <b>SHOP NOTE:</b> Specify Color: Match Cab And Module Body Color.	1
	Includes Painting Both Sides Of All (7) Wheels.	
	Includes Removing Tires, Wheel Weights And Valve Stems Prior To Painting. Do NOT Tape Off Around Wheel Weights.	
	Re-Balance All Tires After Painting Wheels.	
	Spray OEM Hubs And Nuts Gloss Black.	
85-04-0100	6" Wide Rear Wall Chevron (Two Color-Full Wall & Doors) <b>SHOP NOTE:</b> Specify Tape Color #1: 3M Red Diamond Grade #983-72NL. Specify Tape Color #2: 3M Fluorescent Yellow Green #983-23 ES.	1
	See Option #85-04-1200 For Diamond Grade Option.	
85-04-1200	Diamond Grade Chevron Upgrade <b>SHOP NOTE:</b> Specify Tape Color #1: 3M Red Diamond Grade #983-72NL. Specify Tape Color #2: 3M Fluorescent Yellow Green #983-23 ES.	2
	All Stripes To Be 6" Wide.	
	<b>***EMBLEMS AND DECALS***</b>	1
90-01-0400	Ship Exterior Labels / Decals Loose For Dealer To Install <b>SHOP NOTE:</b> Includes Rear Life Line Decal Only.	1
90-01-0600	Install Roof "SOL" Decal Only (Delete AMBULANCE Decals Only) <b>SHOP NOTE:</b> Delete Only The "AMBULANCE" Decals. Ship The Remaining Star-Of-Life Decals Loose.	1
90-01-1100	"NO SMOKING" - "FASTEN SEAT BELT" Decals <b>SHOP NOTE:</b> 1-Installed In The Cab. 1-Installed In The Module.	1
90-01-1200	No Other Decals or Lettering Included Unless Specified Below	1
90-01-5100	Install 3/4" Red Reflective Tape Around Side And Rear Entry Doors <b>SHOP NOTE:</b> KKK-F Certification Requirement.	1
95-DL-0100	Delivery / Destination Charges <b>SHOP NOTE:</b> Specify Custom Option: Delivery From Life Line Manufacturing Facility In Sumner, Iowa To Woonsocket RI.	1
95-DL-0200	HGAC Fee <b>SHOP NOTE:</b> Specify Custom Option:	1
95-DL-0300	ESP PremiumCare Warranty - Ford Chassis <b>SHOP NOTE:</b> Specify Custom Option: PREMIUMCARE. Covers 1,000+ Components. See Attached Documents.  Coverage Total Of 8 Years / 200,000 Miles / 8,000 Engine Hours / \$100.00 Deductible.	1

PART NO	DESCRIPTION	QTY
95-DL-0400	Emergency Access System Lock Cabinet <b>SHOP NOTE:</b> Specify Custom Option: Supply / Install EAS Red Key Box In Cab.	1
95-DL-0500	Limo Tint Film On Module Body Windows <b>SHOP NOTE:</b> Specify Custom Option: Apply "Limo" Tint Film To All Module Body Windows For Added Privacy.	3
95-DL-0600	Remote Mobile Radio Cable <b>SHOP NOTE:</b> Specify Custom Option: Supply A Remote Radio Cable From Cab Front Console To Street Side Action Area.  Life Line To Install Cable During Construction.	1
95-DL-0700	Printer Cable <b>SHOP NOTE:</b> Specify Custom Option: Install (1) USB Cable For Printer. From Printer To Computer. Install From Lower Pass Thru To Cabinet "M".	1
95-DL-0800	Havis Equipment Brackets <b>SHOP NOTE:</b> Specify Custom Option: Supply/ Install (2) Havis Equipment Brackets Front Cab Mobile Radios.	2
95-DL-0900	Kenwood TK7180 Mobile Radio And Installation <b>SHOP NOTE:</b> Specify Custom Option: Supply / Install The Following Radio System: *(1) Kenwood VHF Mobile Radio - TK7180HK. *(1) 2nd Microphone Adapter. Part #HKN6130A. *(1) Action Area Microphone. Part #HMN4069F. *(1) Action Area Speaker. Part #RSN4002. *(2) Antennas - 1-VHF / 1-800 Mhz. *(1) Volume Control. Part #LP8.  Includes Remove And Reinstallation of 800 Mhz Radio From Old Rescue And (2) Motorola Vehicular Chargers.	1
95-DL-1000	TransCor Computer System <b>SHOP NOTE:</b> Specify Custom Option: Supply / Install Computer System. See Quote From TransCor. Quote #: Quote Dated:	1
95-DL-1100	Ferno Washington Defibrillator Swivel Mount System <b>SHOP NOTE:</b> Specify Custom Option: Supply / Install (1) Ferno Washington Model D-360 Defibrillator Swivel Mount System In Telemetry Near D-3 Compartment.  Monitor Bracket To Secure Zoll X-Series Monitor.	1
95-DL-1200	Oxygen Flowmeters <b>SHOP NOTE:</b> Specify Custom Option: Supply / Install (2) Tube Style Flowmeters With Ohio Adapters And (1) LSP233 Click Style Flowmeter With Ohio adapter.  Click Style To Be 0-25 LPM.	1

PART NO	DESCRIPTION	QTY
95-DL-1300	3M 680 Series Printed Reflective Lettering <b>SHOP NOTE:</b> Specify Custom Option: 3M 680 Series Gold Reflective Lettering With Black Vinyl Drop Outline Shadow.  Match Existing Fleet.	1
95-DL-1400	RI DOT Inspection <b>SHOP NOTE:</b> Specify Custom Option: Includes RI DOT Inspection.	1
95-DL-1500	Wheel Chocks <b>SHOP NOTE:</b> Supply (2) Orange Wheel Chocks.	1
<b>***END OF QUOTE/PRODUCTION ORDER***</b>		1
95-SP-0100	1 Original & 1 Revision Work Order Before Penalty Pricing <b>SHOP NOTE:</b> 1 Original Draft & 1 Revision Draft Work Order Before Penalty Pricing. The Revision Rate Is \$130.00 Per Hour With 1 Hour Minimum Charge.	1
95-SP-0200	1 Original & 1 Revision Drawing Before Penalty Pricing <b>SHOP NOTE:</b> 1 Original Draft & 1 Revision Draft Drawing Before Penalty Pricing. The Revision Rate Is \$130.00 Per Hour With 1 Hour Minimum Charge.	1
95-SP-0600	Change After Sign-Off (Published Price + 50%)	1
95-SP-0700	Change After Production Start (Published Price + 75%)	1
95-SP-0800	Change After Production Completion (Published Price + 100%)	1
95-SP-0850	Life Line Indemnification Statement <b>SHOP NOTE:</b> The purchaser agrees to defend, indemnify and hold Life Line harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by alteration or modification of, or changes or additions to the purchased products or use of product purposes it was not designed or intended for.	1
<b>***SIGNATURE-LIFE LINE EMERGENCY VEHICLES***</b>		1
<b>SHOP NOTE:</b> This Is A Contract Between Life Line Emergency Vehicles And The Franchised Distributor Entering The Order. No Agreements Verbal Or Written Arrived At Between The Selling Distributor And The Purchasing Agency Not Listed On This Order Are Binding Upon Life Line Emergency Vehicles.  THE VEHICLE IS BUILT TO THIS PRODUCTION ORDER. IT IS THE DISTRIBUTORS RESPONSIBILITY TO ASSURE THE VEHICLE MEETS THE CUSTOMER SPECIFICATIONS.  Date Of Order: SPECIFY  Franchised Distributor: SPECIFY  Quote Number: SPECIFY  Ordered By: _____		

# City of Woonsocket Rhode Island

20 R 08



January 27, 2020 A.D.

## Resolution

### AUTHORIZING THE CANCELLATION OF CERTAIN TAXES

WHEREAS, The City Assessor, recommends that the said taxes be cancelled and/or refunded in the amount as respectively and particularly set forth in said report.

### IT IS HEREBY RESOLVED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET AS FOLLOWS:

Section 1: That the said above described report be incorporated in and attached to this resolution and that the said report be made a part and parcel hereof.

Section 2: That the City Council hereby orders that said taxes be cancelled and/or refunded.

Section 3: That the City Clerk of the City Council shall, upon the passage of this resolution forthwith certify to the City Treasurer and Tax Collector, of this city, that the taxes specified and itemized in said report have been cancelled and abated in the amounts as respectively and particularly set forth in said report; and that the Finance Director of the city of Woonsocket is hereby authorized, on the passage of this resolution, to make refunds in the amount or amounts as respectively and particularly set forth in said report.

Section 4: This resolution shall take effect upon passage.

---

Daniel M Gendron  
By request of The Administration

ASSESSOR'S  
ABATEMENT CODES

<u>CODE</u>	<u>REASON</u>
50 -	Erroneously assessed due to incorrect field data/incorrect classification
51 -	Veteran/Blind/Elderly/Veterans Widow Exemption not applied
52 -	Incorrect amount abated on previous abatement listing or error on prior certification
53 -	Non-Utilization Tax assessed subsequent to sale of property or/assessed in error
54 -	Homestead Exemption not applied/incorrectly classified
55 -	Tax Exempt.
56 -	Inventory exempt due to wholesaler's exemption
57 -	Legal Residence – Out of Town – Prior to Assessment Date
58 -	Registration Cancelled – Vehicle sold
59 -	Vehicle traded in, or repossessed, and/stolen not recovered/seized by police
61 -	Vehicle garaged and/or registered out of City/State
62 -	Double taxation on vehicle
63 -	Over assessed on vehicle/registry error
64 -	Incorrect year/model/make of vehicle
65 -	Vehicle destroyed in accident
66 -	Should have been tax lien
67 -	Business relocated out of City prior to assessment date
68 -	Double taxation on Business/over overassessed on business
69 -	Out of Business – prior to assessment date/business sold to new owner & recertified
70 -	Company erroneously included manufacturing equip/inv in their report of valuation
71 -	Company erroneously included, leasehold expenses, cash and other expenses, and/or overstated their assets
72 -	Removal of porches, decks, garages, pools, sheds or underground tanks
73 -	Double taxation on Real Estate
74 -	Over assessed due to adjustment in degree of building completion as of December 31 <sup>st</sup>
75 -	Over assessed due to error in computation of valuation which was not in conformity with surrounding properties
76 -	Building (s) demolished prior to assessment date
77 -	Property was assessed at incorrect tax year/ incorrect tax rate/ incorrect field data
78 -	Adjustment to property valuation due to extreme deterioration prior to assessment date
79 -	Property sustained fire damage – prior to assessment date
80 -	5 +5 Plan
81 -	Party deceased prior to assessment date
82 -	Per Order of the City Council
83 -	Original abatement was approved and granted last year, but not carried forward for this year's tax roll
84 -	Per advice & recommendation of Law Dept.
85 -	Per Court Order
86 -	First Appeal/Submitted by the Tax Board of Assessment Review
87 -	Wrong party – recertified//wrong classification-recertified
88 -	Tax Exempt – Interstate Commerce Vehicles – Equipment assessed to tax exempt entity.
89 -	Value reduced by R.I. Vehicle Value Commission
90 -	Property taken over by the State for highway purposes
91 -	Tax Settlement Agreement / "PILOT " Agreement / Option Agreement
92 -	Bankruptcy
93 -	Lot dropped and added to another lot
94 -	Job Incentive Creation Program Exemption
95 -	Due to the new software system an abatement must be done prior to a recertification of taxes
96 -	Pro-Rated Homestead Exemption
97 -	Assessment adjustment due to supporting documentation submitted by taxpayer
98 -	Remove Homestead Exemption / recertified exemption credit
99 -	Motor Vehicle Phase Out



# Woonsocket, RI

Amendment Report Abatement

Status Pending

Page 1

Posting Date / /

Transaction Date / /

Report Printed 01/21/2020 03:36:26 PM

M00-4062-10	2019 MV Tax Roll	ACAR LEASING LTD 4001 EMBARCADERO DR ARLINGTON TX 76014	2018 CHEVR COL 138832	57 LEGAL RESIDENCE OUT OF TOWN	\$876.02
R02-5203-50	2019 RP Tax Roll	BOURCIER DAVID D 110 PARK AVENUE WOONSOCKET RI 02895	15D-147-004 at 110 PARK AVENUE	51 VETERAN NOT APPLIED	\$158.76
R13-2135-00	2019 RP Tax Roll	PONCE VICTORINO 309 SECOND AVENUE WOONSOCKET RI 02895	06A-087-033 at 309 SECOND AVENUE	54 HOMESTEAD NOT APPLIED	\$747.08
T00-1100-47	2015A Trng Tax Roll	LANAGAN DANIEL D 244 CASS AVENUE WOONSOCKET RI 02895-4417	LANAGAN PLUMBING	69 OUT OF BUSINESS	\$116.45
T00-1100-47	2016 Trng Tax Roll	LANAGAN DANIEL D 244 CASS AVENUE WOONSOCKET RI 02895-4417	LANAGAN PLUMBING	69 OUT OF BUSINESS	\$116.45
T00-1100-47	2017 Trng Tax Roll	LANAGAN DANIEL D 244 CASS AVENUE WOONSOCKET RI 02895-4417	LANAGAN PLUMBING	69 OUT OF BUSINESS	\$116.45
T00-1100-47	2018 Trng Tax Roll	LANAGAN DANIEL D 244 CASS AVENUE WOONSOCKET RI 02895-4417	LANAGAN PLUMBING	69 OUT OF BUSINESS	\$116.45
T00-1100-47	2019 Trng Tax Roll	LANAGAN DANIEL D 244 CASS AVENUE WOONSOCKET RI 02895-4417	LANAGAN PLUMBING	69 OUT OF BUSINESS	\$139.74


Total \$2,387.40





# City of Woonsocket Rhode Island

20 R 14



February 3, 2020 A.D.

## Resolution

### AUTHORIZING THE CANCELLATION OF CERTAIN TAXES

WHEREAS, The City Assessor, recommends that the said taxes be cancelled and/or refunded in the amount as respectively and particularly set forth in said report.

### IT IS HEREBY RESOLVED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET AS FOLLOWS:

Section 1: That the said above described report be incorporated in and attached to this resolution and that the said report be made a part and parcel hereof.

Section 2: That the City Council hereby orders that said taxes be cancelled and/or refunded.

Section 3: That the City Clerk of the City Council shall, upon the passage of this resolution forthwith certify to the City Treasurer and Tax Collector, of this city, that the taxes specified and itemized in said report have been cancelled and abated in the amounts as respectively and particularly set forth in said report; and that the Finance Director of the city of Woonsocket is hereby authorized, on the passage of this resolution, to make refunds in the amount or amounts as respectively and particularly set forth in said report.

Section 4: This resolution shall take effect upon passage.

---

Daniel M Gendron  
By request of The Administration

ASSESSOR'S  
ABATEMENT CODES

<u>CODE</u>	<u>REASON</u>
50 -	Erroneously assessed due to incorrect field data/incorrect classification
51 -	Veteran/Blind/Elderly/Veterans Widow Exemption not applied
52 -	Incorrect amount abated on previous abatement listing or error on prior certification
53 -	Non-Utilization Tax assessed subsequent to sale of property or/assessed in error
54 -	Homestead Exemption not applied/incorrectly classified
55 -	Tax Exempt.
56 -	Inventory exempt due to wholesaler's exemption
57 -	Legal Residence – Out of Town – Prior to Assessment Date
58 -	Registration Cancelled – Vehicle sold
59 -	Vehicle traded in, or repossessed, and/stolen not recovered/seized by police
61 -	Vehicle garaged and/or registered out of City/State
62 -	Double taxation on vehicle
63 -	Over assessed on vehicle/registry error
64 -	Incorrect year/model/make of vehicle
65 -	Vehicle destroyed in accident
66 -	Should have been tax lien
67 -	Business relocated out of City prior to assessment date
68 -	Double taxation on Business/over overassessed on business
69 -	Out of Business – prior to assessment date/business sold to new owner & recertified
70 -	Company erroneously included manufacturing equip/inv in their report of valuation
71 -	Company erroneously included, leasehold expenses, cash and other expenses, and/or overstated their assets
72 -	Removal of porches, decks, garages, pools, sheds or underground tanks
73 -	Double taxation on Real Estate
74 -	Over assessed due to adjustment in degree of building completion as of December 31 <sup>st</sup>
75 -	Over assessed due to error in computation of valuation which was not in conformity with surrounding properties
76 -	Building (s) demolished prior to assessment date
77 -	Property was assessed at incorrect tax year/ incorrect tax rate/ incorrect field data
78 -	Adjustment to property valuation due to extreme deterioration prior to assessment date
79 -	Property sustained fire damage – prior to assessment date
80 -	5 +5 Plan
81 -	Party deceased prior to assessment date
82 -	Per Order of the City Council
83 -	Original abatement was approved and granted last year, but not carried forward for this year's tax roll
84 -	Per advice & recommendation of Law Dept.
85 -	Per Court Order
86 -	First Appeal/Submitted by the Tax Board of Assessment Review
87 -	Wrong party – recertified//wrong classification-recertified
88 -	Tax Exempt – Interstate Commerce Vehicles – Equipment assessed to tax exempt entity.
89 -	Value reduced by R.I. Vehicle Value Commission
90 -	Property taken over by the State for highway purposes
91 -	Tax Settlement Agreement / "PILOT " Agreement / Option Agreement
92 -	Bankruptcy
93 -	Lot dropped and added to another lot
94 -	Job Incentive Creation Program Exemption
95 -	Due to the new software system an abatement must be done prior to a recertification of taxes
96 -	Pro-Rated Homestead Exemption
97 -	Assessment adjustment due to supporting documentation submitted by taxpayer
98 -	Remove Homestead Exemption / recertified exemption credit
99 -	Motor Vehicle Phase Out

## Woonsocket, RI

Posting Date / /

Status Pending

FEBRUARY 3, 2020

Transaction Date / /


Page 1

Report Printed 01/28/2020 02:19:14 PM

T00-1501-29	2016 Tng Tax Roll	ON THE MONEY GEN., RUSS MICHAEL R 140 PARADIS AVENUE WOONSOCKET RI 02895	ON THE MONEY GEN CONTRACTING	69 OUT OF BUSINESS	\$116.45
T00-1501-29	2017 Tng Tax Roll	ON THE MONEY GEN., RUSS MICHAEL R 140 PARADIS AVENUE WOONSOCKET RI 02895	ON THE MONEY GEN CONTRACTING	69 OUT OF BUSINESS	\$116.45
T00-1501-29	2018 Tng Tax Roll	ON THE MONEY GEN., RUSS MICHAEL R 140 PARADIS AVENUE WOONSOCKET RI 02895	ON THE MONEY GEN CONTRACTING	69 OUT OF BUSINESS	\$116.45
T00-1501-29	2019 Tng Tax Roll	ON THE MONEY GEN., RUSS MICHAEL R 140 PARADIS AVENUE WOONSOCKET RI 02895	ON THE MONEY GEN CONTRACTING	69 OUT OF BUSINESS	\$139.74
T00-4003-20	2016 Tng Tax Roll	JAYS DRYWALL SWAN JASON 388 RIVER STREET 1ST FL WOONSOCKET RI 02895-5242	JAYS DRYWALL	69 OUT OF BUSINESS	\$116.45
T00-4003-20	2017 Tng Tax Roll	JAYS DRYWALL SWAN JASON 388 RIVER STREET 1ST FL WOONSOCKET RI 02895-5242	JAYS DRYWALL	69 OUT OF BUSINESS	\$116.45
T00-4003-20	2018 Tng Tax Roll	JAYS DRYWALL SWAN JASON 388 RIVER STREET 1ST FL WOONSOCKET RI 02895-5242	JAYS DRYWALL	69 OUT OF BUSINESS	\$116.45
T00-4003-20	2019 Tng Tax Roll	JAYS DRYWALL SWAN JASON 388 RIVER STREET 1ST FL WOONSOCKET RI 02895-5242	JAYS DRYWALL	69 OUT O BUSINESS	\$139.74
Total					\$978.18



# City of Woonsocket Rhode Island



## Resolution

February 3, A.D. 2020

### **GRANTING PERMISSION TO USE CITY PROPERTY**

**WHEREAS,** The Hartford Marathon Foundation wishes to utilize certain roadways through the City, as shown on the attached maps and Rivers Edge Recreation Complex, on Saturday, August 29, 2020, from 5:00am to 10:30am, for the purpose of holding the second annual RiMaConn Relay.

### **NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET, RHODE ISLAND, AS FOLLOWS:**

- Section 1.** The Hartford Marathon Foundation is hereby permitted to utilize certain roadways through the City and Rivers Edge Recreation Complex on Saturday, August 29, 2020 from 5:00am to 10:30am, for the purpose of holding the second annual RiMaConnRelay.
- Section 2.** This Resolution shall take effect immediately upon its passage by the City Council and is subject to any conditions that the Public Safety Department may impose and payment of all associated costs as determined by the Director of Public Works.

---

Daniel M. Gendron  
City Council President



**Hartford Marathon Foundation**  
41 Sequin Drive, Glastonbury, CT 06033  
P: 860-652-8866 | F: 860-652-8145  
[www.hartfordmarathon.com](http://www.hartfordmarathon.com)

January 7, 2020

Woonsocket City Council  
City Hall \* 169 Main Street  
Woonsocket, RI 02895

**Request To Use Town For Athletic Event – RiMaConn Relay - Saturday, August 29, 2020**

Dear City Council,

The Hartford Marathon Foundation (HMF) requests permission to traverse the **Town of Woonsocket** the staging of the second annual **RiMaConn Relay**, presented by Webster Bank on **Saturday, August 29th, 2020**. The event is an 18 stage relay run, that will start in Lincoln, RI and finish in Hartford, CT. The 95-mile journey will traverse 20 towns and 3 states. Teams of 6 members will begin between 4 am and 9 am (depending on their projected pace) and exchanging the "baton" roughly every 5 miles to their teammates. Runners will be instructed to obey all local traffic laws as they make their way along the route. Roads are not requested to be closed to vehicle traffic, however police coordination is requested as deemed necessary to allow for safe passage of runners in key areas. The event concept was developed by HMF and East Coast Greenway advocates as a way to showcase the extensive multi-use trail network's accomplishments and accessibility through Rhode Island, Massachusetts, and Connecticut. Please find a copy of the race route as it passes through Woonsocket. We project that our impact to the town will be between **5 AM to 10:30 AM**, and will include the utilization of the following:

- City streets (See course map)
- River's Edge Recreation Complex/Veterans Park (Exchange Zone)
- Blackstone River Bikeway

The Hartford Marathon Foundation is a not-for-profit organization that produces health and fitness events throughout Southern New England including the Eversource Hartford Marathon and many others.

Thank you for considering this request. If you have any questions, please contact me.


Sincerely,

**Matt Anderson**  
Director of Operations

Attachment(s): RiMaConn Relay - Leg 1  
RiMaConn Relay - Leg 2

**Woonsocket Event Approval:** Yes \_\_\_\_\_ | No \_\_\_\_\_ | Need Further Information \_\_\_\_\_

Signature: \_\_\_\_\_ Title: \_\_\_\_\_



## Leg 1: Pratt Dam to Rivers Edge Park



R1 | U1

### Running Details

**Start:** Pratt Dam/Blackstone State Park, 65 Front St, Lincoln, RI

**Finish:** Rivers Edge Parking Area/Veteran's Memorial, Woonsocket, RI

DISTANCE	START ELEVATION	MAX ELEVATION	ELEVATION GAIN	DIFFICULTY	TERRAIN
8.5 MILES	27 FEET	203 FEET	346 FT	HARD	PAVED TRAIL



#### Safety Notes:

Stay on sidewalk  
/ bikeway / trail  
where applicable

Use caution  
crossing streets

Follow  
directional signs


Last Revised: July 2019

**Driving Details**

**Driving Directions To Exchange #1 Parking:** Rivers Edge Parking Area, 195 Davidson Avenue, Woonsocket, RI 02895

**Driving Distance:** 9.1 miles

**Estimated Drive Time:** 18 minutes



1. Head Southwest (right) onto RI-123 W (Front St.)
2. Turn Right on to RI-126 N (River Rd.)
3. Turn Right to stay on RI 126 N (Old River Rd.)
4. Turn Right onto Davidson Ave.
5. Destination will be on your right

*Last Revised: July 2019*




**Running Details**


**Start:** Rivers Edge Parking Area/Veteran's Memorial, Woonsocket, RI

**Finish:** Canal Street/Trail Head Parking Lot, Blackstone, MA

DISTANCE	START ELEVATION	MAX ELEVATION	ELEVATION GAIN	DIFFICULTY	TERRAIN
<b>3.4 MILES</b>	<b>150 FEET</b>	<b>259 FEET</b>	<b>159 FT</b>	<b>MODERATE</b>	<b>ROAD</b>



1. Head north (right) on Davidson Avenue (0.0 miles)
2. Continue straight onto Florence Drive (0.1 miles)
3. Turn right and continue across pedestrian bridge (0.2 miles)
4. Exit bridge and turn left onto Cumberland Ave. (0.1 miles)
5. Turn left onto Social Street (0.2 miles)
6. Turn right on Pond Street (0.3 miles)
7. Turn left on Winter Street (0.5 miles)
8. Turn right on Harris Street (0.8 miles)
9. Continue onto Main Street (0.4 miles)
10. Turn left onto St. Paul Street (0.4 miles)
11. Turn right onto Canal Street (0.3 miles)
12. Turn left into Canal Street Parking Lot (0.1 miles)
13. Arrive at Exchange Zone #2 (0.1 miles)



**Safety Notes:**

Stay on sidewalk  
/ bikeway / trail  
where applicable

Use caution  
crossing streets


Follow  
directional signs

### Driving Details

**Driving Directions to Exchange #2 Parking:** Blackstone River Bikeway Trail Head Parking Lot, Canal Street, Blackstone, MA 01504

**Driving Distance:** 2.5 miles

**Estimated Drive Time:** 8 minutes



1. Turn right out of parking lot and head north on Davidson Avenue towards Hamlet Avenue
2. Turn left on Hamlet Avenue
3. Continue onto Court Street
4. Continue onto High Street
5. Take slight right to stay on River Street
6. Continue onto Canal Street
7. Take left on the St. Paul Street (CAUTION RUNNERS MAY BE ON ROAD)
8. Take quick right onto Canal Street (CAUTION RUNNERS MAY BE ON ROAD)
9. Destination and parking lot will be on your left (CAUTION RUNNERS MAY BE ON ROAD)

# City of Woonsocket Rhode Island



## Resolution

February 3, A.D. 2020

### RESOLUTION IN OPPOSITION OF THE TCI GAS TAX AND THE TRANSPORTATION AND CLIMATE INITIATIVE

**WHEREAS**, Governor Raimondo is advocating for the State of Rhode Island to join a multi-state compact called the Transportation & Climate Initiative (TCI), a RhodeMapRI-type regional cap-and-trade scheme that would impose a carbon tax on gasoline. Enabling legislation is expected in the 2020 General Assembly Session; and

**WHEREAS**, the TCI gas tax is expected to initially raise the cost of regular and diesel fuel at the pump by 17 cents per gallon on our city's families and businesses and then gradually increase over the years; and

**WHEREAS**, TCI seeks to punish Ocean State motorists for using their autos and vehicles in the normal course of living their lives or in operating their businesses by making the cost of fuel so expensive that citizens will be forced to drive less often; and

**WHEREAS**, for all municipalities, like Woonsocket, the TCI Gas Tax will result in increased costs for the use of its city and town trucks and vehicles, putting even more upward pressure on local property taxes; and

**WHEREAS**, TCI's own memorandum states, even without its proposed gas tax, that regional greenhouse-gas emissions are expected naturally to be reduced by about 20% over the next 10 years due to existing technological innovations and fossil-fuel regulations; and

**WHEREAS**, the high costs imposed by TCI would only add approximately another 5% reduction in carbon-based gases, which according to multiple research reports will result in no measurable decline in global temperatures; and

**WHEREAS**, by joining the TCI compact, Rhode Island would be ceding its taxing sovereignty to an out-of-state shadow government, comprised of unelected ideologues, who would be granted the power to further increase the price of fuel in our state without any approval by our own duly elected officials; and

**WHEREAS**, Rhode Island is already participating in another cap-and-trade system carbon tax system on electricity, the Regional Greenhouse Gas Initiative (RGGI), which studies have shown to have unnecessarily raised residential and commercial electric bills without any corresponding reduction in greenhouse gas emissions, and to have weakened the economies of participating states.

**NOW THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL  
OF THE CITY OF WOONSOCKET, RHODE ISLAND AS FOLLOWS:**

Section 1. We respectfully request that the Woonsocket delegation to the General Assembly reject the expected TCI legislation or any other legislation that would force Rhode Islanders to pay artificially increased prices for fuel or energy.

Section 2. That the City Clerk is hereby directed to forward a copy of this resolution to all Representatives and Senators representing the City of Woonsocket; the Honorable Nicholas Mattiello, Speaker of the Rhode Island House of Representatives; the Honorable Domenic Ruggerio, the President of the Rhode Island Senate; and the Honorable Governor Gina Raimondo.

Section 3. This resolution shall take effect upon passage.

\_\_\_\_\_  
Daniel Gendron, Council President


\_\_\_\_\_  
Denise Sierra – City Councilwoman

\_\_\_\_\_  
Jon D. Brien, Council Vice-President

\_\_\_\_\_  
John Ward – City Councilman

\_\_\_\_\_  
James Cournoyer – City Councilman

CITY OF WOONSOCKET  
RHODE ISLAND



RESOLUTION

February 3, A.D. 2019

**RECOGNIZING PARAMEDIC REMI GRABER ON THEIR ACT OF  
BRAVERY IN PROTECTING THE LIVES OF TWO INDIVIDUALS**

**WHEREAS,** Remi Graber is a citizen of Woonsocket, and has served as an EMS for 14 years, and as a paramedic with Medstar Ambulance for 4.5 years; and

**WHEREAS,** On November 11, 2019, Paramedic Remi Graber was on a routine, 2:00 am call to Millbury, Massachusetts, and encountered a Massachusetts State Trooper and another individual in the midst of a dangerous struggle on the side of the road; and

**WHEREAS,** Paramedic Graber risked their life to separate the officer and the individual, bringing control to the situation and preventing serious harm to either; and

**WHEREAS,** Paramedic Graber sustained a serious shoulder injury in the process of deescalating the struggle, but insisted on medically assessing both the officer and the other individual to ensure neither had sustained injury; and

**WHEREAS,** Paramedic Graber has been recognized by Medstar Ambulance for their selfless act (document attached); and

**WHEREAS,** The Woonsocket City Council expresses a sincere thank you to Paramedic Graber, for going above and beyond their job description to ensure the safety of the community, and making our city proud in the process.


**NOW, THEREFORE BE IT RESOLVED BY THE CITY COUNCIL  
OF THE CITY OF WOONSOCKET, RHODE ISLAND, AS FOLLOWS:**

**SECTION 1.** That the City Council of the City of Woonsocket hereby recognizes and thanks Medstar Paramedic Remi Graber on their act of bravery in protecting two lives.

**SECTION 2.** This Resolution shall take effect immediately upon its passage by the City Council.

Alex Kithes, City Council





## A M B U L A N C E

1000 Battles St. Leominster, MA 01453  
978-466-8883

60C Solferino St. Worcester, MA 01604  
508-799-6999

January 29, 2020

### To Whom it May Concern:

In the early morning hours of November 11, 2019, Paramedic Jeremy Graber and Emergency Medical Technician Ryvell Tetteh of MedStar Ambulance were in the final hours of their twenty-four-hour shift when they rolled up on a traffic stop being conducted by a Massachusetts State Police trooper.

The crew quickly identified that this traffic stop was anything but "routine" as they identified the trooper engaged in a struggle with a suspect and the altercation had moved from the shoulder of Highway 146 in Worcester into the middle of the roadway where a passing motorist could have easily struck both persons by accident.

Paramedic Graber instructed EMT Tetteh to stop the ambulance and activate its emergency equipment while placing the ambulance in a position to provide protection to the trooper. Then, both crew members exited the ambulance to assist. In an act of extreme courage, both crew members sprang into action without regard for their personal safety to assist the trooper in distress. The crew did not know the circumstances of the stop, were unable to know if there were weapons in play, and could not have known whether they or the trooper would survive the incident. Despite the insurmountable risk involved in their actions, Paramedic Graber and EMT Tetteh quickly joined the fight and successfully aided the trooper in apprehending the suspect.

During the altercation with the suspect, Paramedic Graber sustained non-life-threatening injuries to his arm which caused him to be placed on light duty since the incident. While every public servant is blatantly aware of the potential risk involved with the job, paramedics are not inherently responsible for engaging with combative citizens in order to affect an arrest. Paramedics and EMTs are not trained in defensive tactics nor do we carry any variety of protective equipment to protect us in the event of an attack.

The actions of Paramedic Graber and EMT Tetteh went well above and beyond the call of duty. It is a demonstration that the men and women of public safety, regardless of our function in the community,



are committed to each other and an attack on one is an attack on all of us. Paramedic Graber's quick thinking and prompt action in this situation very well may have prevented the loss of a trooper that morning. The crew's actions could have also subject either, or both, men to serious bodily harm or death in their attempt to provide aid.

"Greater love hath no man than this, that a man lay down his life for his friends," John 15:13. This quote often is used to describe the depth of commitment the men and women of public safety have for their communities. The actions of the state trooper, Paramedic Graber, and EMT Tetteh fully embody the meaning of this verse. These men performed courageously in the face of danger and, as a result of their acts of bravery, there was no loss of life on the highway that night.

The Medal of Valor is awarded for actions above and beyond the call of duty and exhibiting exceptional courage, extraordinary decisiveness and presence of mind, regardless of his or her own personal safety, in an attempt to save or protect human life. Paramedic Graber and EMT Tetteh did, in fact, demonstrate exceptional courage by entering a scene which appeared to be unsafe knowing that a citizen was actively fighting a police officer. These men did, in fact, demonstrate extraordinary decisiveness and presence of mind by deciding to stop, without hesitation, leave the safety of their ambulance, and enter into a situation with unknown risk in an effort to preserve not just the life of a peace officer but both human lives that were at risk and, they did so, at the risk of their own lives.

It is my distinct pleasure, and is with great humility, that I recommend Paramedic Jeremy Graber and EMT Ryvell Tetteh be recognized for their bravery with the EMS Medal of Valor.

Respectfully,



Jeffrey M. Haworth, NRP

Field Supervisor

Worcester Division

MedStar Ambulance


C: 641-352-9342

[jhaworth@medstarma.com](mailto:jhaworth@medstarma.com)





CITY OF WOONSOCKET  
RHODE ISLAND



RESOLUTION

February 3, A.D. 2020

**GRANTING PERMISSION TO USE CITY PROPERTY**

**WHEREAS,** the Committee to Save St. Charles Church wishes to utilize certain property of the City, approval of street closure of Daniels Street (from North Main Street to Earle Street), on Monday, March 16, 2020 from 5:00 P.M. to 7:00 P.M., for the purpose of holding a block party.

**NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF  
THE CITY OF WOONSOCKET, RHODE ISLAND, AS FOLLOWS:**

**SECTION 1.** The Committee to Save St. Charles Church is hereby permitted to utilize Daniels Street (from North Main Street to Earle Street) on Monday, March 16, 2020 from 5:00 P.M. to 7:00 P.M., for the purpose of holding a block party.

**SECTION 2.** This resolution shall take effect upon its passage by the City Council and is subject to any conditions that the Public Safety Department may impose and payment of all associated costs as determined by the Director of Public Works. Applicant will obtain a permit from the Recreation Director upon payment of fees.

---

Daniel M. Gendron  
Council President

1-29-2020

Honorable City Council,

The Committee to Save St. Charles Church is honorably requesting the closure of Daniels Street from North Main St to Earle St on Monday, March 16, 2020 - the eve of St. Patrick's Day to have a small block party.

- 1) As this event we will first enter into prayer to St. Charles and St. Patrick to intercede and open the church.
- 2) followed by a 15 minute speech by Dr. Scott Malloy on the Irish in Woonsocket that built St. Charles.
- 3) 10 minute talk by the Keeley Foundation of Connecticut on the architecture of St. Charles
- 4) Irish dancers will perform, free Irish food, free face painting, free balloons for children & ice carving of St. Charles.
- 5) Musical group will be performing Irish music & church hymns
- 6) As in all past events, this will be free to the citizens of Woonsocket and show the best of all.

Chairman - Albert R Beauparlant