



City of Woonsocket

<u>Agenda</u>

City Council Regular Meeting Monday, March 2, 2020 @ 7:00 PM Harris Hall - Third Floor 169 Main Street, Woonsocket, RI, 02895

		100 main 01/001, 1/00/10001, 1/1, 02000	
			Page
1.	CALL	TO ORDER / ROLL CALL	
2.	PRAY	ER	
3.	PLED	GE OF ALLEGIANCE	
4.	AGEN	DA FOR BOARD OF LICENSE COMMISSIONERS	
<u>20.L</u> (<u>C.07</u>	A request of the Autumnfest Steering Committee to hold a tag day license on Saturday, June 13, 2020 with a rain date of Sunday, June 14, 2020.	5
20.L	<u>C.09</u>	Application of licenses and renewal of licenses (listing attached).	7 - 8
<u>20.L</u> (<u>C.10</u>	A request of the Woonsocket Redskins Youth Football and Cheer Organization to hold a tag day license on Saturday, August 15, 2020 with a rain date of Saturday, August 22, 2020.	9
5.	_	ENS GOOD AND WELFARE e limit comments to five minutes)	
6.	APPR	OVAL/CORRECTION OF MINUTES	
Min.	02.03.20	Minutes of Regular Meeting held February 3rd	11 - 16
Min.	02.20.20	Minutes of Special Meeting held February 20th	17
7.		ENT AGENDA ns on the consent agenda are indicated with an asterisk (*).	
8.	COMM	MUNICATIONS FROM MAYOR	
		None.	
9.	COMM	MUNICATIONS FROM CITY OFFICERS	
20.C	O.05*	From City Solicitor regarding claim of Sherri Thayer.	19 - 24
<u>20.C</u>	O.06*	From City Solicitor regarding claim of Ronald Mcaghee.	25 - 29
<u>20.C</u>	<u>O.07*</u>	From Planning Board Chairman submitting response to request for advice & recommendation regarding Historic Structure Floating Overlay Designation of Woonsocket Assessor's Plat 10, Lot 22 (the former National Guard Armory).	31 - 32
<u>20.C</u>	O.08*	Monthly odor report from Jacobs Engineering Group.	33 - 36
<u>20.C</u>	O.09*	From City Engineer regarding new Water Treatment Plant status	37 - 45

	Draf	t
•		_

	<u> </u>	
	report.	
20.CO.1	From City Solicitor regarding claim of Ms. Genesis Martinez.	47 - 55
10 (DMMUNICATIONS AND PETITIONS	
20.CP.0	Request of Councilman Ward to address the following: 1.Assessment Review Board decisions and tax abatements arising, or not, therefrom.	57
	Solar Parking Canopies, municipal fleet conversion to Electric Vehicles and municipal parking lot charging stations.	
20.CP.0	A request of Public Works Director to address the City Council regarding the Winter Wonderland and all expenses and personnel efforts attributed to the production of this event.	59
	OOD AND WELFARE ve minutes limit; per Council Rules of Order)	
12. (RDINANCES PASSED FOR THE FIRST TIME	
	None.	
13. (RDINANCES TABLED UNTIL THIS MEETING	
	None.	
14. N	EW ORDINANCES	
<u>20.O.03</u>	Authorizing the Fire Chief of the City of Woonsocket to purchase a 2020 Ford F550 Emergency Medical Services Rescue vehicleGendron	61 - 94
<u>20.0.04</u>	Transferring Funds - from City Capital Fund to Fire DivisionGendron	95
<u>20.0.05</u>	Amending the Code of Ordinances, City of Woonsocket, Rhode Island, Entitled "Alcoholic Beverages", Chapter 3, Section 3.5(c)Gendron	97 - 98
15. F	SOLUTIONS TABLED UNTIL THIS MEETING	
	None.	
16. N	EW RESOLUTIONS	
20.R.19	Authorizing the cancellation of certain taxesGendron	99 - 101
<u>20.R.20</u>	Directing the Mayor, through her administration to issue a request for proposal to employ a vendor to perform a special assessment analysis for the Police and Fire DepartmentsSierra	103
20.R.21	Granting permission to use City propertySoucy	05 - 106
20.R.22	Authorizing the Public Works Director to enter into a contract with T. Miozzi, IncGendron	07 - 110

Recognizing paramedic Remi Graber and emergency medical

20.R.23

111 - 114



	technician Ryvell Tetteh on their act of bravery in protecting the lives of two individualsGendron, Brien, Cournoyer, Sierra & Kithes	
20.R.24	Authorizing the cancellation of taxesGendron	115 - 117
<u>20.R.25</u>	In opposition of certain sections of the Governor's 2021 budget proposal - H7171-All Councilors	119
<u>20.R.26</u>	Establishing a City Council committee to explore animal shelter building and operating optionsSierra	121

17. ADJOURNMENT

For additional information or to request interpreter services, or other special services for the hearing impaired, please contact City Clerk Christina Harmon three (3) days prior to the meeting at (401) 762-6400, or by the Thursday prior to the meeting.

Posted February 27, 2020



Autumnfest Steering Committee P.O Box 574 Woonsocket, RI 02895

February 3rd, 2020

Christina Harmon City Clerk City of Woonsocket 169 Main Street Woonsocket, RI 02895

Dear Madame Clerk,

I am writing to you to express our interest in holding a tag day to raise funds for the 42nd Autumnfest festival. We would like to hold the tag day on Saturday, June 13th, 2020. The rain date will be the following day, Sunday, June 14th, 2020. Thank you.

Respectfully submitted,

Garrett S. Mancieri

General Chairperson

AGENDA FOR BOARD OF LICENSE COMMISSIONERS

NEW LICENSES

CLASS F LIQUOR W/ENTERTAINMENT

Aging Well, Inc., 84 Social Street, March 21, 2020 (DJ)
Watlao Xoke Xayyaram Buddhist Temple, 458 River Street, May 9 & 10, 2020 (Live Band)
Watlao Xoke Xayyaram Buddhist Temple, 458 River Street, September 5 & 6, 2020 (Live Band)

ENTERTAINMENT LICENSE

St. Ann Arts & Cultural Center, 84 Cumberland Street, March 15, 2020 (Live Band) St. Ann Arts & Cultural Center, 84 Cumberland Street, April 19, 2020 (Live Band)

HOLIDAY LICENSE

Bueno Groceries, 198 Front Street Clean Cuttz, 27 Arnold Street

TOBACCO LICENSE

Bueno Groceries, 198 Front Street

RENEWALS

AUTOMOBILE JUNKYARD

Interstate Towing & Auto Parks Metal Recycling, 855 River Street Beam Truck & Body, 433 Cumberland Hill Road

FIREARMS LICENSE

ATA, Inc. d/b/a Flint Armament, 125 Harrison Avenue

HOLIDAY LICENSE

A & S Variety Store, 710 Elm Street Aero Trampoline Park, LLC, 1500 Diamond Hill Road Bileau's Flowers, Inc., 665 Diamond Hill Road Burlington Coat Factory #236, 2000 Diamond Hill Road Champ's Liquors, 481 Clinton Street Clothesline Laundry Service, 855 Diamond Hill Road Clothesline Laundry Service, 202 South Main Street Colbea Enterprises, LLC, 1325 Diamond Hill Road Elite Food Shop, 85 Mason Street Family Dollar Stores of RI, Inc. #5073, 403 Clinton Street M & N Laundromat, 389 Willow Street New Hong Kong Chinese Restaurant, 774 Social Street Pete's Bait Shop, 341 Burnside Avenue Providence Street Liquors, 800 Providence Street RJ's Hill Liquors, Inc., 820 Cumberland Hill Road Sam's Food Store, 805 Park Avenue Stop Quick Mart, 814 Diamond Hill Road The Butcher Bros. Corp., 143 North Main Street The Honey Shop, 1300 Park Avenue Walt's Clothing, 837 Cumberland Hill Road Warehouse Liquors, 373 North Main Street

PAWNBROKER LICENSE

The Gold Advance, Inc. d/b/a The Gold Loan Co., 100 Bernon Street The Gold Advance, Inc. d/b/a The Gold Loan Co., 1173 Social Street OUARTERLY ENTERTAINMENT

Cercle Laurier, 165 East School Street (Live Band, DJ, Karaoke) Chan's, 267 Main Street (Live Band, DJ, Karaoke) Club Lafayette, 289 Aylsworth Avenue (Live Band, DJ) Rick's Bar & Grill, Inc., 297 Cass Avenue (DJ, Karaoke)

SECONDHAND DEALER (AUTO)

Beam Truck & Body, Inc., 433 Cumberland Hill Road
Bernier's Auto Trailer Sales, LLC, 620 Pond Street
Cousins Auto Sales, 45 Foundry Street
Cycle Performance & Sales, LLC, 208 Bernon Street
HKK Auto Sales & Services, Inc., 767 Social Street
Plante's Auto Sales, 39 Parker Street
Tasca Automotive Group North, Inc., 114 Fortin Drive
Tasca Automotive Group North Two, Inc., 55 Fortin Drive
Terry's Tire & Auto Service, 36 Blackstone Street
Tomassini's Drivers Choice Car Co., 7 Columbus Street
Tomassini's Drivers Choice Car Co., 494 Cumberland Hill Road
Topline Motors, Inc., 785 Cumberland Hill Road

SECONDHAND DEALER (MERCHANDISE)

Interstate Towing & Autoparts, 855 River Street
Louis Michael Coins & Jewelry, 325 Main Street
The Gold Advance, Inc., d/b/a The Gold Loan Co., 100 Bernon Street
The Gold Advance, Inc., d/b/a The Gold Loan Co., 1173 Social Street
Timeless Antiques & Collectibles, 91 Main Street

STREET VENDOR

Atomic Blonde Ice Cream, 59 Woodmont Street, Providence, RI Haven Bros. Mobile, 37 Libera Street, Cranston, RI Nessa Snack Shop, LLC, 122 Alice Avenue Poppy's Kettle Corn & Waffles, 72 Sayles Avenue, Warwick, RI Rhode Island Kona, LLC, 4 Cider Lane, Greenville, RI Shishkaberrys of New England, 87 Spring Street, Shrewsbury, MA Supa Dupa, 20 Oregon Avenue

TOBACCO LICENSE

A & S Variety Store, 710 Elm Street
Champs Liquors for Keyway, Inc., 481 Clinton Street
Colbea Enterprises, LLC d/b/a Seasons Corner Market, 1325 Diamond Hill Road
Elite Food Shop, 85 Mason Street
Family Dollar Stores of RI, Inc. #25703
JB Liquors, Inc., 1100 Social Street
Providence Street Liquors, 800 Providence Street
RJ's Hill Liquors, 820 Cumberland Hill Road
Sam's Food Store, 805 Park Avenue
Stop Quick Mart, 814 Diamond Hill Road
Warehouse Liquors, 373 North Main Street

02/18/2020


Dear Woonsocket City Council,

I am writing to you on behalf of the Woonsocket Redskins Youth Football and Cheer Organization. I appreciate your time while you allow me to explain who we are and what we do within the city. We are youth sports recreational teams for both football players and cheerleaders in the city of Woonsocket. We host about 300 children each season. We have been doing this for 20 plus years and intend on staying around for another 20 plus years. We coach children from the starting age of 5 all the way up to 14 years old for both football and cheerleading. Our goal is to give these children something constructive to do with their time while still being able to have fun while doing it and keep them off the streets and focused on something positive. By having an organization like so allows us to teach such skills to a large number of the youth in this community; accountability, responsibility, leadership, discipline, perseverance, how to work well with others, how to handle success and failure and so on. Youth sports can teach a child life long lessons that children can hold with them for many years to come. So I am writing to request a chance for our organization to do a tag day for a fundraiser as we are a nonprofit organization and are funded from our registrations and fund raisers only. The event proceeds will help pay for much-needed upgrades to our football and cheerleading equipment and possibly get us some much needed new uniforms. As of now our teams all have similar uniforms but we all do not have the same. Our main goal is to give these kids in our organization a chance to get new uniforms, as of now we have a couple different versions of our uniforms and are not united as 1 in that aspect. The dates we pick are going to be August 15th with a rain date of August 22nd. We would greatly appreciate the city council hearing us out at the next city council meeting.

If you have any questions or need further information, please feel free to contact me at (508)282-2076 or at woonsocketredskins@gmail.com on behalf of the Woonsocket Redskins Board members, players, and parents of Woonsocket Redskins Youth Football and Cheer. Thank you for your time and consideration.

Sincerely,

Melinda Charbonneau Woonsocket Redskins Secretary



CITY OF WOONSOCKET

MINUTES

CITY COUNCIL REGULAR MEETING MONDAY, FEBRUARY 3, 2020 @ 7:00 PM 169 MAIN STREET, WOONSOCKET, RI, 02895

1. CALL TO ORDER / ROLL CALL

Council Present: Jon Brien

James Cournoyer

Alex Kithes
Denise Sierra
David Soucy
John Ward
Daniel Gendron

Council Absent:

2. PRAYER

The prayer is read by the Clerk.

3. PLEDGE OF ALLEGIANCE

The Pledge of Allegiance is given by the assembly.

4. AGENDA FOR BOARD OF LICENSE COMMISSIONERS

20.LC.05 Application of licenses and renewal of licenses (listing attached).

Councilman Soucy moved that the following licenses be granted. Vice President Brien seconded the motion.

also seconded by Councilman Ward. 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For

5. CITIZENS GOOD AND WELFARE

Richard Monteiro, Remi Graber, Ron Nichols, Charles Lemoine, Colleen Oliver, Bonnie Picarski, Albert R. Beauparlant, Amber Bouley, Estelle Bubble, James Williams.

6. APPROVAL/CORRECTION OF MINUTES

Min.01.27.20 Minutes of Regular Meeting held January 27th, 2020.

Councilman Ward moved that the minutes of the regular meeting held January 27th be approved as submitted. Councilman Kithes seconded the motion.

Passed 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

7. CONSENT AGENDA

Councilman Ward moved to approve the consent agenda. Vice President Brien seconded the motion.

Passed 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

8. COMMUNICATIONS FROM MAYOR

None.

9. COMMUNICATIONS FROM CITY OFFICERS

20.CO.04* From City Engineer regarding new Water Treatment Plant status report.

10. COMMUNICATIONS AND PETITIONS

None.

11. GOOD AND WELFARE

All Councilors passed.

12. ORDINANCES PASSED FOR THE FIRST TIME

None.

13. ORDINANCES TABLED UNTIL THIS MEETING

None.

14. NEW ORDINANCES

20.0.03 Authorizing the Fire Chief of the City of Woonsocket to purchase a 2020 Ford F550 Emergency Medical Services Rescue vehicle.-Gendron

Councilwoman Sierra moved that the ordinance be passed for the first time. Councilman Ward seconded the motion.

also seconded by Councilman Kithes. 7 to 0 by roll call vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For

Councilman Ward	For
President Gendron	For

15. RESOLUTIONS TABLED UNTIL THIS MEETING

20.R.08 Authorizing the cancellation of certain taxes.-Gendron

Councilman Ward moved that the resolution be passed. Councilman Kithes seconded the motion.

Passed 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

16. NEW RESOLUTIONS

20.R.14 Authorizing the cancellation of certain taxes.-Gendron

Councilman Ward moved that the resolution be passed. Councilwoman Sierra seconded the motion.

Passed 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

20.R.15 Granting permission to use City property.-Gendron

Vice President Brien moved that the resolution be passed. Councilman Ward seconded the motion.

Passed 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

20.R.16 Resolution in opposition of the TCI Gas Tax and the Transportation and Climate Initiative-Gendron, Brien, Cournoyer, Sierra & Ward

Vice President Brien moved that the resolution be passed. Councilwoman Sierra seconded the motion.

Councilman Kithes recused himself. 6 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	Recused
Councilwoman Sierra	For

Councilman Soucy For Councilman Ward For President Gendron For

20.R.17 Recognizing paramedic Remi Graber on their act of bravery in protecting the lives of two individuals.-Kithes

that the resolution be withdrawn.

20.R.18 Granting permission to use City property.-Gendron

Councilman Kithes moved that the resolution be passed. Vice President Brien seconded the motion.

also seconded by Councilwoman Sierra. 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

17. ADJOURNMENT

Councilman Ward moved that the meeting be and it is hereby adjourned at 7:35 P.M. Councilman Kithes seconded the motion.

Passed 7 to 0 by voice vote.

Vice President Brien	For
Councilman Cournoyer	For
Councilman Kithes	For
Councilwoman Sierra	For
Councilman Soucy	For
Councilman Ward	For
President Gendron	For

Attest: Christina Harmon, City Clerk

Thursday, February 20, 2020

At a special meeting of the City Council, in the City of Woonsocket, County of Providence, State of Rhode Island in the second floor conference room on Thursday, February 20, 2020 at 7 P.M.

All members are present.

Upon motion of Councilman Kithes seconded by Councilman Ward it is voted that the following license be granted, a voice vote on same being unanimous: 1 application for Class F1 license with entertainment.

Upon motion of Councilman Ward seconded by Councilwoman Sierra it is voted that the meeting be and it is hereby adjourned at 7:01 P.M.

Attest: Christina Harmon City Clerk



CITY OF WOONSOCKET, RHODE ISLAND LAW DEPARTMENT

February 17, 2020

Woonsocket City Council 169 Main Street P.O. Box B Woonsocket, RI 02895

RE: Sherri Thayer, DOI: May 6, 2018

Dear Councilors:

Attached, please find a Superior Court Complaint, which was received by the City related to an alleged trip and fall accident that occurred on or about May 6, 2018. I recommend that the City deny action in this matter at this time, and refer it to the Rhode Island Interlocal Trust, who provides coverage for such claims under the City's policy of insurance.

If you have any questions or concerns, please do not hesitate to contact me

Sincerely

John J. DeSimone, Esq.

City Solicitor

AJD/ps Enclosure

SUMMONS

	Civil Action File Number PC-2020-00522
Plaintiff Hailey Thayer P/p/a Sherri Thayer	Attorney for the Plaintiff or the Plaintiff Henry S. Monti
v. Defendant Christine Chamberland	Address of the Plaintiff's Attorney or the Plaintiff GEMMA LAW ASSOCIATES INC 231 RESERVOIR AVENUE PROVIDENCE RI 02907
Licht Judicial Complex Providence/Bristol County 250 Benefit Street Providence RI 02903 (401) 222-3250	Address of the Defendant 169 Main Street Woonsocket RI 02895

TO THE DEFENDANT, Christine Chamberland:

The above-named Plaintiff has brought an action against you in said Superior Court in the county indicated above. You are hereby summoned and required to serve upon the Plaintiff's attorney, whose address is listed above, an answer to the complaint which is herewith served upon you within twenty (20) days after service of this Summons upon you, exclusive of the day of service.

If you fail to do so, judgment by default will be taken against you for the relief demanded in the complaint. Your answer must also be filed with the court.

As provided in Rule 13(a) of the Superior Court Rules of Civil Procedure, unless the relief demanded in the complaint is for damage arising out of your ownership, maintenance, operation, or control of a motor vehicle, or unless otherwise provided in Rule 13(a), your answer must state as a counterclaim any related claim which you may have against the Plaintiff, or you will thereafter be barred from making such claim in any other action.

- 19		
1	This Summons was generated on 1/27/2020.	/s/ Henry Kinch
		Clerk

Witness the seal/watermark of the Superior Court

SC-CMS-1 (revised July 2014)

A True Copy Attest
Vincent T. Vacca
#1402 Date 1 11/202

Plaintiff Hailey Thayer P/p/a Sherri Thayer	Civil Action File Number PC-2020-00522
Defendant Christine Chamberland	

PROOF OF SERVICE
I hereby certify that on the date below I served a copy of this Summons, complaint, Language Assistance Notice, and all other required documents received herewith upon the Defendant, Christine Chamberland, by delivering or leaving said papers in the following manner:
☐ With the Defendant personally.
☐ At the Defendant's dwelling house or usual place of abode with a person of suitable age and discretion then residing therein. Name of person of suitable age and discretion
then residing therein. Name of person of suitable age and discretion Address of dwelling house or usual place of abode
Age Relationship to the Defendant
☐ With an agent authorized by appointment or by law to receive service of process. Name of authorized agent If the agent is one designated by statute to receive service, further notice as required by statute was given as noted below.
☐ With a guardian or conservator of the Defendant. Name of person and designation
☐ By delivering said papers to the attorney general or an assistant attorney general if serving the state.
☐ Upon a public corporation, body, or authority by delivering said papers to any officer, director, or manager. Name of person and designation

Page 1 of 2

Upon a private corporation, domestic or fore	ign:
☐ By delivering said papers to an officer or	•
Name of person and designation	
☐ By leaving said papers at the office of the	e corporation with a person employed therein.
Name of person and designation	
☐ By delivering said papers to an agent auti	horized by appointment or by law to receive service of process.
Name of authorized agent	
If the agent is one designated by statute to as noted below.	receive service, further notice as required by statute was given
☐ I was unable to make service after the follo	owing reasonable attempts:
SERVICE DATE: /	SERVICE FEE \$
Month Day Year	
Signature of SHERIFF or DEPUTY SHERIFF o	
SIGNATURE OF PERSON OTHER THAN A NOTARIZED.	SHERIFF OF DEPUTY SHERIFF OF CONSTABLE MUST BE
Signature	
State of	
State ofCounty of	
County of	
On this day of	, 20, before me, the undersigned notary public, personally
appeared	□ personally known to the notary
or proved to the notary through	satisfactory evidence of identification, which was
	, to be the person who signed above in my presence,
and who swore or affirmed to the notary that the knowledge.	contents of the document are truthful to the best of his or her
-	Notary Public:
	My commission expires:
	Notary identification number:

Page 2 of 2

Filed in Providence/Bristol County Superior Court

Submitted: 1/23/2020 1:31 PM Envelope: 2437945

Envelope: 2437945 Reviewer: Rachel L,

STATE OF RHODE ISLAND PROVIDENCE, SC

SUPERIOR COURT

HAILEY THAYER, p/p/a SHERRI THAYER and : SHERRI THAYER .

:

VS.

C.A. NO.

CHRISTINE CHAMBERLAND, Treasurer/ Finance Director of City of Woonsocket, Alias Jane Doe

COMPLAINT

- 1. The Defendant, Christine Chamberland, treasurer/finance director for the City of Woonsocket, on or about May 6, 2018, was the owner of the property known as East School Street in the vicinity of 611-613 East School Street, public highway so called, located in the City of Woonsocket, County of Providence, State of Rhode Island, and at all times mentioned herein was in possession and control and operated, maintained, and managed said street.
- 2. That on or about the 6th day of May, 2018, the Plaintiff, Hailey Thayer, who is a minor, who brings this action through her mother, natural guardian and next friend, Sherri Thayer, was lawfully on the Defendant's said premises and was walking across the street.
- 3. At the time and place aforesaid, Defendant was negligent in having maintained the street in a dangerous, defective, unfit, unsafe, and negligent manner in that the asphalt on the street was broken, cracked, raised, and uneven and it created a raised portion of the street pavement. Also, the Defendant was negligent in failing to adequately warn the Plaintiff of said danger and negligent in failing to adequately inspect the premises. As a result of the Defendant's negligence, the Plaintiff was caused to suffer a fall.
- 4. The Defendant knew or should have known that the condition of the raised street surface was dangerous to persons walking on it.
 - 5. The Plaintiff was at all times in the exercise of due care and caution.
- 6. That as a direct and proximate result of the Defendant's negligence, as aforesaid, the Plaintiff sustained permanent personal injuries and emotional harm which incapacitated her, causes her suffering and pain. The Plaintiff's mother, Sherri Thayer, has incurred, is continuing to incur, and in the future will incur expenses for medical care and attention.

WHEREFORE, the Plaintiffs demand judgment against the Defendants, plus costs and interest. The monetary amount claimed is sufficient to establish the jurisdiction of the Superior Court.

Filed in Providence/Bristol County Superior Court

Submitted: 1/23/2020 1:31 PM Envelope: 2437945

Reviewer: Rachel L.

The Plaintiff demands trial by jury.

By Plaintiff's Attorney,

HENRY'S. MONTI, ESQ #2745 GEMMA LAW ASSOCIATES, INC. 231 RESERVOIR AVENUE PROVIDENCE, RI 02907

TELEPHONE: (401) 467-2300 FACSIMILE: (401) 467-8678

E-MAIL:

henry@gemmalaw.com

DATED: January 17, 2020

CITY OF WOONSOCKET, RHODE ISLAND LAW DEPARTMENT

February 17, 2020

Woonsocket City Council 169 Main Street P.O. Box B Woonsocket, RI 02895

RE: Ronald Mcgahee, DOI: Winter of 2016

Dear Councilors:

Attached, please find a Superior Court Complaint, which was received by the City related to an alleged incident that occurred during the winter of 2016. I recommend that the City deny action in this matter at this time, and refer it to the Rhode Island Interlocal Trust, who provides coverage for such claims under the City's policy of insurance.

If you have any questions or concerns, please do not hesitate to contact me

Sincerely.

John J. DeSimone, Esq.

City/Solicitor

JJD/ps Enclosure

STATE OF RHODE ISLAND AND



PROVIDENCE PLANTATIONS

20 days 20 2/26/20 DEGETWE

SUPERIOR COURT

SUMMONS

2 4 7 1 2 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Plaintiff CHY OF WOONSOCKET	Civil Action File Number PC-2020-00775
Plaintiff	Attorney for the Plaintiff or the Plaintiff
Ronald Mcgahee v.	Address of the Plaintiff's Attorney or the Plaintiff
Defendant Kerry Vasotura-woonsocket City Treasurer	
Licht Judicial Complex Providence/Bristol County 250 Benefit Street	Address of the Defendant 169 MAIN ST Woonsocket RI 02895
Providence RI 02903 (401) 222-3250	W CONSORCE TO SUCCESSION OF THE PROPERTY OF TH

TO THE DEFENDANT, CHRISTINE CHAMBERLAND-WOONSOCKET FINANCE DIRECTOR:

The above-named Plaintiff has brought an action against you in said Superior Court in the county indicated above. You are hereby summoned and required to serve upon the Plaintiff's attorney, whose address is listed above, an answer to the complaint which is herewith served upon you within twenty (20) days after service of this Summons upon you, exclusive of the day of service.

If you fail to do so, judgment by default will be taken against you for the relief demanded in the complaint. Your answer must also be filed with the court.

As provided in Rule 13(a) of the Superior Court Rules of Civil Procedure, unless the relief demanded in the complaint is for damage arising out of your ownership, maintenance, operation, or control of a motor vehicle, or unless otherwise provided in Rule 13(a), your answer must state as a counterclaim any related claim which you may have against the Plaintiff, or you will thereafter be barred from making such claim in any other action.

This Summons was generated on 1/31/2020.	/s/ Henry Kinch	
	Clerk	

Witness the seal/watermark of the Superior Court

3:00 Pm

ATRUE GOVERN



Plaintiff Ronald Mcgahee	Civil Action File Number PC-2020-00775
v.	
Defendant	
Kerry Vasotura-woonsocket City Treasurer	

PROOF OF SERVICE
I hereby certify that on the date below I served a copy of this Summons, complaint, Language Assistance Notice, and all other required documents received herewith upon the Defendant, CHRISTINE CHABERLAND EOONSOCKET FINANCE DIRECTOR, by delivering or leaving said papers in the following manner:
With the Defendant personally.
☐ At the Defendant's dwelling house or usual place of abode with a person of suitable age and discretion then residing therein. Name of person of suitable age and discretion
Address of dwelling house or usual place of abode
AgeRelationship to the Defendant
☐ With an agent authorized by appointment or by law to receive service of process. Name of authorized agent
If the agent is one designated by statute to receive service, further notice as required by statute was given as noted below.
☐ With a guardian or conservator of the Defendant. Name of person and designation
☐ By delivering said papers to the attorney general or an assistant attorney general if serving the state.
☐ Upon a public corporation, body, or authority by delivering said papers to any officer, director, or manager. Name of person and designation
True Copy A

Page 1 of 2

Office o
Counties of Counties

Upon a private corporation, domestic or foreign:	
☐ By delivering said papers to an officer or a ma	anaging or general agent.
Name of person and designation	
☐ By leaving said papers at the office of the corp	poration with a person employed therein.
Name of person and designation	
☐ By delivering said papers to an agent authoriz	ed by appointment or by law to receive service of process.
Name of authorized agent	
If the agent is one designated by statute to rece	eive service, further notice as required by statute was given
as noted below.	
☐ I was unable to make service after the following	g reasonable attempts:
	S remodulate attention.
0/m	
SERVICE DATE: 01010	SERVICE FEE \$
Month Day Year	BLACTICE FEE &
Signature of SHERLE or DEPUTY SHERIFF OD CO	NSTABLE
That souls All	3:00 Pm
SIGNATURE OF PERSON OTHER THAN A SHE	RIFF or DEPUTY SHERIFF or CONSTABLE MUST BE
NOTARIZED.	
Signature	
State of	
County of	
	, before me, the undersigned notary public, personally
appeared	personally known to the notary
or \square proved to the notary through sat	isfactory evidence of identification, which was
	, to be the person who signed above in my presence,
	tents of the document are truthful to the best of his or her
snowledge.	
N	otary Public:
M	fy commission expires:
N	otary identification number:
Pag	ge 2 of 2 True c
	rue Copy Attest
	Office O.
O 0000 1 Ameterial 7 to 2010	Counties
C-CMS-1 (revised July 2014)	Counties of the scale & Bristof Providence Rhode Island
	North Island

SC-CMS-1 (revised July 2014)

Providence Rhade Island

PC-20-00775

Ronald McGahee

V.

KERRY VASOTURA in her capacity as City Treasurer and Christine Chamberland in her capacity as Finance Director of City of Woonsocket

- 1. Plaintiff Ronald McGahee is resident of the City of Woonsocket.
- 2. Defendant Kerry Vasotura is the City Treasure of the City of Woonsocket and claim is made against her in such capacity.
- 3. Defendant Christine Chamberland is the Finance Director and claim is made against her in such capacity.
- 4. During the winter of 2016 Plaintiff Ronald McGahee received traffic citation for violation of snow removal

ban concerning his motor vehicle.

- 5. Plaintiff Ronald McGahee did successfully challenge such citation issued by the Woonsocket Police Department
- 6. Plaintiff Ronald McGahee did complain to the appropriate authorities about the unlawfulness of such citation.
- 7. As a result during the years 2017, 2018, 2019, and 2020 Plaintiff Ronald McGahee has been targeted by the

Woonsocket Police on a regular and systematic basis without reasonable belief or probable cause.

- 8. As further result, Plaintiff Ronald McGahee has had his liberty unlawfully restricted and avers such conduct by the Woonsocket Police is intentional with object to create fear and intimidation under the shroud of the color of law.
- 9. As further result Plaintiff Ronald McGahee has been otherwise damnified
- 10. Plaintiff Ronald McGahee's claim exceeds the minimum jurisdiction of this Honorable Court WHEREFORE Ronald McGahee prays Judgment as follow
 - a. Damages in excess of the minimum damages of this Honorable court
 - b. Punitive damages in excess of the minimum damages of this Honorable Court

c. Interest and cost

Respectfully submitted

Ronald McGahee P.O. Box 9031

Pawtucket, RI 02862

Plaintiff demands trial by jury

Office c

ravidence by & Brist

True Copy Attest

SUPERIOR COURT FILED HENRY S. KINCH, JR

20 JAN 31 AN 10:

13 Page 29 of 121



To: The City Council

cc: Christina Duarte, City Clerk

Carl Johnson, Zoning Official

From: Kenneth Finlay, Planning Board Chairman

Date: February 4, 2020

Re: Recommending a Historic Structure Floating Overlay Designation of Woonsocket

Assessor's Plat 10, Lot 22 (the former National Guard Armory) to the Woonsocket City

Council

The Woonsocket City Council has requested the advice and recommendation of the Woonsocket Planning Board regarding the inclusion of Woonsocket Assessor's Plat 10, Lot 22 (the former National Guard Armory) within the Historic Structures Floating Overlay District (the District) in order to better enable the redevelopment of the existing historic structure. Section 12.7 of the Zoning Ordinance states that the opinion of the Planning Board shall be considered by the Council when adding a property to the District. The Planning Board received information from the Planning Division's staff regarding the Council's request to add said property to the District. The Planning Board concluded that the Council's intension to better enable the redevelopment of the Armory by placing Plat 10, Lot 22 in the District is consistent with the 2012 Comprehensive Plan and with the purposes of section 12.7 of the Zoning Ordinance that can be analyzed without the benefit of an accompanying development plan. The reasoning for said conclusion is detailed in the Planning Division's staff report regarding this issue dated January 30, 2020.

Section 12.7 of the Zoning Ordinance states that "whenever a development plan [is] submitted by any developer or proposed developer of properties within a designated district shall be received by the City Council, it shall be referred to the Planning Board for advice and recommendation after due consideration." As no development plan has been proposed for Plat 10, Lot 22 at the time of this recommendation, the Planning Board requests – as per the language in the Zoning Ordinance – that any development plan proposed in the future for this parcel be referred to the Planning Board for advice and recommendation. This will give the Planning Board the opportunity to determine whether the proposed redevelopment plan aligns with the purposes of section 12.7 of the Zoning Ordinance and is consistent with the Comprehensive Plan.

The Planning Board has two technical concerns with adding Plat 10, Lot 22 to the District. First, without a redevelopment plan, the City Council is not able to consider all the eligibility requirements for placing a parcel in the District listed in section 12.7.2 of the Zoning Ordinance. Second, Plat 10, Lot 22 has not been declared "surplus property by a governmental entity and offered for sale and development by a private developer." This is one of three criteria for adding a parcel to the District listed in 12.7.1 of the Zoning Ordinance. The Planning Board recommends that the City Council confer with the City Solicitor regarding these concerns prior to adding the Armory to the District.

The Planning Board finds adding Plat 10, Lot 22 (the former National Guard Armory, 316 South Main Street, Woonsocket, RI) to the Historic Structures Floating Overlay District to be consistent with the 2012 Comprehensive Plan and the purposes of section 12.7 of the Zoning Ordinance that can be analyzed without the benefit of a redevelopment plan. Therefore, the Planning Board recommends that the City Council add Plat 10, Lot 22 to the District for the purpose of better enabling the redevelopment of the existing historic structure in a manner consistent with the purpose of section 12.7 of the Zoning Ordinance and the 2012 Comprehensive Plan as long as any future development plans be referred to the Planning Board for advice and recommendation prior to their approval by the City Council. The Planning Board also recommends that the City Council confer with the City Solicitor regarding the two technical concerns stated in paragraph three prior to adding the Armory to the District.

Motion by Member Pratt and seconded by Member Gardner to approve the recommendation as stated above.

Yes
Yes
Yes
Yes
Yes

Motion Passes <u>5 - 0 - 0</u>

Certified at Woonsocket, Rhode Island, February 4, 2020.

Kenneth Finlay

Chairman

Kevin Proft

Administrative Officer

Jacobs

Jacobs Engineering Group 11 Cumberland Hill Rd Woonsocket Ri 02895 Tel 401.356.1488 Fax 401.356.1478

February 3, 2020

The Honorable City Council City Hall Legislative Chambers 169 Main Street Woonsocket, RI 02895

Subject: January 2020 Odor Report

Dear Councilors.

There were eight (8) odor complaints filed with the Woonsocket Regional Wastewater Treatment Facility during the month of January 2020. It should be noted that five (5) of them were not related to the plant operations. All complaints were investigated by Jacobs / Synagro staff and Veolia Water was consulted for sewer investigations. Four (4) of the complaints received were from the Diamond Hill / Mendon Road intersection area and one (1) was received from the far end of the Highland Industrial Park area.

I've attached graphs of monthly odor complaints received since January of 2016 and yearly complaints received since 2008. I've also attached the monthly odor complaint log which outlines the details of the complaints as well as the possible or potential root causes.

If you have any questions or require additional information, please call me at 401.356.1468.

Respectfully,


Jim Lauzon

Jacobs Engineering Group Project Manager

CC: Steve D'Agostino, City of Woonsocket
Jon Pratt, City of Woonsocket
Christina Duarte, City of Woonsocket
Kevin Handley, Synagro Assistant Plant Manager
Nick Quigley, Synagro Plant Manager
Bill Patenaude, RIDEM, Office of Water Resources
Matt Puglia, RIDEM, Office of Water Resources
Karen Peltier, RIDEM, Office of Air Resources
Chris John, RIDEM Office of Compliance
Laurie Toscano, Weston & Sampson
Scott Mangold, Jacobs
Anthony Turchetta, Jacobs
File

Att: Monthly and Yearly odor complaint graphs January 2020 odor report

Woonsocket Odor Complaints by Month





JACOBS

Odor Complaint Monthly Completed Work Order Summary-WOO

Time To Repair/Replace (Hrs): 1/15/2020

Dated Time of 1/15/2020 6:30:00 PM Work Ones of WOO-1590339 Calabinos Warnin Melissa Murray Wednesday Cumberland Hill Rd

Drove by plant, smells absolutely atroclous, really bad tonight.

Labler Region Jacobs - Heavy odors near sludge dewatering Synagro - Walked plant to make sure scrubbers are operating properly, notified

Jacobs.

NE

0 mph, gusts 25 36 deg F

Time To Repair/Replace (Hrs): 1/22/2020

David See Complete 1/22/2020 1:03:00 PM Work Onlin # WOO-1592759 Jennifer Newman itely. Wednesday 100 Goldstein Ave

Strong sewer smell, Highland Industrial Park

Jacobs - Checked the pump station on Highland Park Dr. No odors. Contacted Veolia to check the area sewer tines. Synagro

Water to Je Fault. ESE

0 mph, gusts 13 35 deg F

Tares Turning of Companies 1/22/2020 8:29:00 PM Work Cirbin V WOO-1592826 Kim Labreche Wednesday 127 Glendale Ave

Smells like dirty diapers in front of the fire station, horrible all the way to the hospital.

Africa Region Jacobs - Centrate pit smells Synagro

0 mph, gusts 13 State of the State 23 deg F

Time To Repair/Replace (Hrs): 1/23/2020

1/23/2020 6:00:00 PM With Cridar # WOO-1593084 Constance McClure Thursday ACRESS. 36 Read Ave.

Historia. Odor has been horrific all day

Jacobs - Checked plant, odor scrubbers operating properly Synagro - Checked around plant, odor most likely coming from trailer

being live-loaded.

Wind Street 0 mph, gusts 16 Tellipse afters 35 deg F

Time To Repair/Replace (Hrs): 1/24/2020

Terretainer of 1/24/2020 8:16:00 PM Worth Cepter # WOO-1596394 Customer Name: **Evelyn Rose** Friday 126 Monn St Odor Complaint

Jacobs - We received four odor complaints from the Diamond Hill/Mendon Rd area, they were investigated and none were plant related

Synagro - Performed inspection in the area, nothing was found

OMPH, Gust 13 32 degF

1/24/2020 8:42:00 PM WOO-1596401 California Macine Ray Stilner Friday 903 Mendon Rd

Odor Complaint

Jacobs - We received four odor complaints from the Diamond Hill/Mendon Rd area, they were investigated and none were plant related

Synagro - Performed inspection in the area, nothing was found.

NE

OMPH Gusts 13

32degF

Distribute of 1/24/2020 10:00:00 PM

Work throw # WOO-1596402 Charleson Scane Samuel Resto Friday

253 Coolidge St Odor Complaint

Jacobs - We received four odor complaints from the Diamond Hill/Mendon Rd area, they were investigated and none were plant related Labour Hallery

Synagro - Performed inspection in the area, nothing was found.

World Speed 6MPH Gusts 0 34degF

Date(1)/or of 1/24/2020 8:48:00 PM Work Code # WOO-1596403 Beatrice Covanich Friday

1175 Diamond Hill Rd Odor Complaint

Jacobs - We received four odor complaints from the Diamond Hill/Mendon Rd area, they were investigated and none were plant related

Synagro - Performed inspection in the area, nothing was found.

Wind Spread **OMPH Gust 13** 32degF

Status Report No. 25

City of Woonsocket - Drinking Water Treatment Facility Capital Improvements Project

Date:

February 24, 2020

Prepared by: CDM Smith

On July 31, 2017 the City of Woonsocket, Rhode Island ("City") entered in to an Agreement with Woonsocket Water Services, LLC ("Company"); note that, during the proposal review process, the "Company" was also referred to as "the AECOM Team". The Agreement is for the Company to design, construct and operate a new water treatment facility with a design capacity of 7.0 million gallons per day, expandable to 10.5 million gallons per day, on the City-owned property on Jillson Avenue. Construction is to be complete and the facility fully operational no later than December 31, 2020.

Status Report No. 25 details the work completed from January 22, 2020 through February 23, 2020.

PROJECT SCHEDULE

All design packages have been delivered to the City and stamped by RIDOH, which completes the design phase of the project. The City has issued to the Company a full notice to proceed with construction of Capital Improvements. It is anticipated the new water treatment plant will be fully operational on December 31, 2020.

PROJECT BUDGET

Original Contract Sum	\$ 56,752,800.00
Total Change Orders	\$ 159,033.00
Current Contract Sum	\$ 56,911,833.00
Total Paid to Date	\$ 35,831,400.52
Current Retainage	\$ 1,659,061.56
Current Payment Under Review	\$



PROJECT CHANGE ORDERS

PROPOSED

PCO No 9 - PCB and PAH Remediation: Work under Change Order No 2 has been completed. Confirmatory soil samples indicated additional remediation work will be required. The Company is proposing a fixed Engineering Services cost of \$9,574 plus the cost of excavation, disposal, sampling and lab costs associated with the removal of contaminated material within the defined area at a unit cost of \$106.80 per ton. WWS has completed the additional excavation and disposal of the contaminated soils along the WTP access road. A final change order for this work will be developed.

FUTURE

Sick Leave Act - A new law passed in the State of Rhode Island regulating the minimum sick leave time employees in the State must receive. WWS has evaluated the act and estimated the cost impacts it may have on the project. This is under review.

EXECUTED

Change Order No. 1 – PCB and PAH Notification and Delineation: \$41,868.00

This change order covered the compensation for the Preparation/review of Notification to RIDEM and resulting RIDEM response and conduct the required site delineation of the PCB and PAH contamination to determine the extent of excavation required along the facility's primary access road.

Change Order No. 2 – PCB and PAH Remediation: \$114,919.00

Field work to further delineate the PCB and PAH contamination along the facility's primary access road was completed (CO-01). Lab results showed reportable levels of PCB were found to a depth of 3-feet, while PAH contamination were found to a depth of 6-feet. The Company has proposed Change Order No 2 (CO-02) to "Dig and Haul" contaminated soil off-site, conduct confirmatory sampling, development of reports and management activities during excavation for a total cost of \$114,919.00. If confirmatory samples show additional remediation is required a proposed change order would be developed.

Change Order No 3 – Excavation/Removal Hazardous Materials: \$100.70/Ton (Time & Material) Covers handling of hazardous materials while installing new water mains along Joffre Ave, Acres Ave, Reservoir Ave and Manville Rd. Company will only be compensated for material removed for disposal at a rate of \$100.70 per ton.



Change Order No 4 – Raw/Finished Piping Modifications: \$202,988.00 (CREDIT)

Company is deleting from the design ~620 linear feet of 24" ductile iron water main. The finished water main runs from the intersection of Acres Ave and Reservoir Ave to Joffre Ave and Logee St. The Company had proposed deleting ~450 linear feet of 24" ductile iron main between Manville Road and Lydia Avenue. However, deleting the ~450 linear feet of 24" ductile iron main would have meant transmission of raw water though an existing 100 year old main and the loss of redundancy.

Change Order No 5 – Interior Process Piping Material Change: \$129,600 (CREDIT)

Company will credit \$129,600 by installing epoxy line carbon steel pipe in lieu of ductile iron pipe within all facilities. This includes piping within the WTP, Raw Water Pump Station and Finish Water Pump Station.

Change Order No 6: National Grid Natural Gas Service: \$66,239

National grid has provided an invoice totaling \$114,740 to complete the installation of new gas main and gas service required at the new treatment facility. A utility allowance of \$50,000 was placed into the construction contract. CO No 6 will cover the remaining balance plus bond and insurance increases incurred by WWS.

Change Order No 7 - Natural Gas Booster Station: The Company has provided a change order of \$108,000 to design and construct a gas booster station required to operate HVAC equipment at the treatment plant due to low line pressures in the distribution system. Design details have been coordinated between WWS and National Grid.

Change Order No. 8 - 30" Line Stop: The Company has provided a change order of \$80,430 to furnish and install a line stop in order to connect the new raw water line to the existing pipe network. During pressure testing it was discovered the existing line valves did not provided the required isolation to enable this connection to be made. It has been determined a line stop is required in order to connect the new raw water main into the existing pipe network.

Change Order No. 9 – Manville Road Full Width Paving: At the request of the City, the Company has provided a change order of \$80,175 to provided full width curb to curb paving in all disturbed areas of Manville Road. The agreement originally called for only disturbed areas to be paved.

PROJECT SUBMITTALS

All design packages have been approved for construction.



PROJECT PERMITTING

All RIDEM and RIDOH permitting actives have been completed for the project.

FIELD WORK/CONSTRUCTION ACTIVIES

- Completed CMU walls in WTP admin building
- Continued installation of 8" water line from Jillson Ave to WTP site
- Continued installation of mechanical piping in the treatment building
- Continued installation of HVAC/Plumbing pipe in the treatment building
- Continued FWPS roof installation
- Continued electrical cable tray installation in treatment building/admin building
- Completed SWW basin elevated slab concrete
- Continue interior chemical piping in WTP
- Continue DAF equipment installation
- Start painting activities inside treatment/admin building
- Completed wall placement at RWPS



Water Treatment Plant

DESIGN-BUILD-OPERATE PROJECT UPDATE

WOONSOCKET WATER SERVICES, LLC





Water Treatment Plant Timeline

Project Introduction. The City of Woonsocket, Rhode Island issued a request for proposals (RFP) in August 2015 for the design and construction of a new water treatment facility. Woonsocket Water Services, LLC, (WWS) a team comprised of AECOM, C.H. Nickerson, and Suez, submitted a proposal in February 2016 for the design-build-operate project and was awarded the project in July 2017. The project is currently in the construction phase.

Design. Once the contract was signed, the project was kicked off with the City in August 2017 with the initiation of design packages and permitting with local and state regulatory agencies. The design packages consist of the following packages: Package 1 - Early Site Work; Package 2 - Raw Water Pumping Station, connecting pipelines, and structural foundations of the Water Treatment Plant; and Package 3 - Water Treatment Plant.

RIDOH approved Package 1 on May 30, 2018; Package 2 on July 20, 2018; and Package 3 on September 28, 2018. All packages have been stamped and approved by RIDOH, which completes the design phase of the project.

Permitting. All RIDEM and RIDOH permitting activities have been completed for the project. The RIDOH participates in monthly progress review meetings with the project team and the City and will continue to participate and monitor the project throughout construction and startup. Representatives from the RIDEM make period site visits to the WTP site to conduct site inspections related to construction storm water controls.

RIDEM approved a permit modification to the original Freshwater Wetlands permit on June 7th, 2019. The permit modification request modifies the amount of off-site compensation that would be provided, to include the impervious area that will be created with the sidewalk improvements on Jillson Avenue and the extension of Acres Avenue to the new Secondary Access Road from the new WTP.

Construction. In February, the following activities were conducted:

Water Treatment Plant:

- a. Completed CMU walls in admin building
- b. Continued installation of 8" water line
- c. Continued installation of mechanical piping in the treatment building
- d. Continued installation of HVAC/Plumbing pipe in the treatment building
- e. Continued FWPS roof installation
- f. Continued electrical cable tray installation in treatment building/admin building
- g. Completed SWW basin elevated slab concrete
- h. Continue interior chemical piping in WTP
- i. Continue DAF equipment installation
- j. Start painting activities inside treatment/admin building

Raw Water Pump Station:

a. Completed wall placement at RWPS

Upcoming Activities (3 Month Look Ahead)

- Continue review of construction submittals
- Continue installation of chemical pipeline and chemical tanks in the process building
- Continue installation of mechanical pipe
- Continue installation of electrical conduit and wire
- Continue DAF system equipment installation


- Complete slab on grade at RWPS
- Continue painting inside treatment building/admin building
- Continue installation of yard piping
- Complete roof at treatment/admin building
- Continue installation of HVAC equipment at treatment/admin building
- Complete installation of slide gates at CCT

Site Photographs

The following project photographs were taken in February 2020. These photographs depict the ongoing activities related to concrete work for the SWW basin and treatment building chemical areas, as well as site work for RWPS.



Installation of chemical tanks



Installation of DAF equipment



Forming and rebar for SWW elevated slab

Design-Build-Operate Contract Update

TOTAL CONTRACT AMOUNT	\$56,911,833
EXPENDED THROUGH January 31, 2019	\$37,490,462.08
PERCENT COMPLETE	66%
ANTICIPATED TREATMENT PLANT COMPLETION DATE	No Later than 12/31/2020



CITY OF WOONSOCKET, RHODE ISLAND LAW DEPARTMENT

February 25, 2020

Ms. Genesis Martinez 129 Rockridge Drive, Apt. B Woonsocket, RI 02895

Dear Ms. Martinez:

I reviewed your claim for reimbursement from the City as a result of alleged incident that occurred on Diamond Hill Road on the evening of February 16, 2020. You stated this was caused by road debris from an accident that was still "in progress" with officers and an ambulance on scene.

Under R.I.G.L. § 24-5-13, the City is only responsible for conditions it had reasonable opportunity to repair after receiving notice of specific conditions, specifically potholes. Also, Diamond Hill Road is a State Road and it is maintained and under the responsibility of the State. Neither the State nor the City would have to have had an opportunity to clear the scene while still in process and passing was at your own risk. Therefore, I am denying your claim for reimbursement.

Sincerely.

John J. DeSimone, Esq.

ity Solicitor

JJD/ps

cc: Woonsocket City Council

CITY OF WOONSOCKET PROPERTY DAMAGE CLAIM FORM

1. Name:	Genesis	Martin	12			
2. Address:	129 Ro	ockridge	Dy 1	Apt B.	Wounsal	Ket
3. Telephone:	Day:	Evening: _		Cell: <u>- U1 - 6</u>	92-3744	[Z & '
4. Check the typ	e of claim:					
Automobile Acci	dent: 🗆 Poth	ole Damage: 🏻	Other: 🛮			
Date: 2/16/29 I which there of ficei Thom I what 6. What is the to	to there middle middle was a there the car was o tal amount of your cl	Location of the Location: Was of the vere occident aim against the Ci	e alleged ince a ruon police a roca cci de rces alass stice are ity: \$232	then then then ceed of hass hass	d. Wonsell mbulance Lour police and whe and me road. W	Q)
8. Property dam claim. Attach	2014 Make: 1 age estimate(s) or re estimate(s) or receip ne vendor. Indicate v	ceipt(s) must be s ot(s) to this form.	submitted wi	th this form in orde al of the estimate(s)	or receipt(s) and	
a.\$	Vendor:			ESTIMATE [☐ or RECEIPT ☐	
b. \$	Vendor:			ESTIMATE [☐ or RECEIPT ☐	
	Vendor:					
9. Is this the only	claim you have ever	submitted to the	City?	2 purous (claim for for	èes
	ner claims you have s unt of the claim, and				ibmittal, the type	
		2				

PLEASE PRINT CLEARLY APPLICABLE INFORMATION

ξĺ

10. Do you have insurance on the damaged property?	
a. If "yes," list the name, address, and telephone number of your insurance policy number. Attach a copy of the statement	surance company and/or agent, and ent of applicable coverage for the
policy W. 13887333	***************************************
b. Have you submitted a claim to your insurance carrier?	If "yes," when
c. Does your insurance cover this claim? If "no," at carrier indicating the lack of coverage.	tach a letter from your insurance
d. What is your deductible? \$ 1 1 000	
e. Have you received any insurance proceeds for this incident? Missing in the second of the second o	<u>)</u>
f. Has any vendor received any insurance payment on your behalf for If "yes," how much \$	r this incident?
11. List each City Department or agency you reported this incident to name of the person you spoke to. Attach each incident report to this Agency/Dept: Woon South Dept Date: 2/16/20 Employed	form.
Agency/Dept: Date: Employe	
Payment of your claim will require your signature on a form releasing for the same incident.	ng the City from any further liability
I, the undersigned, do affirm the truthfulness and accuracy of the in hereto in support of this claim against the City of Woonsocket for that I have an obligation to inform the City of any insurance payment my behalf for this incident.	the property damage. I understand
Claimant: (Signature)	te: 2118120
Genesis Martinez	
(Printed Name)	FOR OFFICE USE ONLY
_	Date Received:
	Letter to City Council: 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Release Signed:
	AL 1.



TOWN FAIR TIRE CENTERS OF RHODE ISLAND LLC 1495 DIAMOND HILL RD, WOONSOCKET, RI. TEL (401) 769-7511

INVOICE

INVOICE NO.

67876-552 ACCOUNT # P.O. # PHONE # (401) 692-3744 E-MAIL **CURRENT MILEAGE** YEAR, MAKE, MODEL MRS. GENESIS MARTINEZ 72674 14 TOYOTA CAMRY MS. **ADDRESS** 137 MORIN HEIGHTS WHITE CITY STATE ZIP WOONSOCKET 02895 RI G.P. # SALE TYPE CLERK# DATE TIME 02/17/2020 12:41 01 - 9313F QTY PRICE **AMOUNT** SIZE DESCRIPTION IBM # LIST 215/55R17H 31119 220.00 172.80 172.80 MICHELIN PREMIER A/S 27.95 19.95 19.95 ROAD HAZARD WARRANTY 30020 1 PRO RATED 1 17 COMPUTER BALANCING 00405 21.00 18.95 18.95 5.95 5.95 1 TPMS VALVE SENSOR RECONDITIONING 00445 8.00 1 FREE FLAT REPAIR 01258 29.95 0.00 0.00 LIFETIME 29.95 0.00 0.00 1 LIFETIME FREE ROTATION 01235 1 DISMOUNT + MOUNT 00197 10.95 0.00 0.00 1 13000 0.00 0.00 0.00 30 DAY TEST DRIVE 1 0.00 0.00 AFTER SALE GUARANTEED LOWEST PRICE 13002 0.00 1 NATIONWIDE WARRANTY 13001 0.00 0..00 0.00 1 39.95 0.00 0.00 LIFETIME SNOW TIRE CHANGEOVER 00195 IBM#: 31119 WORKMANSHIP: YES ROAD HAZARD: 36 MO MILEAGE W/O CARE: NONE MILEAGE WITH CARE: NONE 3.25 TIRE REMOVAL SERVICE 3.25 1 Explanation: 1 WORK TO RF 182.00 SUB-TOTAL RISALES TAX 12.74 TOROUE: 76 PSI--FR:35 RR:35 NON-TAXABLE 38.90 SIGNATURE 233.64 TOTAL

Cash 300.00 Change -66.36

Attention Customer: We gave you the voluntary tire registration form. You must

mail the form for the registration to be valid.

SAFETY WARNING

After installation of mag wheels, all nuts or bolts must be retorqued (retightened) after the first 25 miles CUSTOMER INITIALS

COMMENTS - COMPLIMENTS - COMPLAINTS

Town Fair serves thousands of customers each year. In order to help us serve you better, if you have a comment, compliment, or complaint or just want to talk to us about our operation - please call - it will be greatly appreciated.

Contact or Write TOWN FAIR TIRE CUSTOMER SERVICE 460 COE AVENUE EAST HAVEN, CT 06512 TELEPHONE (203)467-8600 X 213 OR TOLL FREE 1 (800) 972-2245 OR 1 (888) TOWNFAIR OR VISIT OUR WEBSITE @ www.townfair.com



Woonsocket Police Department Incident Report

Page: 1 02/18/2020

Incident #: 20-1016-OF Call #: 20-6866

Date/Time Reported: 02/16/2020 2327 Report Date/Time: 02/17/2020 0249

Status: No Crime Involved

Reporting Officer: Patrol Officer Nicholas Maglio

Signature:



EVENTS(S)

LOCATION TYPE: Highway/Road/Alley/Street Zone: AREA 3

129 ROCKRIDGE DR Apt. #B

WOONSOCKET RI 02895

PROPERTY DAMAGE

PERSON(S) PERSON TYPE RACE AGE SSN PHONE

MARTINEZ, GENESIS PARTICIPANT 27

DOB:

EMPLOYER:

VEHICLE (S) STYLE COLOR1 COLOR2 REG YEAR MAKE VALUE COROLLA 2014 TOYT 4D WHI RI QI703 \$3,000.00

STATUS: Destroyed/Damaged/Vandalized

OWNER: MARTINEZ, GENESIS VIN: 4T1BF1FK2EU784702 DATE: 02/17/2020

Woonsocket Police Department

PERSONNEL NARRATIVE FOR PATROL OFFICER NICHOLAS J MAGLIO

Ref: 20-1016-OF

WITNESS STATEMENT

TIME:

2307

DATE:

02/16/2020

PLACE:

577 Diamond Hill

Page: 1

I, Patrol Officer Nicholas J Maglio, voluntarily, without threats or promises, make the following statements:

Name: Patrol Officer Nicholas J Maglio

D.O.B.:

Address: 242 Clinton St., Woonsocket, RI

Phone: (401) 766-1212

Narrative:

On 02/17/2020 at 0030 hours, I, Officer Maglio, responded to 129 Rockridge Drive for the report of property damage.

I met with the caller, Genesis Martinez, who stated she was driving in the area of 577 Diamond Hill Road at approximately 2330 hours on 02/16/2020. Genesis was driving her white Toyota Corolla displaying PC RI QU380. Genesis stated that she observed the police to be handling a motor vehicle crash. Genesis stated that as she drove down the road she drove over glass that had come from the crash. Genesis stated that the glass got stuck in her tire which damaged it and cause it to leak air. Genesis stated that she had since changed the tire but showed me the tire that was damaged in the trunk of her car. The damaged tire still had a piece of glass embedded in it and I could hear it actively leaking air. Genesis wanted the incident documented so that she could seek reimbursement for the damage

I returned to service.

Nothing further to report.



The state of the s

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS

DIVISION OF MOTOR VEHICLES

600 NEW LONDON AVENUE CRANSTON RI 02920-3024

Web Address: WWW.DMV.RI.GOV

DW/2070Egg

61,606

Date: 04/27/2019

GENESIS M MARTINEZ 129 ROCK RIDGE DR APT B WOONSOCKET RI 02895-2528

Registration Certificate

	1		
TYPE: PLATE DESIGN:	VEHICLE TYPE:	DRIVERS LICENSE:	REG EXP DATE:
NGER WAVE	PASSENGER	3070583	08/31/2020
: MODEL:	BODY TYPE:	MAJOR COLOR:	MINOR COLOR:
ГА САМ	SD	WHITE	WHITE
R: RENEWAL FEE:	GROSS WEIGHT:	# OF PASSENGERS:	# OF CYLINDERS:
91.50	3985 LBS	5	4
CARRYING CAPACITY:	LENGTH:	CCs:	MAX SPEED:
N/A	N/A	N/A	N/A
SIS M MARTINEZ OCK RIDGE DR APT B ISOCKET RI 02895-2528	SECOND OWNER:		
	TYPE: PLATE DESIGN: WAVE MODEL: CAM R: RENEWAL FEE: 91.50 CARRYING CAPACITY: N/A IS M MARTINEZ OCK RIDGE DR APT B	TYPE: PLATE DESIGN: VEHICLE TYPE: PASSENGER WAVE PASSENGER MODEL: BODY TYPE: SD CAM SD R: RENEWAL FEE: GROSS WEIGHT: 3985 LBS CARRYING CAPACITY: N/A IS M MARTINEZ DCK RIDGE DR APT B	TYPE: PLATE DESIGN: VEHICLE TYPE: DRIVERS LICENSE: 3070583 MODEL: BODY TYPE: MAJOR COLOR: MAJOR COLOR: WHITE R: RENEWAL FEE: GROSS WEIGHT: # OF PASSENGERS: 91.50 3985 LBS 5 CARRYING CAPACITY: LENGTH: CCS: N/A N/A IS M MARTINEZ OCK RIDGE DR APT B

- TAX TOWN: WOONSOCKET
- Notice: The law requires that the DMV be notified within 10 days of any change in name or address. Please visit our website to update your address online.
- Plate Cancellation -Excise Tax: Plates must be cancelled with the DMV to ensure the vehicle is removed from the city or town tax rolls. Please retain your receipt as proof of cancellation.
- Every registration plate shall be at all times securely fastened in a horizontal position and be in a condition to be clearly legible. Validation stickers are only to be placed securely on the lower right corner of the registration plate.
- · Registration Certificate shall at all times be carried in the vehicle to which it refers or shall be carried by the person driving or in control of such vehicle.
- Proof of valid insurance/financial security is required as per Rhode Island General Laws § 31-47 (Motor Vehicle Reparations Act).
- It is your responsibility to renew your registration prior to the expiration date. Failure to do so may result in the assignment of new plates
- Failure to obtain an Emissions Inspection on or before 06/14/2019 will result in this vehicle being suspended.
- Not valid without official signature of Administrator.

WALTER R. CRADDOCK ADMINISTRATOR

DIVISION OF MOTOR VEHICLES

of Cullak



TOWN FAIR TIRE CENTERS OF RHODE ISLAND LLC 1495 DIAMOND HILL RD, WOONSOCKET, RI. TEL (401) 769-7511

INVOICE

INVOICE NO.

67876-552

ACCOUNT # P.O. # PHONE # (401)692-3744 E-MAIL MR. **CURRENT MILEAGE** YEAR, MAKE, MODEL MRS. GENESIS MARTINEZ 14 TOYOTA CAMRY 72674 MS 137 MORIN HEIGHTS **ADDRESS** CITY STATE ZIP WOONSOCKET 02895 WHITE RI CLERK # G.P. # TIME SALE TYPE DATE 02/17/202012:41 01 -9 313F **AMOUNT** QTY SIZE DESCRIPTION IBM# LIST PRICE 215/55R17H 31119 220.00 172.80 172.80 MICHELIN PREMIER A/S 1 19.95 19.95 1 PRO RATED ROAD HAZARD WARRANTY 30020 27.95 COMPUTER BALANCING 00405 21.00 18.95 18.95 1 17 TPMS VALVE 8.00 5.95 5.95 1 SENSOR RECONDITIONING 00445 01258 29.95 0.00 0.00 1 LIFETIME FREE FLAT REPAIR 0.00 0.00 1 29.95 LIFETIME FREE ROTATION 01235 1 DISMOUNT + MOUNT 00197 10.95 0.00 0.00 30 DAY TEST DRIVE 13000 0.00 0.00 0.00 1 1 AFTER SALE GUARANTEED LOWEST PRICE 13002 0.00 0.00 0.00 1 13001 0.00 0.00 0.00 NATIONWIDE WARRANTY 39.95 0.00 0.00 1 SNOW TIRE CHANGEOVER 00195 LIFETIME IBM#: 31119 WORKMANSHIP: YES 36 MO ROAD HAZARD:

Explanation: 1 WORK TO RF

TORQUE: 76

PSI--FR:35 RR:35

NON-TAXABLE

TOTAL

TIRE REMOVAL SERVICE

Cash 300.00

Attention Customer: We gave you the voluntary tire registration form. You must

mail the form for the registration to be valid.

SAFETY WARNING

After installation of mag wheels, all nuts or bolts must be retorqued (retightened) after the first 25 miles CUSTOMER INITIALS

MILEAGE W/O CARE:

MILEAGE WITH CARE:

Change

NONE

NONE

-66.36

COMMENTS - COMPLIMENTS - COMPLAINTS

Town Fair serves thousands of customers each year. In order to help us serve you better, if you have a comment, compliment, or complaint or just want to talk to us about our operation - please call - it will be greatly appreciated.

Contact or Write
CUSTOMER SERVICE TOWN FAIR TIRE
460 COE AVENUE EAST HAVEN, CT 06512
TELEPHONE (203)467-8600 X 213
OR TOLL FREE 1 (800) 972-2245 OR 1 (888) TOWNFAIR
OR VISIT OUR WEBSITE @ www.townfair.com

3.25

3.25

182.00

12.74

38.90

233.64

INFORMATION TO SUBMIT A CLAIM TO THE CITY OF WOONSOCKET

purions

form is used for pothole or other property damage claims. Please complete the information that rtains to your claim only. Submission of this form does not guarantee acceptance of the claim. The City Council has the sole legal authority to accept/reject this submission. Zes claus

Pothole Claims

There are a series of steps to follow, which are detailed below. You can also obtain directions by calling (401)767-9201 or visiting the City website, www.ci.woonsocket.ri.us. The initial notification must be made within seven calendar days of the incident.

ecial Notice Regarding Pothole Claims: Under Rhode Island General Law § 24-5-13(b); If any person shall incur mage to his or her motor vehicle by reason of a pothole on any municipal highway or street which damage would not ve occurred without the existence of the pothole, he or she may recover from the municipality the amount of the mages sustained up to and not more than the sum of three hundred (\$300.00). Provided, however, that the municipality d reasonable notice of the pothole, or may have had notice thereof by the exercise of proper care and diligence on its rt, and a reasonable opportunity to repair the pothole. All claims shall be made with a period of seven (7) days from the te on which was sustained by filing a written report in a manner prescribed by the municipality. In no instance, however, all any claim for damage so caused to a motor vehicle registered in a foreign state be considered unless that state has a ilar statute affording similar protection to persons owning motor vehicles registered in this state.

Damage in a Construction Zone

Call (401)767-9201. You will be directed to the responsible contractor for processing.

Other Claims

Claims must be submitted to the City Solicitor as instructed here, pursuant to R.I.G.L. § 45-15-10 for review, approval, denial and submission to the City Council and/or the City's insurance administrator. Please note that the City of Woonsocket does not handle property damage claims in excess of \$2,500.00 or incidents involving personal injuries. The City submits these claims to their insurance administrator to process these claims on behalf of the City.

INSTRUCTIONS

The registered vehicle/property owner must submit the claim form and return with the applicable following documentation:

- Completed 2-page Woonsocket Property Damage Claim form (below).
- Three written, itemized estimates for repair/replacement of damaged property (or one paid receipt with proof of payment and two estimates).
- Copy of valid RI registration for the vehicle.
- Copy of police report, tow receipt or auto club report verifying the incident.
- Photos of damage, if applicable.

Your claim will not be processed until all information requested is received. The claim will be reviewed by the Law Department and a recommendation forwarded to the Woonsocket City Council.

Submit the completed form and other listed requirements to:

City of Woonsocket – Law Department 169 Main Street-P.O. Box B Woonsocket, RI 02895

or by email to: psteenbergen@woonsocketri.org

John Ward 166 Getchell Avenue Woonsocket, Rhode Island 02895

February 26, 2020

City of Woonsocket Attn: Christina Harmon, City Clerk 169 Main Street Woonsocket, RI 02895

Delivered via email to cduarte@woonsocketri.org

RE: March 2, 2020 City Council Agenda Items

Dear Madame Clerk:

Under Communications and Petitions of the Woonsocket City Council meeting agenda for the March 3rd meeting, please be advised that I will be addressing the following matters:

- 1. Assessment Review Board decisions and tax abatements arising, or not, therefrom.
- 2. Solar Parking Canopies, municipal fleet conversion to Electric Vehicles and municipal parking lot charging stations.

Thank you,

John F. Ward



February 26, 2020

Christina Harmon-Duarte City Clerk City of Woonsocket P.O. Box B Woonsocket, RI 02895

Dear Madame Clerk;

I am respectfully requesting permission to address the City Council regarding the Winter Wonderland and all expenses and personnel efforts attributed to the production of this event.

Sincerely,

Steven P. D'Agostino Director of Public Works

City of Woonsocket Rhode Island



Ordinance

Chapter

February 3, A.D. 2020

AUTHORIZING THE FIRE CHIEF OF THE CITY OF WOONSOCKET TO PURCHASE A 2020 FORD F550 EMERGENCY MEDICAL SERVICES RESCUE VEHICLE

WHEREAS, The Fire Department is in need of said vehicle to replace a 2011 Chevrolet 4500 Emergency Medical Services Transport Vehicle; and

WHEREAS, The Fire Department will follow the HGACBUY interlocal contract for cooperative purchasing Contract #AM10-18 through Specialty Vehicles, Inc.; and

WHEREAS, The Fire Department requires this vehicle as soon as possible for the public safety of the citizens and the emergency medical services providers.

IT IS ORDAINED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET AS FOLLOWS:

That the Fire Chief is authorized to purchase from Specialty Vehicles, Inc. one (1) new/unused Life Line Emergency Medical Vehicle Type 1-AD, Class 1
Emergency Medical Rescue Vehicle mounted on a new/unused 2020 Ford F550
4x4 Superduty Cab/Chassis. The amount not to exceed \$306,860, as shown in Proposal (Exhibit A.)

This Ordinance shall take effect on the eleventh consecutive day following its passage by the City Council as provided in Chapter III, Section 9 of the Woonsocket Home Rule Charter and all Ordinances or parts of Ordinances inconsistent herewith are hereby repealed.

Daniel M. Gendron
City Council President
By Request of the Administration

IN CITY COUNCIL February 3, 2020 - Read by title and passed for the first time unanimously....

Exhibit A



18 Commerce Blvd.
Plainville, MA 02762
Tel: 508.699.0616
Fax: 508.699.0977
Toll Free: 888.699.0616

www.svine.com

Specialty Vehicles, Inc.

SUBMITTED TO:

BIDDER:

MANUFACTURER:

Chief Paul Shatraw Woonsocket Fire Department 5 Cumberland Hill Road Woonsocket, RI 02895 Specialty Vehicles, Inc. 18 Commerce Blvd. Plainville, MA 02762 Sales Rep: Mark Hooper Life Line Emergency Vehicles 1 Life Line Drive Sumner, IA 50674

DATE: January 14, 2020

DESCRIPTION OF VEHICLE:

2020 Ford Superduty F550 4x4 custom built Life Line Emergency Vehicles "Superliner" Type 1-AD, Class 1 Emergency Medical Rescue Vehicle.

All pricing for this proposal is based off the current Houston-Galveston Area Council (H-GAC) Contract AM10-18.

PRICING BREAKDOWN:

TOTAL DELIVERED PRICE OF VEHICLE:

\$ 306,860.00

DELIVERY / TERMS & CONDITIONS:

Delivery lead-time shall be within 150-180 calendar days from receipt of custom ordered chassis, final work order / drawings and a signed sales contract between the City of Woonsocket Fire Department and Specialty Vehicles, Inc.; whichever occurs first.

Specialty Vehicles, Inc. reserves the right to withdraw this proposal if not accepted within 60 calendar days.

Terms: Net cash due upon delivery and acceptance. No Federal, State or Local Taxes are included.

Thank you for the opportunity to submit our proposal. If you have any questions please feel free to contact me at (888) 699-0616.

Respectfully Submitted,

Mark C. Hooper

Mark C. Hooper President

Memo

To: Christine Chamberland, Finance Director

From: Paul A. Shatraw, Fire Chief

CC: Mayor Lisa Baldelli-Hunt; Eugene Jalette, Public Safety Director; John DeSimone, City

Solicitor; Cindy Johnston, Deputy Finance Director/Controller, & Paul Luba, State Fiscal

Advisor

Date: January 22, 2020

Re: Ford F550 Emergency Medical Services Rescue Vehicle

Financial Summary

CDBG Grant Account #1-408-408XX-60133 \$306,860

Background and Explanation

This purchase is for a new 2020 Ford F550 Emergency Medical Services Rescue Vehicle for a total purchase price of \$306,860. The cost will be reimbursed with CDBG Grant funds. The vehicle is being purchased under the Houston-Galveston Area Council (HGAC) Contract AM10-18. HGAC Contract and Specialty Vehicles quote are attached.

Budgetary Impact

Expenditures	FY 2020
CDBG Fund	\$306,860
General Fund	
School Funds	



H-GAC PROPOSAL 01-14-2020

CITY OF WOONSOCKET FIRE DEPARTMENT

Chief Paul A. Shatraw 5 Cumberland Hill Road Woonsocket, RI 02895 401-765-2500 Ext 6841

pshatraw@woonsocketri.org

SPECIALTY VEHICLES, INC. Mark C. Hooper 18 Commerce Blvd. Plainville, MA 02762 888-699-0616 (NE Only) 508-699-0616 mhooper@svine.com

Exp. Date: 01/31/2020 Quote No: 10030-0002 BODY: SUPER D

171" SUPERLINER TYPE I-AD

01/14/2020		Page 1
PART NO	DESCRIPTION	QTY
	== 171" SUPERLINER TYPE I-AD - 1.000 07/01/19 == SHOP NOTE:	1
	NOTE: Build To Be Compliance Thru Change Notice 11.	
	MASTER PARTS REVISION DATE (Start 07-01-19 to 10-01-19)	1
00-00-0500	LIFE LINE WARRANTY	1
	SHOP NOTE:	
	Warranties Include: Lifetime Modular Body Warranty.	
	Elletine Modular Body Warranty.	
	Lifetime Limited Cabinet Warranty.	
	5-Year/60,000 Mile Product Conversion Warranty.	
	10-Year/100,000 Mile Electrical Warranty Elite System. Includes 4 Years/100,000 Mile On Screens. "Lifetime" On All Harnesses Manufactured And Installed By Life Line.	
	6-Year Pro-Rated Axalta Paint Warranty.	
	Which Is As Follows:	
	For 3 Years 100%.	
	4th Year 50%.	
	6th Year 10%.	
00-00-0800	Customer Contact Person (Required For Factory Use)	1
	SHOP NOTE:	
	Specify Name And Number:	
	Paul Shatraw, Fire Chief. Office-401-765-2500 x 6841.	
	Cell- 401-692-0975.	
	Fax-401-597-6675.	
00-00-2900	Sales Rep: Mark Hooper 1-508-699-0616	1
	SHOP NOTE:	
	Specialty Vehicles, Inc.	
	(O): 508-699-0616. (C): 508-789-0828.	

01/14/2020 PART NO	DESCRIPTION	Page:
00-00-FL00 00-00-FN00	Fill Unit With Fuel For Delivery (Charge To Dealer Account) Specify FORD Fleet Number If Available (FORD Chassis Only) SHOP NOTE: Specify FIN Number: QJ055	1
	City Of Woonsocket Fire Department. 5 Cumberland Hill Road Woonsocket, RI 02895	
	Verified By Jim Simpson.	
00-00-PU00	Specify Previous Unit Number: #4390	1
00-02-1600	***BODY STYLE*** 171" x 96" SUPERLINER TYPE I CRAWL-THRU (F-450/550 OR DODGE) SHOP NOTE: Full Height Bellows Between Cab And Module - From Top Of Cab Floor To Bottom Of Cab Roof.	1
	There Will Be A Lower Pass Thru Cabinet Installed. See Option #65-07-9000 For Cabinet.	
	Make The Pass Thru As Wide And Tall As Possible. This Will Allow A Larger Pass Thru Area For Communication.	
	Includes Sliding Window With Latch On Cab Side For KKK Compliance.	
	Includes Life Line Elite Gen3 Electrical System.	
10-00-0100 10-00-5100	***CHASSIS*** Chassis VIN Number: (FACTORY USE ONLY) 2020 Ford F-550 193" W.B. 18,000 GVWR 4 WD Cab/Chassis SHOP NOTE: With Standard Ford O.E.M. 3-Year/36,000 Mile Warranty.	1 1 1
	Includes Standard Life Line Options: *XLT 193" WB Chassis Cab. *Medium Earth Gray Interior. *Oxford White Exterior. (See Section #85 For Life Line Cab Paint Requirements). *40/20/40 Cloth Seat. *Preferred Equipment Package #663A. *6.7L Power Stroke V8 Diesel. *6-Speed Automatic Transmission. *225/70Rx19.5G BSW Max Traction. *4.10:1 Limited Slip Rear Axle. *Rapid Heat Supplemental Heater. *Rubber Cab Floor Mat In Lieu Of Carpet. *Telescoping Trailer Tow Mirrors - Power. *XLT Trim Package. =Less Tire Inflation Monitor. =18000# GVWR Package. *Electronic Shift On The Fly. *Engine Block Heater. *Ambulance Prep Package #47L W/ Special Emissions. =Dual Extra Heavy-Duty Alternator. =Operator Commanded ReGen. *Steel Wheels. *Spare Tire And Wheel (Steel). *Jack. *Adjustable Gas/Brake Pedal. *(2) OEM Key's / Fob's Total. *Daytime Running Lights. See Option #10-00-5405 For Ford Option #21N - Navigation System And Option #913 - SYNC 3.	
10-00-5405	(Both Options Required). Order Ford F Series Chassis with Sync3 and Navigation System SHOP NOTE: Ordered With Chassis.	1

Code #21N - Navigation System. 10-00-6050 Liquid Spring Suspension Kit For Ford F-Series SHOP NOTE: Install Control Module On Left Side Of Steering Wheel On OEM Dash. **FACTORY USE ONLY** SHOP NOTE: Spare Chassis Keys And Owner's Manual Present. 10-01-3400 Delete Standard Wheel Covers Ship The Spare Tire Loose SHOP NOTE: Wheel To Be Steel As Supplied From Ford. 10-02-1200 F-Series O.E.M. Door Mirrors SHOP NOTE: Dual Arm Power/Heated Trailer Tow Mirrors. 10-02-3500 O.E.M. AM-FM Radio W/Cab Speakers SHOP NOTE: NOTE: Chassis Ordered With The Following Ford Options: **Option #21N - Navigation System. **Instance of Part #44900. **Includes Angled Area For: **Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degrangle. **Map Light On Side Of Console - Passenger Side. **Flat Portion (Front To Rear): **Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. **Momentary Rocker Switches; (t) Each Side For Air Horns. **Space For)	/2020 RT NO	DESCRIPTION	Page
Liquid Spring Suspension Kit For Ford F-Series SHOP NOTE: Install Control Module On Left Side Of Steering Wheel On OEM Dash. **FACTORY USE ONLY*** SHOP NOTE: Spare Chassis Keys And Owner's Manual Present. 10-01-8000 10-01-9500 Delete Standard Wheel Covers Ship The Spare Tire Loose SHOP NOTE: Wheel To Be Steel As Supplied From Ford. F-Series O.E.M. Door Mirrors SHOP NOTE: Dual Arm Power/Heated Trailer Tow Mirrors. 10-02-1200 F-Series O.E.M. Door Mirrors SHOP NOTE: NOTE: Chassis Ordered With The Following Ford Options: Option #210 - Navigation System. **Option		IVI NO		
SHOP NOTE: Install Control Module On Left Side Of Steering Wheel On OEM Dash. **FACTORY USE ONLY*** SHOP NOTE: Spare Chassis Keys And Owner's Manual Present. 10-01-8000 Delete Standard Wheel Covers Ship The Spare Tire Loose SHOP NOTE: Dual Arm Power/Heated Trailer Tow Mirrors. 10-02-1200 F-Series O.E.M. Door Mirrors SHOP NOTE: Dual Arm Power/Heated Trailer Tow Mirrors. 10-02-3500 O.E.M. AM-FM Radio W/Cab Speakers SHOP NOTE: NOTE: Chassis Ordered With The Following Ford Options: "Option #211 - SYNC 3. (Both Options Required). Low Voltage Throttle Manager SHOP NOTE: Activated With Park Brake Applied. Hand Held Cab Spot Light SHOP NOTE: Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. 10-03-0000 Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: "USB Outlet Toward Passenger Cab Side. Includes Angled Area For: "Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. "Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): "Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. "Momentary Rocker Switches; (1) Each Side For Air Horns. "Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. "Q) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.	Code #2		Code #21N - Navigation System.	
Install Control Module On Left Side Of Steering Wheel On OEM Dash. "FACTORY USE ONLY** SHOP NOTE: Spare Chassis Keys And Owner's Manual Present. [0-01-8000] Delete Standard Wheel Covers Ship The Spare Tire Loose SHOP NOTE: Wheel To Be Steel As Supplied From Ford. [0-02-1200] F-Series O.E.M. Door Mirrors SHOP NOTE: Dual Arm Power/Heated Trailer Tow Mirrors. [0-02-3500] O.E.M. AM-FM Radio W/Cab Speakers SHOP NOTE: NOTE: Chassis Ordered With The Following Ford Options: "Option #211 N - Navigation System. "		0-6050		
SHOP NOTE: Spare Chassis Keys And Owner's Manual Present. 10-01-9500 Delete Standard Wheel Covers Ship The Spare Tire Loose SHOP NOTE: Wheel To Be Steel As Supplied From Ford. 10-02-1200 F-Series O.E.M. Door Mirrors SHOP NOTE: Dual Arm Power/Heated Trailer Tow Mirrors. 10-02-3500 O.E.M. AM-FM Radio W/Cab Speakers SHOP NOTE: NOTE: Chassis Ordered With The Following Ford Options: "Option #21N - Navigation System. "Option #21N - Navigation System. "Option #31 - SYNC 3. (Both Options Required). 10-02-5000 Low Voltage Throttle Manager SHOP NOTE: Activated With Park Brake Applied. 10-02-5700 Hand Held Cab Spot Light SHOP NOTE: Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. 10-03-0000 Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: "USB Outlet Toward Passenger Cab Side. Includes Angled Area For: "Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degrangle. "Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): "Sirren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. "Momentary Rocker Switches; (1) Each Side For Air Horns. "Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. "Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. "(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.				
Spare Chassis Keys And Owner's Manual Present. 10-01-8000 10-01-9500 10-01-9500 10-01-9500 10-01-9500 10-01-9500 10-01-9500 10-02-1200 10-02-1		1-3400		
Ship The Spare Tire Loose SHOP NOTE: Wheel To Be Steel As Supplied From Ford. F-Series O.E.M. Door Mirrors SHOP NOTE: Dual Arm Power/Heated Trailer Tow Mirrors. O.E.M. AM-FM Radio W/Cab Speakers SHOP NOTE: NOTE: Chassis Ordered With The Following Ford Options: "Option #21N - Navigation System. "Option #313 - SYNC 3. (Both Options Required). Low Voltage Throttle Manager SHOP NOTE: Activated With Park Brake Applied. Hand Held Cab Spot Light SHOP NOTE: Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: "USB Outlet Toward Passenger Cab Side. Includes Angled Area For: "Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degrangle. "Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): "Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. "Momentary Rocker Switches: (1) Each Side For Air Horns. "Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. "Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. "(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.			4.10	
SHÖP NOTE: Wheel To Be Steel As Supplied From Ford. 0-02-1200 F-Series O.E.M. Door Mirrors SHOP NOTE: Dual Arm Power/Heated Trailer Tow Mirrors. 0-02-3500 O.E.M. AM-FM Radio W/Cab Speakers SHOP NOTE: NOTE: Chassis Ordered With The Following Ford Options: "Option #21N - Navigation System. "Option #313 - SYNC3 . (Both Options Required). 0-02-5000 Low Voltage Throttle Manager SHOP NOTE: Activated With Park Brake Applied. Hand Held Cab Spot Light SHOP NOTE: Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. 0-03-0000 Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: "USB Outlet Toward Passenger Cab Side. Includes Angled Area For: "Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degrangle. "Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): "Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. "Momentary Rocker Switches; (1) Each Side For Air Horns. "Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. "Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. "(2) Large Cup Holders At End Of Console.				
Wheel To Be Steel As Supplied From Ford. 0-02-1200 F-Series O.E.M. Door Mirrors SHOP NOTE: Dual Arm Power/Heated Trailer Tow Mirrors. 0-02-3500 O.E.M. AM-FM Radio W/Cab Speakers SHOP NOTE: NOTE: Chassis Ordered With The Following Ford Options: 'Option #21N - Navigation System. 'Option #913 - SYNC 3. (Both Options Required). 0-02-5000 Low Voltage Throttle Manager SHOP NOTE: Activated With Park Brake Applied. 0-02-5700 Hand Held Cab Spot Light SHOP NOTE: Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. 0-03-0000 Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: "USB Outlet Toward Passenger Cab Side. Includes Angled Area For: 'Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degrangle. Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): 'Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. 'Momentary Rocker Switches: (1) Each Side For Air Homs. 'Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. 'Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. '(2) Large Cup Holders At End Of Console.		1-9500		
SHOP NOTE: Dual Arm Power/Heated Trailer Tow Mirrors. 0-02-3500 O.E.M. AM-FM Radio W/Cab Speakers SHOP NOTE: NOTE: Chassis Ordered With The Following Ford Options: 'Option #211N - Navigation System. 'Option #313 - SYNC 3. (Both Options Required). 0-02-5000 Low Voltage Throttle Manager SHOP NOTE: Activated With Park Brake Applied. 0-02-5700 Hand Held Cab Spot Light SHOP NOTE: Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. 1- Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: "USB Outlet Toward Passenger Cab Side. Includes Angled Area For: "Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. "Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): "Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. "Momentary Rocker Switches; (1) Each Side For Air Horns. "Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. "Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. "(2) Large Cup Holders At End Of Console. Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.				
Dual Arm Power/Heated Trailer Tow Mirrors. 0-02-3500 O.E.M. AM-FM Radio W/Cab Speakers SHOP NOTE: NOTE: Chassis Ordered With The Following Ford Options:	F-Series	2-1200	F-Series O.E.M. Door Mirrors	
O.E.M. AM-FM Radio W/Cab Speakers SHOP NOTE: NOTE: Chassis Ordered With The Following Ford Options:			#*· · · · · · · · · · · · · · · · · · ·	
SHOP NOTE: NOTE: Chassis Ordered With The Following Ford Options:				
*Option #21N - Navigation System. *Option #913 - SYNC 3. (Both Options Required). Low Voltage Throttle Manager SHOP NOTE: Activated With Park Brake Applied. 0-02-5700 Hand Held Cab Spot Light SHOP NOTE: Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. 0-03-0000 Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: *USB Outlet Toward Passenger Cab Side. Includes Angled Area For: *Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. *Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Homs. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.		2-3500		
*Option #913 - SYNČ 3. (Both Options Required). 10-02-5000 Low Voltage Throttle Manager SHOP NOTE: Activated With Park Brake Applied. 10-02-5700 Hand Held Cab Spot Light SHOP NOTE: Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. 10-03-0000 Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. 10-03-0000 ShOP NOTE: 10-03-0000 Match Previous Unit #4390. 11-03-0000 Includes Top Flat 3" Forward Area: 11-03-0000 Unit #4390. 11-03-0000 Includes Angled Area For: 12-03-0000 Elite Toward Passenger Cab Side. 11-03-0000 Includes Angled Area For: 12-03-0000 Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degrangle. 13-03-03-03-03-03-03-03-03-03-03-03-03-03				
SHOP NOTE: Activated With Park Brake Applied. 0-02-5700 Hand Held Cab Spot Light SHOP NOTE: Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. 0-03-0000 Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: "USB Outlet Toward Passenger Cab Side. Includes Angled Area For: "Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. "Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): "Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. "Momentary Rocker Switches; (1) Each Side For Air Horns. "Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounted On Console. Includes Removable Black ABS Panel. "Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. "(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.	*Option		*Option #913 - SYNC 3. (Both Options Required).	
SHOP NOTE: Activated With Park Brake Applied. 0-02-5700 Hand Held Cab Spot Light SHOP NOTE: Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. 0-03-0000 Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: "USB Outlet Toward Passenger Cab Side. Includes Angled Area For: "Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. "Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): "Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. "Momentary Rocker Switches; (1) Each Side For Air Horns. "Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounted On Console. Includes Removable Black ABS Panel. "Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. "(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.	Low Vol	2-5000	Low Voltage Throttle Manager	
O-02-5700 Hand Held Cab Spot Light SHOP NOTE: Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. O-03-0000 Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: *USB Outlet Toward Passenger Cab Side. Includes Angled Area For: *Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. *Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.	SHOP N		SHOP NOTE:	
SHOP NOTE: Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. 10-03-0000 Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: *USB Outlet Toward Passenger Cab Side. Includes Angled Area For: *Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. *Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console. Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.				
Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord An Holder. Wire Tie This To The Wire Harness Behind The Driver Cab Seat. Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger. Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: *USB Outlet Toward Passenger Cab Side. Includes Angled Area For: *Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. *Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.		2-5700		
Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete. 10-03-0000 Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: *USB Outlet Toward Passenger Cab Side. Includes Angled Area For: *Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. *Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.	Streamli		Streamlight Waypoint Pistol Grip Spotlight. Streamlight Part #44900. Includes 12V Cord And	
O-03-0000 Large Custom Floor Console SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: *USB Outlet Toward Passenger Cab Side. Includes Angled Area For: *Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. *Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.	Mount B		Mount Behind Driver Cab Seat Near Bellow Within Reach Of Driver Or Passenger.	
SHOP NOTE: Match Previous Unit #4390. Includes Top Flat 3" Forward Area: *USB Outlet Toward Passenger Cab Side. Includes Angled Area For: *Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. *Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.	Spotligh		Spotlight Not Required For KKK-F Spec Requirements. No Credit To Delete.	
Includes Top Flat 3" Forward Area: *USB Outlet Toward Passenger Cab Side. Includes Angled Area For: *Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. *Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.		3-0000		
Includes Top Flat 3" Forward Area: *USB Outlet Toward Passenger Cab Side. Includes Angled Area For: *Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. *Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.	-			
*USB Outlet Toward Passenger Cab Side. Includes Angled Area For: *Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. *Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.				
*Elite Touch Screen. Mount Tight To The Top Flat Part Of The Console. Must Be 45-50 Degr Angle. *Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.				
Angle. *Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.	Includes		Includes Angled Area For:	
*Map Light On Side Of Console - Passenger Side. Flat Portion (Front To Rear): *Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.				
*Siren Head. Directly Below The Elite Touch Screen Switch Panel On The Flat Portion. *Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.	*Map Lig		*Map Light On Side Of Console - Passenger Side.	
*Momentary Rocker Switches; (1) Each Side For Air Horns. *Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.	Flat Port		Flat Portion (Front To Rear):	
*Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounte On Console. Includes Removable Black ABS Panel. *Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.				
*Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle. *(2) Large Cup Holders At End Of Console Away From Electronics. Seal Bottom Holes Of Cu Holders (Silicone) And Seal To Console.	*Space		*Space For Two (2) 2-Way Mobile Radios. Allow 8" Of Space For Radios To Be Surface Mounted	
Holders (Silicone) And Seal To Console.	*Open N		*Open Map Storage With Two (2) Removable Dividers. Make Certain Dividers Do Not Rattle.	
Angled And Flat Portion For Communications To Be Narrower Than Map Storage / Drink Hold Area.			Angled And Flat Portion For Communications To Be Narrower Than Map Storage / Drink Holder Area.	
Flat Area Under Mobile Radios To Include Removable Black ABS Panel. Ship Loose (1) Addition Black ABS Panel For Future Use.			Flat Area Under Mobile Radios To Include Removable Black ABS Panel. Ship Loose (1) Additional Black ABS Panel For Future Use	

01/14/2020 PART NO	DESCRIPTION	Page 4
	On Lower Pass Thru Cab Wall: *Emergency Access Inc. Model #2800 Key Box. *(2) Portable Radio Chargers. *(1) Glove Holder - Stainless Steel.	
10-03-1500	Bosch Digital Engine Hourmeter On Driver's Side Of Front Console SHOP NOTE: Mounted On The Driver's Side Of The Front Console, By The Drivers Right Knee.	1
	Use Bosch #SP0F000060 Digital Hour Meter. LL Part #E18076.	
10-03-8200	Add Auto Dump Feature To Rear O.E.M. Lowering Suspension System SHOP NOTE:	1
	Wire Circuit To Auto Dump From The Primary Rear Door Switch.	
	Includes: ON/OFF Safety Switch On Inner Primary Rear Door Panel.	
	Whelen 3" Round Amber LED System Dumped Flashing Warning Light Installed In Ceiling.	
10-04-0000	F-Series & Dodge Four Battery System SHOP NOTE: (2) Mounted Under The Hood. Standard OEM Batteries.	1
	(2) Mounted In The Standard Battery Compartment. Batteries In P-2 To Be Match Ford OEM.	
10-04-3500 10-05-0110	Owner's Manual (1 Included With Unit) Strike First HD Vehicle Bracket for 5 Pound Fire Extinguisher (Ea) SHOP NOTE: Strike First Part #HDVB-1. LL Part #F18225.	2
	Specify Mounting Location: (1) Under Foot End Of Squad Bench Toward Exterior Wall Standing Up.	
	(1) D-2 Compartment On Right Side On Top Shelf.	
10-DL-0100	Power Door Locks	1
	SHOP NOTE: Specify Custom Option: Program Vehicle To Disable Auto Power Door Lock At Road Speed. Power Door Locks Shall Not Activate At 5 MPH +.	
	NOTE: Module Body Power Door Locks (Compartments And Entry Doors) Shall Unlock / Lock With OEM Key Fob's.	
	MODULAR BODY TYPE I	1
15-01-1655	KKK Package Thru Change Notice 11 SHOP NOTE: Includes:	1
	Upgraded Vinyl 40 Oz. *(2) 5# Fire Extinguishers. See Option #10-05-0110 For Strike First HD Vehicle Brackets And Mounting Locations.	
	*Oxygen Wrench. Shipped Loose.	
	*Lock On Cab To Module Sliding Window. Lockable From Cab Side.	
	*Meet Federal K-Spec Up Thru Change Notice 11.	
	*Weight Stickers For All Interior Storage Areas.	
15-01-5000	Standard 72" Finished Headroom	1
15-01-8510	Cab To Module Sliding Crawl-Thru Door SHOP NOTE: Contains A Sliding Window With Latch. Latch On The Cab Side And Latched In The Open And	1

01/14/2020	DESCRIPTION	Page
PART NO 15-01-9005	DESCRIPTION Cab To Module Sliding Pass-Thru Window	QTY
15-02-0500	C.P.I. # VC0004-1 Vents (3 STD)	
15-02-1600	1 Piece Stainless Steel Wheel Well Trim Rings (Small)	
	SHOP NOTE: 18.75" Radius For Ford F-Series.	
15-02-2500	Standard Cast Fuel Fill Housing SHOP NOTE:	
	Mounted On The Streetside Of The Module Body Aft Of Rear Axle.	
45 00 0005	Standard F-Series DEF Fill Mounted Streetside Module in Front of Wheel Well	
15-02 - 2605	SHOP NOTE:	
	Mounted On The Streetside Of The Module Body Forward Of Rear Axle.	
	Includes CPI Housing Part #FG4503-1-163-B . LL Part #F04049.	
15-DL-9902	Standard Lowered Front Body Skirts F-Series & Dodge SHOP NOTE:	
	Includes 3" Drop Skirt For Streetside And Curbside.	
	Includes Dual Stan In Side Enter Deer Stan Moll	
	Includes Dual Step In Side Entry Door Step Well.	
	See Option #20-02-6110 For NFPA Tread Plate Requirements.	
	MODULE DOORS AND WINDOWS	
20-00-0100	2 Red Reflectors On Each Module Entry Door	
	SHOP NOTE:	
	One Mounted At The Top And One Mounted At The Bottom.	
20-00-0500	Combination Extruded/Pan Formed Module Entry Doors	
	SHOP NOTE: With Clean Seal #50512 Door Gaskets.	
	Includes Stainless Steel Sill Plates.	
20.04.0000	Full Height Side Entry Door With Gas Style Hold-Open	
20-01-0000	SHOP NOTE:	
	Position The Hold-Open At 90 Degrees.	
	Identified As P-3.	
20-01-1000 20-01-2900	Side & Rear Entry Door Thresholds With Black/Yellow Safety Anti Slip Tape Sliding Side Entry Door Window (Bronze Tint)	
20-0 1-2900	SHOP NOTE:	
	Sliding Window With Screen And Bronze Tint.	
20-01-3500	Rear Doors With Grabber Style Hold-Opens	
	SHOP NOTE:	
	Installed At The Top Of The Rear Doors In Standard Location.	
20-01-5400	Fixed Rear Entry Door Windows (Bronze Tint)	
	SHOP NOTE:	
	With Bronze Tint Option.	
20-01-9000	Delete Exterior Assist Handle On Side Or Rear Entry Doors (Ea)	
	SHOP NOTE: Specify Deletion Location:	
	(1) Side Entry Door.	
	(2) Rear Entry Doors.	
20-02-0000	Tri-Mark 030-18 Free Float Handles with Chrome Exterior And Black Pocket	
20-02-1500	Primary & Secondary Exterior & Interior Rear Door Free Float Handles Standard	
20-02-1600	Secondary Door Release Latches On All Entry Doors SHOP NOTE:	
	ance will E	1
	(3) Label LH Arrow. LL Part #L04025.	

01/14/2020 PART NO	DESCRIPTION	Page (
20-02-2500	Shielded Cable Activated Module/Compartment Door Latches	1
20-02-3500 20-02-4100	Cage Nuts On All Door Panels Smooth Aluminum Plate Lower Module Entry Door Trim Panels	1
	SHOP NOTE: Install Trim Panels Using Screws With Marlite Washers ILOS.	
20-02-5500	Stainless Trim On Hinge Side Of Door Extrusions (Ea) SHOP NOTE:	13
	Specify Locations:	
	(1) P-1 Compartment. (1) P-3 Side Entry Door.	
	(1) P-4 Compartment.	
	(2) D-1 Compartment. Includes Hinge And Non-Hinged Sides.	
	(2) D-2 Compartment. (2) D-4 Compartment.	
	(2) R-1 Rear Entry Door. Includes Hinge And Non-Hinged Sides.	
	(2) R-2 Rear Entry Door. Includes Hinge And Non-Hinged Sides.	
	All To Be Full Height.	
	D-1 Compartment Include Stainless Steel On Non-Hinged Door Edge On Outer Edge Of Body. Visible With Door Closed. Extend Into Inner Extrusion. The Stair Chair Damages The Painted Edges On The Non-Hinged Extrusion. To Match Previous Unit #4390 And All Other Older Units.	
20-02-6110	Deeper Side Entry Stepwell With NFPA Tread & Oxygen Storage ILOS SHOP NOTE:	1
	Left Side For Portable Oxygen Tank Storage.	
	Deeper Step Well ILOS.	
05 00 0400	***EXTERIOR COMPARTMENTS*** SPECIAL NOTE TO DEALER	1
25-00-0100	SHOP NOTE:	
	Custom Compartment Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	
25-00-0200	2 Red Reflectors On Each Full Height Compartment Door	1
	SHOP NOTE:	
	One Mounted At The Top And One Mounted At The Bottom.	
	One Reflector Mounted On Each Standard Height Compartment Door.	
25-00-0500	Combination Extruded/Pan Formed Compartment Doors SHOP NOTE:	1
	With Clean Seal #50512 Door Gaskets And Stainless Steel Sill Plates. Includes Gas Style Hold-Opens Unless Otherwise Noted.	
	Special Note To Production:	
	Position All Gas Hold-Opens For Maximum Allowable Door Opening.	
	Does Not Include Doors That May Hit Other Compartment Doors.	
25-00-0600	Polished Diamond Plate Exterior Compartment Door Panels	1
25-01-0000	Magnetic Compartment Door Switches	1 1
25-01-1000 25-01-2500	Polyurethane Compartment Lining-Standard Gray Standard TecNiq Model E41 LED Strip Lighting Surface Mounted Compartment Lights	1
25-01-2500	SHOP NOTE: One Strip To Be Installed Vertically Inside Door Frame Against Wall #1 Or #3 As The Standard.	
	The Standard Light Lengths Used Are: 18" E22140.	
	31.5" E22141.	
	54" E22145.	
	72" E22149.	
25-01-3220	18" TecNiq Model E41 LED Strip Lighting IATS For Exterior Compartment (Ea) SHOP NOTE:	3
	Specify Location(s):	

01/14/2020 PART NO	DESCRIPTION	Page
	 (1) P-1 Compartment - Ceiling Near Door Frame Front Edge. (1) P-4 Compartment - Ceiling Near Door Frame Front Edge. (1) D-1 Compartment - Ceiling Near Door Frame Front Edge. 	
25-01-3224	 31.5" TecNiq Model E41 LED Strip Lighting IATS For Exterior Compartment (Ea) SHOP NOTE: Specify Location(s): (1) D-2 Compartment - Near Door Frame On Wall Opposite Standard. (1) D-2 Compartment - Ceiling Near Door Frame Front Edge. (1) D-4 Compartment - Ceiling Near Door Frame Front Edge. 	3
25-01-3225	 54" TecNiq Model E41 LED Strip Lighting IATS For Exterior Compartment (Ea) SHOP NOTE: Specify Location(s): (1) P-1 Compartment - Near Door Frame On Wall Opposite Standard. (1) P-1 Compartment - Wall #2 / Wall #3 In The Corner. (1) D-4 Compartment - Near Door Frame On Wall Opposite Standard. 	3
25-01-3226	72" TecNiq Model E41 LED Strip Lighting IATS For Exterior Compartment (Ea) SHOP NOTE: Specify Location(s): (1) P-4 Compartment - Near Door Frame On Wall Opposite Standard. (1) D-1 Compartment - Near Door Frame On Wall Opposite Standard.	2
25-01-3300 25-04-3000	Stainless Steel Compartment Vents Delete Superliner Curbside Front Backboard Compartment SHOP NOTE: Specify Alternate Backboard Compartment: Curbside Rear P-4 Compartment.	1
25-04-3500	Full Height Superliner Curbside Front IS/OS Compartment SHOP NOTE: P-1 Compartment. Allow For 16" Pass Thru Width.	1
	Increase Depth To 28".	
25-04-5100	Move Superliner IS/OS And Side Entry Door Forward SHOP NOTE: Side Entry Door Is Identified As P-3.	1
25-04-6505	Aluminum Adjustable IS/OS Compartment Shelf w/Dri-Dek Mat(Ea) SHOP NOTE: Smooth Aluminum Shelves. Includes Dri-Dek Mat. Specify Lip Size: .75" Lip On All Sides.	3
25-04-7500	Vortex Lined Walls In IS/OS Compartment SHOP NOTE: Specify Color: Standard Gray.	1
25-04-8000	Superliner Curbside Front Battery Compartment SHOP NOTE: P-2 Compartment.	1
	(2) Of The (4) Batteries With Slide-Out Tray.	
	Additional Batteries To Match Ford OEM Batteries Under Hood.	
25-05-3000	Superliner Curbside Rear Backboard / Oxygen Compartment SHOP NOTE: P-4 Compartment. Includes .188" Fixed Vertical Divider. Includes Oval Holes In The Divider To Access O2 Straps. Divider To Be installed To Allow More Space For Backboards. Divider To Be Installed Approximately 14.25" From Wall #1.	1
	Delete Standard Horizontal Shelf.	

1/14/2020 PART NO	DESCRIPTION
	Oxygen Storage Will Be On The Right Side Of Compartment. Includes Approximately 15" Between Divider And Wall #3.
	Widen Compartment To Maximum Width. To Be 29.5" Interior Width.
	Does NOT Include Small Utility Compartment Behind The Wheel Well Area Due To Increase Width Of P-4 Compartment.
25-05-3500	Superliner Full Height Streetside Front Compartment SHOP NOTE: D-1 Compartment.
	Increase Compartment Depth To Accommodate Stryker #6252 Stair Chair.
	Pass Thru Width To Be 19.50" Wide To Allow Car Seat To Be Stored And Removed From Compartment.
	Use Wider Style Door Hold Open To Allow Door To Open Wider And Create Wider Pass Thru Opening. Cannot Interfere With Cab Door Opening / Closing.
	Include Stainless Steel On Non-Hinged Door Edge On Outer Edge Of Body. Visible With Door Closed. Extend Into Inner Extrusion. The Stairchair Damages The Painted Edges On The Non-Hinged Extrusion.
25-05-5000	Superliner Streetside Double Door Intermediate Compartment SHOP NOTE: D-2 Compartment.
	Modify Width Due To Wider D-1 Compartment.
25-05-6500 25-05-9000	Streetside Wheel Well Slide Out Drawer Compartment SHOP NOTE: D-3 Compartment.
	Make As Wide As Possible.
	3/4 Height Single Door Streetside Rear Compartment
	SHOP NOTE: D-4 Compartment. Split Depth. Upper Depth To Be 11.75" Deep. Wall #2 Upper Section Is To Be Plated For SCBA Storage.
25-11-8015	Smooth Aluminum Adjustable Shelf W/ Dri-Dek Matting (Ea)
	SHOP NOTE: Smooth Aluminum With Standard 2" Lips Unless Otherwise Specified Below. Includes Dri-Dek Mat.
	Specify Compartments: (2) D-2 Compartment. (1) D-4 Compartment. Lower Section. (3) P-4 Compartment Above Oxygen Bottle. Shelves To Include 3/4" Lips On All Edges.
25-12-1010	Fixed .188" Vortex Covered Aluminum Vertical Divider (Ea) SHOP NOTE: Specify Compartment:
	(1) D-1 Compartment. Modify The Divider To Allow A Stryker #6252 Stairchair To Be Stored Between Divider And Wall #3.
	Custom Height Divider Due To Child Seat Stored On Shelf.
25-12-1110	S.V.I. Adjustable Ceiling Backboard Divider (Ea) SHOP NOTE:
	Specify Compartment: P-4 Compartment.

01/14/2020	DECORPTION	Page 9
PART NO	Install An Adjustable Divider In The Ceiling Of The Rear Backboard Compartment To Prevent The Backboards From Coming Out Of The Compartment When The Door Is Open. Divider To Be Full Width Of The Backboard Area Only. Hang Down From The Compartment Ceiling Approximately 16" To Cover The Last 2"-3" Of The Backboard. The Last 1" Shall Be Angled Towards The Exterior With 30 Degree Angle.	QTY
25-12-5015	Fixed Smooth Aluminum Shelf W/Dri-Dek Matting (Ea) SHOP NOTE: Smooth Aluminum With Standard 2" Lips. Includes Dri-Dek Mat.	2
	Specify Compartment: (1) D-1 Compartment. Top Of Compartment For Air Horn Compressor.	
	(1) D-1 Compartment. Above Stairchair. To Allow Evenflo Tribute Model #38111190 Car Seat To Be Secured To Shelf.	
25-12-8000	Add IS/OS Access To Exterior Compartment (Ea) SHOP NOTE: Specify Compartment: P-4 Compartment. Above Oxygen Bottle To Ceiling.	1
	Height Of IS/OS Access To Match #4390. From The Top Of The Zico Oxygen Bottle Bracket to The Ceiling.	
	Need To Have Access To "M" Tank Valve To Turn On/Off. Customer Does Not Mind Seeing The Valve From The Inside Door.	
25-12-9000	Black Dri-Dek On Compartment Floor (Each) SHOP NOTE: Specify Compartment: (1) P-1 Compartment. (1) P-4 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-3 Compartment (Slide-Out Drawer). (1) D-4 Compartment.	6
25-13-6500	Split Level Compartment Depth Design (Ea) SHOP NOTE: Specify Compartment: D-4 Compartment.	1
	Add Additional Reinforcement To Wall #2 To Allow SCBA Brackets To Be Secured To The Compartment Wall.	
25-CS-0500	S.C.B.A. Bracket (Ea) SHOP NOTE: Specify Compartment: (2) D-4 Compartment.	2
	Zico Walk-A-Way Brackets. Includes Zico Collision Restraint Straps. Zico Part #1010PM3.	
25-DL-0100	SCBA Storage Plating And Installation SHOP NOTE: Specify Custom Option: D-4, Wall #2 Upper Section Is To Be Plated For SCBA Storage.	2
	Install (2) Dealer Supplied SCBA Brackets On The Upper Section Of Wall #2. Location To Match Previous Unit #4082.	
	Zico Walk-A-Way Brackets. Includes Zico Collision Restraint Straps. Zico Part #1010PM3.	
30-01-0100	***REAR STEP AND BUMPER ASSEMBLY*** STD Rear Bumper With Angled Style End Caps SHOP NOTE:	1
	Includes Standard Reinforced Corner Angle Supports And Sub-Frame Bumper. Center Section And End Caps To Be At The Same Height.	

Truss Head Style Phillips Screws Are To Be Used To Secure The Diamond Plate Bumper Pod To The Sub-frame Use New Style Rear Bumper - Decreased Height From Patient Floor To Rear Step By 1-1/2". 30-01-2510 Vortex Covered Steel Bumper Sub-frame Recessed Rear Kick Plate For Bumper Flip Up Section SHOP NOTE: Includes Standard Bumper Design. 30-01-3530 Recessed Area Diamond Plate Rear Kick Plate SHOP NOTE: Diamond Tread Plate To Be In Recessed Area Only. Smooth Aluminum On Outboard Rear Wall Area. Includes Extending The Stainless Steel Sill Plate To Top Of Notch. ***IMPACT RAILS, STONE SHIELDS AND RUNNING BOARD*** One Place Body Side Panels With Lower Impact Rails SHOP NOTE: Includes Lower Impact Rails Only. 35-01-3000 Diamond Plate Running Boards With Grip Strut SHOP NOTE: Welded On Grip Strut. Welded On Grip Strut. Use Deutsch Waterproof Connectors. 35-01-7101 Whelen 26 *** Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen 27 *** Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen 27 *** Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen 27 *** Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen 28 *** Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen 28 *** Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen 26 *** Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: SHOP NOTE: SHOP NOTE: On the Action of the Action	01/14/2020 PART NO	DESCRIPTION	Page 1
30-01-2510 Vortex Covered Steel Bumper Sub-frame Recessed Rear Kick Plate For Bumper Flip Up Section SHOP NOTE: Includes Standard Bumper Design. 30-01-3530 Recessed Area Diamond Plate Rear Kick Plate SHOP NOTE: Diamond Tread Plate To Be In Recessed Area Only. Smooth Aluminum On Outboard Rear Wall Area. Includes Extending The Stainless Steel Sill Plate To Top Of Notch. ***IMPACT RAILS, STONE SHIELDS AND RUNNING BOARD*** One Piece Body Side Panels With Lower Impact Rails SHOP NOTE: Includes Lower Impact Rails Only. 35-01-3000 Diamond Plate Running Boards With Grip Strut SHOP NOTE: Welded On Grip Strut. 35-01-7710 Whelen 2G 4" Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen Part #20COCDCR With #2GFLANGC 2G Series ABS Chrome Plated Flange Kit For Surface Mount. Use Deutsch Waterproof Connectors. 35-01-9000 Strain Steel Compartment And Entry Door Sill Plates Drip Pail of Note: Stone Steel Compartment And Entry Door Sill Plates Drip Pail of Note: Specify Compartment. (1) P. 2 Compartment. (1) P. 2 Compartment. (1) P. 3 Compartment. (1) P. 4 Compartment. (1) P. 4 Compartment. (2) P. 4 Compartment. (3) P. 4 Compartment. (4) D. 4 Compartment. (5) P. 4 Compartment. (6) P. 4 Compartment. (7) P. 4 Compartment. (8) P. 5 Compartment. (9) P. 4 Compartment. (1) D. 5 Compartment. (1) D. 5 Compartment. (1) D. 6 Compartment. (2) D. 6 Compartment. (3) D. 6 Compartment. (4) D. 6 Compartment. (5) D. 6 Compartment. (6) D. 6 Compartment. (7) D. 6 Compartment. (8) D. 6 Compartment. (9) D. 7 Compartment. (9) D. 6 Compartment. (10) D. 7 Compartment. (11) D. 7 Compartment. (12) D. 7 Compartment. (13) D. 7 Compartment. (14) D. 8 Compartment. (15) D. 8 Compartment. (16) D. 8 Compartment. (17) D. 8 Compartment. (18) D. 8 Compartment. (19) D. 8 Com			
Recessed Rear Kick Plate For Bumper Flip Up Section SHOP NOTE: Includes Standard Bumper Design. 30-01-3530 Recessed Area Diamond Plate Rear Kick Plate SHOP NOTE: Diamond Tread Plate To Be In Recessed Area Only. Smooth Aluminum On Outboard Rear Wall Area. Includes Extending The Stainless Steel Sill Plate To Top Of Notch. ****IMPACT RAILS, STONE SHIELDS AND RUNNING BOARD*** One Piece Body Side Panels With Lower Impact Rails SHOP NOTE: Includes Lower Impact Rails Only. Diamond Plate Running Boards With Grip Strut SHOP NOTE: Welded On Grip Strut. Whelen 2G 4" Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen Part #20COCDCR With #2GFLANGC 2G Series ABS Chrome Plated Flange Kit For Surface Mount. Use Deutsch Waterproof Connectors. 35-01-7520 Rear Mud Flaps With Stainless Steel Hem Weights Stainless Steel Compartment And Entry Door Sill Plates Drip Rail Over Door (Ea.) SHOP NOTE: Specify Compartment. (1) P-3 Compartment. (1) P-3 Compartment. (1) P-3 Compartment. (1) D-3 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (1) D-4 Compartment. (1) D-5 Compartment. (1) D-6 Compartment. (1) D-7 Compartment. (1) D-8 Compartment. (1) D-9 Compartment. (1) D-9 Compartment. (1) D-1 Compartment. (2) D-1 Compartment. (3) D-2 Compartment. (4) D-2 Compartment. (5) D-4 Compartment. (6) D-6 Compartment. (7) D-7 Compartment. (8) D-8 Compartment. (9) D-8 Compartment. (1) D-9 Compartment. (1) D-9 Compartment. (1) D-1 Compartment. (2) D-1 Compartment. (3) D-2 Compartment. (4) D-2 Compartment. (5) D-6 Compartment. (6) D-7 Compartment. (7) D-8 Compartment. (8) D-8 Compartment. (9) D-9 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (2) D-3 Compartment. (3) D-4 Compartment. (4) D-5 Compartment. (5) D-6 Compartment. (6) D-7 Compartment. (7) D-8 Compartment. (8) D-8 Compartment. (9) D-9 Compartment. (1) D-9 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (2) D-8 Compartment. (3)		Use New Style Rear Bumper - Decreased Height From Patient Floor To Rear Step By 1-1/2".	
30-01-3530 Recessed Area Diamond Plate Rear Kick Plate SHOP NOTE: Diamond Tread Plate To Be In Recessed Area Only. Smooth Aluminum On Outboard Rear Wall Area. Includes Extending The Stainless Steel Sill Plate To Top Of Notch. ***IMPACT RAILS, STOME SHIELDS AND RUNNING BOARD*** 35-01-0000 One Piece Body Side Panels With Lower Impact Rails SHOP NOTE: Includes Lower Impact Rails Only. Diamond Plate Running Boards With Grip Strut SHOP NOTE: Whelen Part #20COCDCR With #2GFLANGC 2G Series ABS Chrome Plated Flange Kit For Surface Mount. Use Deutsch Waterproof Connectors. 35-01-7520 Rear Mud Flaps With Stainless Steel Hem Weights Stainless Steel Compartment And Entry Door Sill Plates Drip Rail Over Door (Ea.) **SHOP NOTE: Specify Compartment: (1) P-3 Side Entry Door. (1) P-4 Compartment. (1) P-2 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (1) D-4 Compartment. (1) D-4 Compartment. (1) D-4 Compartment. (1) D-5 Compartment. (1) D-6 Compartment. (1) D-7 Compartment. (2) D-8 Compartment. (3) D-8 Compartment. (4) D-8 Compartment. (5) D-8 Compartment. (6) D-8 Compartment. (7) Above Rear Doors. (Size And Ship Loose For Dealer To Install). (7) Above Rear Doors. (Size And Ship Loose For Dealer To Install). (7) Above Rear Doors. (Size And Ship Loose For Dealer To Install). (8) Frame Rail Cover SHOP NOTE: A Full Width Diamond Plate Frame Cover To Be Installed Between The Cab And The Module. 35-02-2500 36* High Front Stone Guards - 33* SHOP NOTE: With Sealed Top Edge. Increase Height To Be Same Height At Front.		Recessed Rear Kick Plate For Bumper Flip Up Section SHOP NOTE:	
Includes Extending The Stainless Steel Sill Plate To Top Of Notch. ***IMPACT RAILS, STONE SHIELDS AND RUNNING BOARD*** One Piece Body Side Panels With Lower Impact Rails SHOP NOTE: Includes Lower Impact Rails Only. Diamond Plate Running Boards With Grip Strut SHOP NOTE: Welded On Grip Strut. Whelen 2G 4" Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen Part #20COCDCR With #2GFLANGC 2G Series ABS Chrome Plated Flange Kit For Surface Mount. Use Deutsch Waterproof Connectors. Rear Mud Flaps With Stainless Steel Hem Weights Stainless Steel Compartment And Entry Door Sill Plates Drip Rail Over Door (Ea.) SHOP NOTE: Specify Compartments: (1) P-1 Compartment: (1) P-2 Compartment. (1) P-2 Compartment. (1) P-2 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-3 Side Entry Door. (1) D-4 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (1) D-5 Compartment. (1) D-5 Compartment. (1) D-6 Compartment. (1) D-7 Compartment. (1) D-8 Compartment. (1) D-8 Compartment. (2) D-8 Compartment. (3) D-9 Compartment. (4) D-9 Compartment. (5) D-9 Compartment. (6) D-9 Compartment. (7) D-1 Compartment. (8) D-1 Compartment. (9) D-1 Compartment. (1) D-2 Compartment. (2) D-3 Compartment. (3) D-4 Compartment. (4) D-5 Compartment. (5) D-6 Compartment. (6) D-7 Compartment. (7) D-8 Compartment. (8) D-8 Compartment. (9) D-8 Compartment. (10) D-8 Compartment. (11) D-9 Compartment. (12) D-8 Compartment. (13) D-8 Compartment. (14) D-8 Compartment. (15) D-8 Compartment. (16) D-8 Compartment. (17) D-9 Compartment. (18) D-9 Compartment. (19) D-9 Co	30-01-3530	Recessed Area Diamond Plate Rear Kick Plate SHOP NOTE:	
35-01-0000 One Piece Body Side Panels With Lower Impact Rails SHOP NOTE: Includes Lower Impact Rails Only. 35-01-3000 Diamond Plate Running Boards With Grip Strut SHOP NOTE: Welded On Grip Strut. 35-01-7110 Whelen 2G 4" Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen Part #20CCCDCR With #2GFLANGC 2G Series ABS Chrome Plated Flange Kit For Surface Mount. Use Deutsch Waterproof Connectors. Rear Mud Flaps With Stainless Steel Hem Weights Stainless Steel Compartment And Entry Door Sill Plates Drip Rail Over Door (Ea.) SHOP NOTE: Specify Compartment. (1) P-1 Compartment. (1) P-2 Compartment. (1) P-2 Compartment. (1) P-3 Side Entry Door. (1) P-4 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (1) D-5 Compartment. (1) D-6 Compartment. (1) D-7 Compartment. (1) D-8 Compartment. (1) D-9 Compartment. (1) D-9 Compartment. (1) D-9 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (1) D-5 Compartment. (1) D-6 Compartment. (1) D-7 Compartment. (1) D-8 Compartment. (1) D-8 Compartment. (2) D-8 Compartment. (3) D-9 Compartment. (4) D-9 Compartment. (5) D-9 Compartment. (6) D-9 Compartment. (7) D-9 Compartment. (8) D-9 Compartment. (9) D-9 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (2) D-1 Compartment. (3) D-2 Compartment. (4) D-2 Compartment. (5) D-4 Compartment. (6) D-4 Compartment. (7) D-4 Compartment. (8) D-8 Compartment. (9) D-8 Compartment. (10) D-9 Compartment. (11) D-9 Compartment. (12) D-1 Compartment. (13) D-2 Compartment. (14) D-1 Compartment. (15) D-2 Compartment. (16) D-1 Compartment. (17) D-2 Compartment. (18) D-1 Compartment. (19) D-2 Compartment. (19) D-2 Compartment. (19) D-3 Compartment. (19) D-4 Compartm		Smooth Aluminum On Outboard Rear Wall Area.	
One Piece Body Side Panels With Lower Impact Rails SHOP NOTE: Includes Lower Impact Rails Only. Diamond Plate Running Boards With Grip Strut SHOP NOTE: Welded On Grip Strut. Whelen 2G 4" Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen Part #20COCDCR With #2GFLANGC 2G Series ABS Chrome Plated Flange Kit For Surface Mount. Use Deutsch Waterproof Connectors. Rear Mud Flaps With Stainless Steel Hem Weights Stainless Steel Compartment And Entry Door Sill Plates Drip Rail Over Door (Ea.) SHOP NOTE: Specify Compartment. (1) P-2 Compartment. (1) P-3 Compartment. (1) P-4 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-3 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (1) D-5 Compartment. (1) D-6 Compartment. (1) D-7 Compartment. (1) D-8 Compartment. (1) D-8 Compartment. (1) D-9 Compartment. (1) D-1 Compartment. (2) D-2 Compartment. (3) D-4 Compartment. (4) D-5 Compartment. (5) D-6 Compartment. (6) D-7 Compartment. (7) D-8 Compartment. (8) D-8 Compartment. (9) D-9 Compartment. (10) D-1 Compartment. (11) D-1 Compartment. (12) D-3 Compartment. (13) D-8 Compartment. (14) D-9 Compartment. (15) D-9 Compartment. (16) D-9 Compartment. (17) D-9 Compartment. (18) D-9 Compartment. (19) D-9 Comp		Includes Extending The Stainless Steel Sill Plate To Top Of Notch.	
SHOP NOTE: Includes Lower Impact Rails Only. Diamond Plate Running Boards With Grip Strut SHOP NOTE: Welded On Grip Strut. 35-01-7110 Whelen 2G 4" Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen Part #20COCDCR With #2GFLANGC 2G Series ABS Chrome Plated Flange Kit For Surface Mount. Use Deutsch Waterproof Connectors. Rear Mud Flaps With Stainless Steel Hem Weights Stainless Steel Compartment And Entry Door Sill Plates Drip Rail Over Door (Ea.) SHOP NOTE: Specify Compartments: (1) P-1 Compartment. (1) P-2 Compartment. (1) P-2 Compartment. (1) D-2 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (1) D-4 Compartment. (1) D-5 Compartment. (1) D-6 Compartment. (1) D-7 Compartment. (2) D-8 Side Entry Door. (35-02-0900) Frame Rail Cover SHOP NOTE: A Full Width Diamond Plate Frame Cover To Be Installed Between The Cab And The Module. 35-02-2500 Si' High Front Stone Guards SHOP NOTE: With Sealed Top Edge. Rear Corner Stone Guards - 33" SHOP NOTE: With Sealed Top Edge. Increase Height To Be Same Height At Front.			
SHOP NOTE: Welded On Grip Strut. 35-01-7110 Whelen 2G 4" Round L3 Intensity Chrome Flange Mounted Running Board Lights (Pr) SHOP NOTE: Whelen Part #20COCDCR With #2GFLANGC 2G Series ABS Chrome Plated Flange Kit For Surface Mount. Use Deutsch Waterproof Connectors. Rear Mud Flaps With Stainless Steel Hem Weights Stainless Steel Compartment And Entry Door Sill Plates Drip Rail Over Door (Ea.) SHOP NOTE: Specify Compartments: (1) P-1 Compartment. (1) P-2 Compartment. (1) P-3 Side Entry Door. (1) P-4 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (1) D-4 Compartment. (1) D-5 Compartment. (1) D-6 Compartment. (1) D-7 Compartment. (1) D-8 Side Entry Door. (1) P-8 Side Entry Door. (2) P-9 Compartment. (3) P-9 Compartment. (3) P-9 Compartment. (4) D-1 Compartment. (5) P-1 Compartment. (6) P-1 Compartment. (7) P-1 Compartment. (8) P-1 Compartment. (9) P-1 Compartment. (1) D-2 Compartment. (1) D-3 Side Entry Door. (1) P-4 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-3 Side Entry Door. (1) P-4 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-3 Side Entry Door. (1) P-4 Compartment. (1) D-4 Compartment. (1) D-5 Compartment. (1) D-6 Compartment. (1) D-7 Compartment. (2) P-8 Side Entry Door. (3) P-8 Side Entry Door. (4) P-9 Side Entry Door. (5) P-9 Side Entry Door. (7) P-9 Side Entry Door. (8) P-9 Side Entry Door. (9) P-9 Side Entry Door. (1) P-9 Side Entry Door. (1	35-01-0000	SHOP NOTE:	
SHOP NOTE: Whelen Part #20COCDCR With #2GFLANGC 2G Series ABS Chrome Plated Flange Kit For Surface Mount. Use Deutsch Waterproof Connectors. Rear Mud Flaps With Stainless Steel Hem Weights Stainless Steel Compartment And Entry Door Sill Plates Drip Rail Over Door (Ea.) SHOP NOTE: Specify Compartments: (1) P-1 Compartment. (1) P-2 Compartment. (1) P-3 Side Entry Door. (1) P-4 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-4 Compartment, (1) D-5 Compartment. (1) D-6 Compartment. (1) D-7 Compartment. (1) D-8 Compartment. (1) D-9 Compartment. (2) Compartment. (3) Compartment. (4) D-9 Compartment. (5) Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (2) Compartment. (3) Compartment. (4) D-1 Compartment. (5) Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (2) Compartment. (3) Compartment. (4) D-1 Compartment. (5) Compartment. (6) Compartment. (7) Compartment. (8) Compartment. (9) Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (1) D-5 Compartment. (1) D-6 Compartment. (2) Compartment. (3) Compartment. (1) D-1 Compartment. (1) D-1 Compartment. (2) Compartment. (3) Compartment. (4) D-1 Compartment. (5) Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (2) Compartment. (3) Compartment. (4) D-2 Compartment. (5) Compartment. (6) Compartment. (7) Compartment. (8) Compartment. (9) Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-3 Compartment. (1) D-3 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (1) D-5 Compartment. (1) D-6 Compartment. (1) D-7 Compartment. (1) D-8 Compartment. (1) D-9 Co	35-01-3000	SHOP NOTE:	
Rear Mud Flaps With Stainless Steel Hem Weights Stainless Steel Compartment And Entry Door Sill Plates Drip Rail Over Door (Ea.) SHOP NOTE: Specify Compartments: (1) P-1 Compartment. (1) P-2 Compartment. (1) P-3 Side Entry Door. (1) P-4 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-4 Compartment, (1) D-4 Compartment, (1) D-4 Compartment, (1) D-4 Compartment, (1) Above Rear Doors. (Size And Ship Loose For Dealer To Install). Frame Rail Cover SHOP NOTE: A Full Width Diamond Plate Frame Cover To Be Installed Between The Cab And The Module. 35-02-2500 36" High Front Stone Guards SHOP NOTE: With Sealed Top Edge. Rear Corner Stone Guards - 33" SHOP NOTE: With Sealed Top Edge. Increase Height To Be Same Height At Front.	35-01-7110	SHOP NOTE: Whelen Part #20COCDCR With #2GFLANGC 2G Series ABS Chrome Plated Flange Kit For	
Stainless Steel Compartment And Entry Door Sill Plates Drip Rail Over Door (Ea.) SHOP NOTE: Specify Compartments: (1) P-1 Compartment. (1) P-2 Compartment. (1) P-3 Side Entry Door. (1) P-4 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (1) D-4 Compartment. (1) D-4 Compartment. (1) Above Rear Doors. (Size And Ship Loose For Dealer To Install). S5-02-0900 Frame Rail Cover SHOP NOTE: A Full Width Diamond Plate Frame Cover To Be Installed Between The Cab And The Module. 35-02-2500 36" High Front Stone Guards SHOP NOTE: With Sealed Top Edge. SFOP NOTE: With Sealed Top Edge. Increase Height To Be Same Height At Front.		Use Deutsch Waterproof Connectors.	
SHOP NOTE: A Full Width Diamond Plate Frame Cover To Be Installed Between The Cab And The Module. 35-02-2500 36" High Front Stone Guards SHOP NOTE: With Sealed Top Edge. Rear Corner Stone Guards - 33" SHOP NOTE: With Sealed Top Edge. Increase Height To Be Same Height At Front.	35-01-9000 35-02-0000	Stainless Steel Compartment And Entry Door Sill Plates Drip Rail Over Door (Ea.) SHOP NOTE: Specify Compartments: (1) P-1 Compartment. (1) P-2 Compartment. (1) P-3 Side Entry Door. (1) P-4 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-4 Compartment. (2) D-4 Compartment. (3) D-4 Compartment. (4) D-4 Compartment. (5) D-6 Compartment. (6) D-7 Compartment. (7) D-8 Compartment. (8) Compartment. (9) D-9 Compartment. (1) D-9 Compartment. (2) D-9 Compartment. (3) D-9 Compartment. (4) D-9 Compartment. (5) D-9 Compartment. (6) D-9 Compartment. (7) D-9 Compartment. (8) D-9 Compartment. (9) D-9 Compartment. (1) D-1 Compartment. (1) D-1 Compartment. (1) D-1 Compartment. (2) D-1 Compartment. (3) D-2 Compartment. (4) D-3 Compartment. (5) D-9 Compartment. (6) D-9 Compartment. (7) D-9 Compartment. (8) D-9 Compartment. (9) D-9 Compartment. (1) D-1 Compartment. (1) D-1 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (2) D-9 Compartment. (3) D-9 Compartment. (4) D-9 Compartment. (5) D-9 Compartment. (6) D-9 Compartment. (7) D-9 Compartment. (8) D-9 Compartment. (9) D-9 Compartment. (1) D-9 Compartment.	
SHOP NOTE: With Sealed Top Edge. Rear Corner Stone Guards - 33" SHOP NOTE: With Sealed Top Edge. Increase Height To Be Same Height At Front.	35-02-0900	SHOP NOTE:	
SHOP NOTE: With Sealed Top Edge. Increase Height To Be Same Height At Front.	35-02-2500	SHOP NOTE:	
	35-02-4500	SHOP NOTE:	
33" High (Front Skirt Rail Is Dropped).		Increase Height To Be Same Height At Front.	
		33" High (Front Skirt Rail Is Dropped).	

01/14/2020		Page
PART NO	DESCRIPTION Polished Stainless Steel Plate Under Fuel Fill Area	QT
35-02-5500 35-02-6015	Polished Stainless Steel Plate Under a DEF Fill Area ***ELECTRICAL SYSTEM***	
40-00-0550	Elite G3 Touch Screen Electrical System SHOP NOTE: Includes:	
	(1) Front Switch Panel - Installed On Angled Portion Of Front Console. Install With Nutcerts.	
	(1) Rear Switch Panel. Streetside Main Action Area Forward Of Elite Cabinet Near Top Of Cabinet. Install With Nutcerts.	
	(1) Carling Rocker Switch For Center Strip Lights. Location: R.F.S. Cabinet. Includes Stainless Steel Guards Around Switch. LL Part #E24072. This Is A Combination 15-Minute Timed Switch Activated When Ignition Is "Off" And Also On / Off When Keyed Ignition Is "On".	
	(1) Momentary Disable Rocker Switch For Curb Side Scene Lights. Location: R.F.S. Cabinet. Includes Stainless Steel Guard Around The Switch. LL Part #E24072.	
	(1) Electric Oxygen with Regulator And Oxygen Display. Regulator Mounted On A Bracket Remote From The Oxygen Tank. Includes High Pressure Hose From The Tank To The Regulator.	
	(3) Power Point Studs - They Will Include A Full-Time Hot, Battery On (Module Power "Hot") And Ground. These Are Rated 20 AMPS Or Less. Standard Location, Electrical Closet.	
	(1) Rostra Back-Up Camera. Camera Will Be Displayed Thru The Ford OEM Navigation. Exterior Camera Above Rear Doors To Be Black ILOS. See Option #40-06-4015 For More Specifics.	
	Interior Dome Lights On Low With Entry Door.	
	Inverter Will Come On With Ignition, Along With Button Provided On Switch Panel.	
40-01-0430	Stainless Steel Guard For Carling Switch (ea) SHOP NOTE: Specify Location(s): (1) Side Scene Light Disable Switch On R.F.S.	
	(1) Center Strip Lights On R.F.S.	
	LL Part #E24072.	
40-01-0610	Relocate Breaker Box to Cab Area SHOP NOTE: Behind Passenger Cab Seat.	
	Requires Additional Cab / Module Wire Run Boot On Type I. (LL Part #U10002).	
	Ship Tire Jack Loose.	
40-01-2000	Reverse Activated Alarm With Momentary Auto Reset Switch SHOP NOTE: ECCO #575 Alarm.	
40-01-5000	Super Auto Eject Shoreline - 20 Amp SHOP NOTE: Specify Location: Above D-2 Compartment.	
	Includes Stainless Steel Removable Exterior Access Panel. LL Part #1602SS.	
	Specify Inlet Cover Color: Yellow.	
40-01-6900	**FACTORY USE ONLY** SHOP NOTE: Shoreline Inlet Adapter Plug Present.	
40-02-4610	Kussmaul AP1500, 1500 Watt Inverter/Charger, Includes 20A Auto Eject Shoreline SHOP NOTE:	

01/14/2020 PART NO	DESCRIPTION	Page QTY
PARTNO	Kussmaul Inverter Part #091-263-12-1500. UL Listed 1500 Watt Inverter / 55 Amp Battery Charger. Includes Built In Automatic Transfer Switch. Meets NFPA 1917 And KKK Specifications.	
	Inverter/Battery Charger Unit To Be Installed On The Floor Of Electrical Cabinet.	
	NOTE: Does Not Include Interior Status Indicator Panels.	
	Includes Kussmaul Kit #70-03-1304. 20 Amp Auto Eject With Deluxe Cover And Bar Graph. Yellow Cover. Auto Eject To Be Mounted On Stainless Steel Panel Above D-2 Compartment For Exterior Access. Kussmaul Part #091-185-009SS.	
40-03-0000	Action Area Dual 2.1 amp USB Charger And 20 amp 12v Outlet SHOP NOTE: Full Time Hot Circuit. Install In The Upper Forward Section Of The Action Area.	
	LL Part #E26088.	
40-03-2000	R.F.S. Cabinet Dual 2.1 amp USB Charger And 20 amp 12v Outlet SHOP NOTE: Mounted High On Wall #1. Full Time Hot Circuit. LL Part #E26088.	
40-03-5500	Add 12 Volt Power Outlet (Ea) SHOP NOTE:	
	Full Time Hot Circuit. Specify Locations: (1) On The Main Streetside Wall. Far End Towards The Rear Of The Module Near The Left Rear Base Cabinet. Up High On Wall To Match Previous Unit #4390.	
	(1) Slide Out Drawer At the Rear Of The Streetside Module For Smithworks IV Warmer.	
	(1) Cab Area Behind The Driver Cab Seat.	
	(1) Computer Printer. Top Ceiling Height Cabinet Above The Pass Thru. Wall #3.	
	(1) For Engel Cooler Installed On Wall #3 In Rear Corner Down Low Of Lower Pass Thru Cabinet.	
40-03-6000	Action Area 125 Volt Outlet SHOP NOTE: Install In The Upper Forward Section Of The Action Area.	
40-03-7000	R.F.S. Cabinet 125 Volt Outlet SHOP NOTE: Mounted High On Wall #1 Near The 12V Outlet.	
40-03-8500	Add 125 Volt Outlet (Ea) SHOP NOTE: Specify Locations: (1) Computer Printer. Top Ceiling Height Cabinet Above The Pass Thru. Wall #3.	
	(1) Cab Area. Install Near The Pass Thru Area Within Reach Of The Driver Or Passenger. For Cell Phone.	
	(1) Above Lower Pass Thru Countertop On R.F.S Cabinet Wall.	
	(1) Telemetry Area. Down Low In Corner Near Left Rear Base Cabinet. Raise Off Counter By 6".	
	(1) Action Area Hinged Flip Up Cabinet Area. Inside Cabinet On Streetside Wall At Rear. For Stryker Battery Charger.	
40-03-8610	Add Dual USB Charging Port SHOP NOTE: Specify Location:	

01/14/2020 PART NO	DESCRIPTION	Page 13 QTY
	(1) Cab Front Console - Forward Flat Section On Passengers Side.	
	(1) Main Action Area Above Counter Top / Below Action Area Cabinet Toward D-1 Compartment Wall.	
	(1) Above Lower Pass Cabinet on RFS Wall, Near 125V Outlet.	
	LL Part #E26095.	
40-04-3800	Smithworks 12 Volt Floor Mount IV Fluid Warmer Tray (Ea) SHOP NOTE: Specify Cabinet Location: Slide-Out Drawer Under Telemetry Area. Install Towards The Cab Portion Of The Drawer (Forward).	1
	Circuit Is Wired To 12 Volt Outlet. Full Time Hot.	
	REQUIRES BATTERY CHARGER. MANUFACTURER WARRANTY ONLY APPLIES.	
40-04-4000	Power Door Locks For Side Entry & Rear Entry Doors SHOP NOTE: Wired To Cab Doors.	1
	NOTE: Module Body Power Door Locks (Compartments And Entry Doors) Shall Unlock / Lock With OEM Key Fob's.	
40-04-4500	Additional Power Door Lock (Ea) SHOP NOTE: Door Locks Are Wired Thru The O.E.M. Door Lock Switches. Door Locks Are Thermally Protected With Pulsed Signals. Specify Compartment Locations: (1) P-1 Compartment. (1) P-2 Compartment. (1) D-1 Compartment. (1) D-2 Compartment. (1) D-3 Compartment. (1) D-4 Compartment.	6
	Does NOT Include P-2 Battery Compartment.	
40-04-5500	Hidden Switch In Grille For Power Door Locks (Unlock Only) SHOP NOTE: Use Same Switch As Rear License Plate (Stealth Switch). Mount In Same Location As Previous Unit #4390.	1
40-04-6000 40-04-7000	Hidden Switch In Rear License Plate Housing (Unlock Only) Interior Body Switch For Power Door Locks (Ea) SHOP NOTE: Specify Locations: (1) Side Entry Door. (1) Rear Entry Door. Primary Door.	1 2
40-06-4015	Rostra Rear View Camera With Cable for F-Series OEM Built In Dash Monitor ILOS SHOP NOTE: Includes: Rostra Back Up Camera To The Exterior Rear Module Wall Above The Rear Doors. The Camera Cable Will Be Run From The Camera To An OEM Plug At The Rear Of The Chassis. The Plug Runs To The OEM Navigation In The Front Console.	1
	Includes Ford Service To Program The Camera Mode To Be Turned On.	
	Includes: -Rostra Back Up CameraCable From Camera To OEM Harness.	
	Camera Color: Black. Rostra Part #250-8628-BIR. LL Part #E26106.	

01/14/2020 PART NO	DESCRIPTION	Page 1- QTY
	MANUFACTURER WARRANTY ONLY APPLIES.	
	NOTE: Camera Mode Must Be Activated By Don's Truck Center.	
40-DL-0100	Streamlight Survivor C4 LED Charger Base, Part #90503 SHOP NOTE: Specify Custom Option: (2) Streamlight Survivor C4 LED Handlights With 12V Charger Base. Wired Direct To Battery. Color: Orange. Streamlight Part #90503.	2
	Location: D-4 Compartment. Below Split Depth Near Wall #3. Hang Down From Split Depth Notch.	
	Match Previous Location #4390.	
40-DL-0200	Buss Bar Strip For Future Electrical SHOP NOTE: Specify Custom Option: Add Buss Bar Strip With (5) 40 Amp Circuit Breakers To Allow For Customer To Add Additional 12V Components Later To The Vehicle. Mark Area Of Electrical Closet.	1
	All Wiring To Be "Battery Direct" Hot.	
	Match Previous Unit #4390.	
40-DL-0300	Portable Radio Pre-Wire SHOP NOTE: Specify Custom Option: Pre-Wire For (2) Portable Radio Chargers In Cab. Located In Crawl-Thru Area Above Floor Line.	2
	INTERIOR LIGHTING	1 1
45-01-0000 45-01-0500	Oxygen Compartment Light Side Entry Door Stepwell 3" Round LED Light SHOP NOTE: Whelen 3" Round Super-LED Surface Mounted.	1
45-01-2605	Whelen #80C0EHCR "LED" Frosted Round Ceiling Light ILOS (Ea) SHOP NOTE: Frosted Lens.	8
	4-Streetside.	
	4-Curbside.	
45-01-3000	12" Grote 60591 LED Action Area Light SHOP NOTE: Switch Integral Of Light Fixture.	
45-01-7540	4-ROM 18" Rectangular DuroLumen Recessed "LED" Center Strip Lights SHOP NOTE: Includes Switch In Switch Panels For Lights To Operate On 12V With HI/Lo Switch. ROM Part #R03853. Lights Will Be On "High" With Timer Switch.	1
	Specify Switch Location: Right Front Stack Wall. Includes Metal Trim Guard Around Switch For Protection. LL Part #E24072.	
	Includes Hi / Low Separate Switches In Elite Touch Screen For 12V Operation.	
50-01-0000	***EXTERIOR LIGHTING*** Whelen 600 Series "LED" Stop/Tail Lights (Pr)	1 1
	SHOP NOTE: Whelen #60BTT Lights. Red LED With Red Lens.	

01/14/2020	PECCULATION	Page 15
PART NO	DESCRIPTION Mounted Above The Rear Kick Plate.	QTY
50-01-6000	Whelen 600 Series "LED" Populated Amber Turn Lights (Pr) SHOP NOTE: Whelen Part #60A00TAR. Includes Colored Lens.	1
	Mounted Above The Rear 600 Series LED Stop/Tail Lights.	
	Wire To Flash Sequentially In The Direction Of The Arrow.	
50-02-7000	Whelen M6T Series "LED" Amber ArrowTurn Light IATS (Pr) SHOP NOTE: Whelen Part #60A00TAR. Includes Colored Lens.	1
	Specify Location: Front Wall Below Whelen 900 LED Flashers.	
	Wire To Flash Sequentially In The Direction Of The Arrow.	
50-02-9000	C.P.I. License Plate Housing SHOP NOTE: Mounted In The Center Of The Rear Recessed Diamond Tread Plate Kick Panel.	1
	Includes Dual LED Lights.	
50-02-9530	Delete Whelen 600 Series Back-Up Lights (Pr) SHOP NOTE: See Option #50-DL-0100 For Whelen 600 Rear Lower LED Scene / Reverse Lights.	1
50-03-2100	Two Reverse Activated Whelen 900 "LED" Rear Load Lights SHOP NOTE: Whelen Part #9SC0ENZR Lights.	1
50-03-5600	Whelen 900 "LED" Side Scene Lights (Two Each Side) SHOP NOTE: Whelen Part #9SC0ENZR Lights.	1
50-03-9000 50-04-2000 50-04-5510	Right Side Scene Lights On With Open Side Entry Door Rear Side Scene Lights On In Reverse IATS 3" Round Super-LED Surface Mounted Compartment Door Flashing Light (Ea) SHOP NOTE: Whelen Part #3SR00FRR - Red LED With Red Lens.	1 1 2
	Specify Locations: (1) Side Entry Door Upper Interior Door Panel In Outboard Location. Upper And Lower Lights To Flash Opposite.	
	(1) Secondary Rear Entry Door Lower Interior Door Panel In Outboard Location. Light To Flash Opposite Primary Rear Entry Door.	
	Set To Flash On/Off At Slow Rate.	
50-04-5710	3" Round Super-LED Surface Mounted Door Flashing Light (Ea) SHOP NOTE: Includes Individual Door Switch Circuit.	2
	Whelen Part #3SR00FRR - Red LED With Red Lens.	
	(1) Side Entry Door Lower Inner/Outer Door Panel. Utilize Single Door Switch. Lights To Flash Opposite.	
	(1) Primary Rear Entry Door Lower Interior Door Panel In Lower Outboard Corner.	
	Set To Flash On/Off At Slow Rate.	
50-04-7501	Whelen "OS" Series LED ICC Marker Lights ILOS (Ea) SHOP NOTE:	8

01/14/2020	DEADURTION	Page 1
PART NO	DESCRIPTION (C) Post #10SP00MCR Red LED Whelen Merker Lights II OS	QTY
	(6) Part #0SR00MCR Red LED Whelen Marker Lights ILOS. (2) Part #0SA00MCR Amber LED Whelen Marker Lights ILOS.	
50-04-8100	Innovative Lighting Slimline Front DOT Light SHOP NOTE:	1
	Mounted Above The Drip Rail.	
50-DL-0100	Reverse Activated Whelen 600 "LED" Rear Reverse / Scene Lights SHOP NOTE: Shoelf Custom Option:	2
	Specify Custom Option: (2) Whelen Part #6SC0ENZR 600 Series Super-LED Gradient Opti-Scenelight, Surface Mount. Includes Chrome Flange Kit.	
	Mounted Below The Rear Doors. Top Of Light To Be Near Bottom Edge Of Doors When Opened.	
	Mounted Inboard Of The Rear 600 Series LED Red Flashers.	
	RADIO PROVISIONS AND AIR HORNS	1
	SHOP NOTE: Does NOT Include Installation Of Customer Supplied Radio Equipment. All Customer Supplied Radio Equipment Must Be Received At Life Line Prior To Construction Start Date.	
55-01-3120	15"/18" Buell Strombos Air Horns Thru Bumper Valance F-Series w/HDRR Compressor	1
	SHOP NOTE: Specify Compressor Location: D-1 Compartment, Ceiling Height. Up High. Include Mesh Cover Over The Pump.	
	Reference Location Of Air Horn Compressor From Unit #4390.	
	Includes:	
	*Heavy Duty Rapid Recovery Compressor. LL Part #F15008. *One Standard Frame Mounted Air Tank. *(1) 15" Air Horn. LL Part #.	
	*(1) 18" Air Horn. LL Part #.	
	Specify Carling Switch Location: Front Console. (1) To Left Of Siren For Driver Seat Use. Use Euro Style Momentary Switch.	
	Use Teflon Tape For All Fitting Connections.	
	Air Horn Trumpets To Match #4390. Per Work Order On #4390 Specified (1) 15" / (1) 18".	
55-01-6000	Add Secondary Air Tank To Air Horn System	1
	SHOP NOTE: Air Tank Contains Manual Drain Valve.	
	Extend The Drain Pull Cords From Both Air Tanks Out To The Rear Of The Unit For Easier Access For Draining Tanks.	5
55-01-7550	Add Second Rocker Switch To Air Horn System	1
	SHOP NOTE: Specify Location: (1) To Right Of Siren For Passenger Seat Use. Use Euro Style Momentary Switch.	
55-01-8500	KE-794 Antenna Base With Coax	1
	SHOP NOTE: Specify Termination Location: (1) Front Module Roof To The Front Console. Label #1.	
	Leave 18" (Minimum) Between Each Module Antenna Base.	
	Include Rain Caps On All Module Roof Antenna Bases.	
55-02-1500	KE-794 Module Roof Antenna Base/Coax (Ea) SHOP NOTE:	3
	Specify Termination Location: (1) Mid-Front Module Roof To Front Console. Label #2.	

01/14/2020	DECORPTION	Page 17 QTY
PART NO	(1) Mid-Rear Module Roof To Behind The Streetside Action Area. Label #3. (1) Rear Module Roof To Behind The Streetside Action Area. Label #4.	QII
	Leave 18" (Minimum) Between Each Module Antenna Base.	
	Include Rain Caps On All Module Roof Antenna Bases.	
55-02-5800	Radio Pre-Wire Power Studs Over 20 AMP (Ea) SHOP NOTE: Full Time Power And Ground And Battery On (Ignition On) Circuits. Buss Bar Termination Studs. Specify Termination Locations: (1) Covered Power Buss Bar Under The Cab Console.	3
	NOTE: Radio Installer Will Tap In (2) #12 Hot Power And (1) #14 Ignition Cable For The Radio System. Make Sure It Can Handle This.	
	(1) Covered Power Buss Bar In The Panel Behind The Driver's Seat.	
	(1) Covered Power Buss Bar Behind The Streetside Action Area Switch Panel.	
	All Wiring To Be 10-Gauge. Includes 30-Amp Breakers.	
55-02-6500	Install Customer Supplied Radio Cables (Ea) SHOP NOTE: Specify Routing And Termination Location: (1) This Is A Shielded Cable. Install From The Rear Switch Panel To The Front Console. This Will Power The Remote Microphone And The Speaker.	1
55-DL-0100	Install Dealer Supplied USB Printer Cable SHOP NOTE: Specify Custom Option: (1) USB Cable. From Printer To Computer. Roll Up And Terminate Behind The Vent. Match Previous Unit #4390.	1
	SIRENS AND EMERGENCY LIGHTING	1
	SHOP NOTE: Special Note: Secondary Mode Will Not Come On Automatically In The Park / Neutral Mode.	
60-01-1200	Whelen 295HFSA7 Dual Amplifier System ILOS SHOP NOTE: Includes Dual Amp Option. Mount Remote In Electrical Cabinet With Access To Dip Switches.	1
	OEM Horn Shall Not Sound With Siren Thru OEM Horn Ring.	
60-01-4510	SAD3815 and SAP3816 Thru Bumper Siren Speakers (F-Series) SHOP NOTE: CPI Part #SAD3815-17FSD-1. CPI Part #SAP3816-17FSD-1.	1
60-01-9000	4 Whelen 900 Super "LED" Side Module Warning Lights SHOP NOTE: Whelen Part #90RR5FRR - Red LED With Red Lens. Mount The Side Lights Inline.	1
	Wired To Primary / Secondary Switch / Circuit.	
60-02-2000	2 Whelen 900 Super "LED" Front Module Warning Lights SHOP NOTE: Whelen Part #90RR5FRR - Red LED With Red Lens.	1
	Wired To Primary / Secondary Switch / Circuit.	
60-02-5500	Whelen 900 Super "LED" Center Front Module Warning Light SHOP NOTE:	1

01/14/2020 PART NO	DESCRIPTION	Page 18 QTY
	Whelen Part #90CC5FCR - White With Clear Lens.	
	Wired To Primary / Secondary Switch / Circuit. "Off" In Secondary Mode.	
60-02-9500	2 Whelen 900 Super "LED" Rear Module Warning Lights SHOP NOTE:	1
	Whelen Part #90RR5FRR - Red LED With Red Lens.	
	Wired To Primary / Secondary Switch / Circuit.	
60-03-3004	1 Whelen 600 Series Super "LED" Center Rear Module Warning Light	1
	SHOP NOTE: Whelen Part #60A02FAR. Amber LED With Amber Lens.	
	Wire Thru PRI/SEC Switch / Circuit. Cut-Out In Secondary.	
	Use 600 Series Due To Rear Observation / BackUp Camera.	
60-04-4610	Emergency Lights On In Reverse	1
	SHOP NOTE: Wired To "Rear Flasher" Switch / Circuit.	
	Includes Cut-Out Switch In Front Switch Panel.	
60-04-5280	2 Whelen ION Wide Angle Super "LED" Grille Lights (Type I)	1
	SHOP NOTE: Whelen Part #WIONSMCR - Red LED With Clear Lens.	
	Includes Chrome Flange Kit.	
	Installed In The Upper Section Of The Grille.	
	Wired To Primary / Secondary Switch / Circuit. "Off" In Secondary Mode.	
60-05-0496	2 Whelen 700 Super "LED" Intersection Lights (Type I) SHOP NOTE:	1
	Whelen Part #70R02FRR - Red LED With Red Lens.	
	Wired To Primary / Secondary Switch / Circuit. "Off" In Secondary Mode.	
60-06-6000	2 Whelen 700 Super "LED" Rear Wheel Well Lights SHOP NOTE:	1
	Whelen Part #70R02FRR - Red LED With Red Lens.	
	Wired To "Rear Flasher" Switch / Circuit.	
60-07-1910	Add Scan Lock Button, (ea.)	4
	SHOP NOTE: (1) Wired To "Primary / Secondary" Switch / Circuit.	
	(1) Wired To "Rear Flashers" Switch / Circuit. (1) Wired To "Front Flashers" Switch / Circuit.	
	(1) Wired To "Forward Clear" Switch / Circuit.	
60-09-4453	Whelen ION "LED" Grille Light Clear Lens with Chrome Flange SHOP NOTE:	2
	Whelen Part #WIONSMCC - Clear LED With Clear Lens. Includes Chrome Flange Kit.	
	Specify Location:	
	(2) Lower Section Of The Front Grille.	
	Wire To Flash in Wig Wag Flash Pattern. Wire To "Clear Flasher" Switch In Front Switch Panel.	
60-09-7000	Whelen 600 Red Or Amber Or Blue Super "LED" Light (Ea) SHOP NOTE:	2
	Whelen Part #60R02FRR. Red LED With Red Lens.	

Below Rear Doors / Outboard Of 600 Series Reverse Light. Wire To 'Rear Flasher' Switch / Circuit. Wire To 'Rear Flasher' Switch / Circuit. Wire To 'Rear Flasher' Switch / Circuit. Whelen Part #90RR5FRR - Red LED With Red Lens. Center Portion Of Rear Door Windows. Wire To "Rear Flasher' Switch / Circuit. Wire To 'Rear Flasher' Switch / Circuit. Wire To Flash in "X" Pattern With "Rear Flashers" Rear Module Body Warning Lights. 60-10-2000 Whelen 900 Red/Amber/Blue or Clear Super "LED" Light (Ea) SHOP NOTE: Whelen Part #90RR5FRR - Red LED With Red Lens. Specify Location: (2) Front Module Wall. (1) Each Side Of The Forward Facing Center Clear. Wire Thu "Front Flasher." Switch / Circuit. Whelen AFM560 LED/Halogen Flasher 5-Outlet 60 Watts (Ea) SHOP NOTE: #1 Wired To PRI/SEC Switch In Front Console. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Front Intersection 700 Series LED Light Heads. (3) (1) Front Center 900 Clear LED Light Heads. (1) Front Center 900 Clear LED Light Heads. (2) Ipper Grille Area ION Red LED Light Heads. (3) Pear Willed Area ION Red LED Light Heads. (4) Pear Whele Area ION Red LED Light Heads. (5) Rear Window Level 900 Series LED Light Heads. (6) Rear Window Level 900 Series LED Light Heads. (7) Rear Good Series LED Flaght Heads. (8) Rear Window Level 900 Series LED Light Heads. (9) Rear Window Level 900 Series LED Light Heads. (9) Rear Window Level 900 Series LED Light Heads. (9) Front Red 900 Lights. Positions 2,4. #4 To Power The "FRONT FLASHER" LED Light Heads: (9) Front Red 900 Lights. Positions 2,4. #4 To Power The "FRONT FLASHER" LED Light Heads: (9) Front Red 900 Lights. Positions 2,4. #4 To Power The "FORWARD CLEAR" LED Light Heads: (9) Front Red 900 Lights. Positions 2,6. #4 To Power The "FORWARD CLEAR" LED Light Heads: (9) Front Red 900 Lights. Positions 2,6. **PATIENT COMPARTMENT** Standard Solid Surface Constituted in I	01/14/2020	DESCRIPTION	Page 1 QTY
Rear Window Level Whelen 900 Red Or Amber Or Blue Or Clear Super "LED" Lights(2) SHOP NOTE: Whelen Part #90RR5FRR - Red LED With Red Lens. Center Portion Of Rear Door Windows. Wire To "Rear Flasher" Switch / Circuit. Wire To Flash In "X" Pattern With "Rear Flashers" Rear Module Body Warning Lights. Whelen 900 Red/Amber/Blue or Clear Super "LED" Light (Ea) SHOP NOTE: Whelen Part #90RR5FRR - Red LED With Red Lens. Specify Location: (2) Front Module Wall. (1) Each Side Of The Forward Facing Center Clear. Wire Thru "Front Flasher." Switch / Circuit. Whelen AFM560 LED/Halogen Flasher 5-Outlet 60 Watts (Ea) SHOP NOTE: #1 Wired To PRI/SEC Switch In Front Console. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Rear Wall Upper/Outboard 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (3) Tend Interes 900 Clear LED Light Heads. (4) Front Center 900 Clear LED Light Heads. (5) Front Wall Center 900 Clear LED Light Heads. (6) Front Wall Proper Grille Area ION Red LED Light Heads. (7) Front Center 900 Clear LED Light Heads. (8) Rear Wheel Well 700 Series LED Light Heads. (9) Rear Wheel Well 700 Series LED Light Heads. (1) Rear Goo Series LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (3) Rear Wheel Well 700 Series LED Light Heads. (4) Rear Goo Series LED Light Heads. (5) Rear Wheel Well 700 Series LED Light Heads. (6) Rear Wheel Well 700 Series LED Light Heads. (7) Rear Wheel Well 700 Series LED Light Heads. (8) Rear Wheel Well 700 Series LED Light Heads. (9) Rear Wheel Well 700 Series LED Light Heads. (1) Front Center 900 Clear LAR FLASHER's LED Light Heads. (1) Ferror Rear 600 Series LED Heads Flasher. Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Reverse / Scene Lights. ### To Power The "FRONT FLASHER's LED Light Heads: (2) Fornt Red 900 Lights. Positions 2.4. #### To Power The "FRONT FLASHER's LED Light Heads: (2) Fornt Red 900 Lights. Positions 2.4. ##################################	PART NO	Below Rear Doors / Outboard Of 600 Series Reverse Light.	۱۱یک
SHOP NOTE: Whelen Part #90RR5FRR - Red LED With Red Lens. Center Portion Of Rear Door Windows. Wire To "Rear Flasher" Switch / Circuit. Wire To Flash In "X" Pattern With "Rear Flashers" Rear Module Body Warning Lights. 80-10-2000 Whelen 900 Red/Amber/Blue or Clear Super "LED" Light (Ea) SHOP NOTE: Whelen Part #90RR5FRR - Red LED With Red Lens. Specify Location: (2) Front Module Wall. (1) Each Side Of The Forward Facing Center Clear. Wire Thru "Front Flasher." Switch / Circuit. Whelen AFM560 LED/Halogen Flasher 5-Outlet 60 Watts (Ea) SHOP NOTE: #1 Wired To PRI/SEC Switch In Front Console. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Front Intersection 700 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Front Intersection 700 Series LED Light Heads. (1) Front Center 900 Clear LED Light Head. (1) Front Center 900 Clear LED Light Heads. (2) Lipper Griffle Area ION Red LED Light Heads. (2) Rear Wind Move Level 900 Series LED Light Heads. (2) Rear Windrow Level 900 Series LED Light Heads. (2) Rear Windrow Level 900 Series LED Light Heads. (2) Rear Windrow Level 900 Series LED Light Heads. (3) Rear Windrow Level 900 Series LED Light Heads. (4) Front Center 900 Series LED Light Heads. (5) Rear Windrow Level 900 Series LED Light Heads. (6) Front Red 900 Lights, Positions 2,4. #4 To Power The "FRONT FLASHERS" LED Light Heads: (2) Front Red 900 Lights, Positions 2,4. #4 To Power The "FRONT FLASHER" LED Light Heads: (2) Front Red 900 Lights, Positions 2,4. #4 To Power The "FRONT FLASHER" LED Light Heads: (2) Front Red 900 Lights, Positions 2,4. #4 To Power The "FRONT FLASHER" LED Light Heads: (2) Front Red 900 Lights, Positions 2,4. #4 To Power The "FRONT FLASHER" LED Light Heads: (5) Front Red 900 Lights, Positions 2,4. #4 To Power The "FRONT FLASHER" LED Light Heads: (6) Front Red 900 Lights, Positions 1,4. ***PATIENT COMPARTMENT*** Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The		Wire To Flash In "X" Pattern With "Rear Flashers" Rear Module Body Warning Lights.	
Center Portion Of Rear Door Windows. Wire To "Rear Flasher" Switch / Circuit. Wire To "Flash In "X" Pattern With "Rear Flashers" Rear Module Body Warning Lights. Whelen 900 Red/Amber/Blue or Clear Super "LED" Light (Ea) SHOP MOTE: Whelen Part #90RR5FRR - Red LED With Red Lens. Specify Location: (2) Front Module Wall. (1) Each Side Of The Forward Facing Center Clear. Wire Thru "Front Flasher." Switch / Circuit. Whelen AFM560 LED/Halogen Flasher 5-Outlet 60 Watts (Ea) SHOP MOTE: #1 Wired To PRI/SEC Switch In Front Console. 2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (3) Front Intersection 700 Series LED Light Heads. (1) Front Center 900 Clear LED Light Heads. (1) Front Center 600 Amber LED Light Heads. (2) Upper Griffie Area IoN Red LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (3) Rear Griffie Area IoN Red LED Light Heads. (4) Front Red 900 Lights, Positions 2,4. #3 To Power The "FRONT FLASHERs" LED Light Heads: (5) Front Red 900 Lights, Positions 2,4. #4 To Power The "FRONT FLASHER" LED Light Heads: (6) Ion Lights in The Lower Griffie Area. Wire To Flash Alternate - Wig Wag Design. Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely. Do Not Bury Switches, Easily Accessible And Visible. ***PATIENT COMPARTMENT*** Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	60-10-0130	SHOP NOTE:	
Wire To "Rear Flasher" Switch / Circuit. Wire To Flash In "X" Pattern With "Rear Flashers" Rear Module Body Warning Lights. Whelen 900 Red/Amber/Blue or Clear Super "LED" Light (Ea) SHOP NOTE: Whelen Part #90RR5FRR - Red LED With Red Lens. Specify Location: (2) Front Module Wall. (1) Each Side Of The Forward Facing Center Clear. Wire Thru "Front Flasher:" Switch / Circuit. Whelen AFM560 LED/Halogen Flasher 5-Outlet 60 Watts (Ea) SHOP NOTE: #1 Wired To PRI/SEC Switch In Front Console. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Rear Wall Upper/Outboard 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Front Intersection 700 Series LED Light Heads. (3) Front Intersection 700 Series LED Light Heads. (1) Rear Center 600 Amber LED Light Heads. (1) Perror Center 900 Clear LED Light. (2) Upper Grille Area ION Red LED Light. (2) Upper Grille Area ION Red LED Light. (2) Upper Grille Area ION Red LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Lower Rear 600 Series LED Dishers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Reserse J Scene Lights. #3 To Power The "FRONT FLASHER" LED Light Heads: (2) Lower Rear 600 Series LED Reserse J Scene Lights. #4 To Power The "FRONT FLASHER" LED Light Heads: (2) ION Lights in The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design. Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely. Do Not Bury Switches. Easily Accessible And Visible. ***PATIENT COMPARTMENT*** Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE: TO DEALER SPECI			
Wire To Flash In "X" Pattern With "Rear Flashers" Rear Module Body Warning Lights. Whelen 900 Red/Amber/Blue or Clear Super "LED" Light (Ea) SHOP NOTE: Whelen Part #90RRSFRR - Red LED With Red Lens. Specify Location: (2) Front Module Wall. (1) Each Side Of The Forward Facing Center Clear. Wire Thru "Front Flasher:" Switch / Circuit. Whelen AFM560 LED/Halogen Flasher 5-Outlet 60 Watts (Ea) SHOP NOTE: #1 Wired To PRI/SEC Switch In Front Console. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Rear Wall Upper/Outboard 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Front Intersection 700 Series LED Light Heads. (3) Front Center 900 Clear LED Light Heads. (1) Front Center 900 Clear LED Light. (2) Upper Grille Area ION Red LED Light. (2) Upper Grille Area ION Red LED Light. (2) Upper Grille Area ION Red LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Lower Rear 600 Series LED Rehers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Rehers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Rehers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Rehers Above The Rear Bumper Pod And Outboard The Lower Boo Series LED Rehers Above The Rear Bumper Pod And Outboard The Lower Boo Series LED Rehers Remotely. ### To Power The "FORWARD CLEAR" LED Light Heads: (2) Ion Lights In The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design. Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely. Do Not Bury Switches. Easily Accessible And Visible. ***PATIENT COMPARTMENT*** Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SPATIENT COMPARTMENT** Standard Solid Surface Construction Interior		Center Portion Of Rear Door Windows.	
Whelen 900 Red/Amber/Blue or Clear Super "LED" Light (Ea) SHOP NOTE: Whelen Part #90RR5FRR - Red LED With Red Lens. Specify Location: (2) Front Module Wall. (1) Each Side Of The Forward Facing Center Clear. Wire Thru "Front Flasher." Switch / Circuit. Whelen AFM560 LED/Halogen Flasher 5-Outlet 60 Watts (Ea) SHOP NOTE: #1 Wired To PRI/SEC Switch In Front Console. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Rear Wall Upper/Outboard 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (3) Front Intersection 700 Series LED Light Heads. (1) Front Center 900 Clear LED Light Light. (2) Upper Grille Area ION Red LED Light Heads. (3) Lear Wheel Well 700 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (3) Lower Rear 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Light Heads: (2) Ion Light In The Lower Grille Area. Wire To Flashers. Stone T		Wire To "Rear Flasher" Switch / Circuit.	
SHOP NOTE: Whelen Part #90RR5FRR - Red LED With Red Lens. Specify Location: (2) Front Module Wall. (1) Each Side Of The Forward Facing Center Clear. Wire Thru "Front Flasher." Switch / Circuit. Whelen AFM560 LED/Halogen Flasher 5-Outlet 60 Watts (Ea) SHOP NOTE: #1 Wired To PRI/SEC Switch In Front Console. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Rear Wall Upper/Outboard 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (3) Front Intersection 700 Series LED Light Heads. (1) Front Center 900 Clear LED Light Heads. (1) Front Center 900 Clear LED Light Heads. (2) Upper Grille Area ION Red LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads: (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (3) Lower Rear 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Reverse / Scene Lights. #3 To Power The "FRONT FLASHER" LED Light Heads: (2) Front Red 900 Lights. Positions 2,4. #4 To Power The "FORWARD CLEAR" LED Light Heads: (2) IoN Lights In The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design. Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely. Do Not Bury Switches. Easily Accessible And Visible. ***PATIENT COMPARTMENT*** Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.		Wire To Flash In "X" Pattern With "Rear Flashers" Rear Module Body Warning Lights.	
Specify Location: (2) Front Module Wall. (1) Each Side Of The Forward Facing Center Clear. Wire Thru "Front Flasher." Switch / Circuit. Whelen AFM560 LED/Halogen Flasher 5-Outlet 60 Watts (Ea) SHOP NOTE: #1 Wired To PRI/SEC Switch In Front Console. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Rear Wall Upper/Outboard 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Front Intersection 700 Series LED Light Heads. (3) Front Center 900 Clear LED Light Heads. (1) Front Center 900 Clear LED Light. (2) Upper Grille Area ION Red LED Light. (2) Upper Grille Area ION Red LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Lower Rear 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Reverse / Scene Lights. #3 To Power The "FRONT FLASHER" LED Light Heads: (2) Front Red 900 Lights. Positions 2,4. #4 To Power The "FORWARD CLEAR" LED Light Heads: (2) ION Lights In The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design. Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely. Do Not Bury Switches. Easily Accessible And Visible. ***PATIENT COMPARTMENT*** Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	60-10-2000	SHOP NOTE:	2
(2) Front Module Wall. (1) Each Side Of The Forward Facing Center Clear. Wire Thru "Front Flasher:" Switch / Circuit. Whelen AFM560 LED/Halogen Flasher 5-Outlet 60 Watts (Ea) SHOP NOTE: #1 Wired To PRI/SEC Switch In Front Console. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Rear Wall Upper/Outboard 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (3) Front Intersection 700 Series LED Light Heads. (4) Front Center 900 Clear LED Light Heads. (5) Front Promited Front Promited Flashers (2) Rear Window Level 900 Series LED Light Heads. (6) Rear Window Level 900 Series LED Light Heads. (7) Rear Window Level 900 Series LED Light Heads. (8) Lower Rear 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Reverse / Scene Lights. #3 To Power The "FRONT FLASHER" LED Light Heads: (2) Front Red 900 Lights. Positions 2,4. #4 To Power The "FORWARD CLEAR" LED Light Heads: (2) ION Lights In The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design. Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely. Do Not Bury Switches. Easily Accessible And Visible. ***PATIENT COMPARTMENT*** Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.			
Whelen AFM560 LED/Halogen Flasher 5-Outlet 60 Watts (Ea) SHOP NOTE: #1 Wired To PRI/SEC Switch In Front Console. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Rear Wall Upper/Outboard 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Front Intersection 700 Series LED Light Heads. (3) Rear Center 600 Amber LED Light Heads. (1) Front Center 900 Clear LED Light. (2) Upper Grille Area ION Red LED Lights. #2 To Power The "REAR FLASHERS" LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Rear Goo Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Reverse / Scene Lights. #3 To Power The "FRONT FLASHER" LED Light Heads: (2) Front Red 900 Lights. Positions 2,4. #4 To Power The "FORWARD CLEAR" LED Light Heads: (2) ION Lights In The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design. Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely. Do Not Bury Switches. Easily Accessible And Visible. ***PATIENT COMPARTMENT*** Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.			
SHOP NOTE: #1 Wired To PRI/SEC Switch In Front Console. (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Rear Wall Upper/Outboard 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Front Intersection 700 Series LED Light Heads. (1) Rear Center 800 Amber LED Light Heads. (1) Front Center 900 Clear LED Light Heads. (2) Upper Grille Area ION Red LED Light Heads. (2) Upper Grille Area ION Red LED Light Heads. (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Lower Rear 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Reverse / Scene Lights. #3 To Power The "FRONT FLASHER" LED Light Heads: (2) Front Red 900 Lights. Positions 2,4. #4 To Power The "FORWARD CLEAR" LED Light Heads: (2) ION Lights In The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design. Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely. Do Not Bury Switches. Easily Accessible And Visible. ***PATIENT COMPARTMENT*** Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges. Standard Smooth Headliner		Wire Thru "Front Flasher:" Switch / Circuit.	
(2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Rear Wall Upper/Outboard 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Front Intersection 700 Series LED Light Heads. (1) Front Center 600 Amber LED Light Heads. (1) Front Center 900 Clear LED Light Head. (1) Front Center 900 Clear LED Light Heads. (2) Upper Grille Area ION Red LED Light. #2 To Power The "REAR FLASHERS" LED Light Heads: (2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Lower Rear 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Reverse / Scene Lights. #3 To Power The "FRONT FLASHER" LED Light Heads: (2) Front Red 900 Lights. Positions 2,4. #4 To Power The "FORWARD CLEAR" LED Light Heads: (2) ION Lights In The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design. Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely. Do Not Bury Switches. Easily Accessible And Visible. ***PATIENT COMPARTMENT*** 65-00-9900 Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	60-11-5000		4
(2) Rear Wheel Well 700 Series LED Light Heads. (2) Rear Window Level 900 Series LED Light Heads. (2) Lower Rear 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The Lower 600 Series LED Reverse / Scene Lights. #3 To Power The "FRONT FLASHER" LED Light Heads: (2) Front Red 900 Lights. Positions 2,4. #4 To Power The "FORWARD CLEAR" LED Light Heads: (2) ION Lights In The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design. Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely. Do Not Bury Switches. Easily Accessible And Visible. ***PATIENT COMPARTMENT*** 65-00-0100 Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges. Standard Smooth Headliner		 (2) Front Wall Upper/Outboard 900 Series LED Light Heads. (2) Rear Wall Upper/Outboard 900 Series LED Light Heads. (2) Streetside Body 900 Series LED Light Heads. (2) Curbside Body 900 Series LED Light Heads. (2) Front Intersection 700 Series LED Light Heads. (1) Rear Center 600 Amber LED Light Head. (1) Front Center 900 Clear LED Light. 	
(2) Front Red 900 Lights. Positions 2,4. #4 To Power The "FORWARD CLEAR" LED Light Heads: (2) ION Lights In The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design. Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely. Do Not Bury Switches. Easily Accessible And Visible. ***PATIENT COMPARTMENT*** Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges. Standard Smooth Headliner		(2) Rear Wheel Well 700 Series LED Light Heads.(2) Rear Window Level 900 Series LED Light Heads.(2) Lower Rear 600 Series LED Flashers Above The Rear Bumper Pod And Outboard The	
(2) ION Lights In The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design. Include Scan Lock Button In Electrical Cabinet For Each Flasher. Allows The End User To Change Flash Patterns Remotely. Do Not Bury Switches. Easily Accessible And Visible. ***PATIENT COMPARTMENT*** Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges. Standard Smooth Headliner			
Flash Patterns Remotely. Do Not Bury Switches. Easily Accessible And Visible. ***PATIENT COMPARTMENT*** Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges. Standard Smooth Headliner		#4 To Power The "FORWARD CLEAR" LED Light Heads: (2) ION Lights In The Lower Grille Area. Wire To Flash Alternate - Wig Wag Design.	
PATIENT COMPARTMENT Standard Solid Surface Construction Interior Cabinets SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges. Standard Smooth Headliner			
65-00-0100 Standard Solid Surface Construction Interior Cabinets 65-00-9900 SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges. 65-01-2000 Standard Smooth Headliner		Do Not Bury Switches. Easily Accessible And Visible.	
SPECIAL NOTE TO DEALER SHOP NOTE: Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges. Standard Smooth Headliner			
65-01-2000 Standard Smooth Headliner		SPECIAL NOTE TO DEALER SHOP NOTE:	
65-01-2000 Standard Smooth Headliner		Published Options List MAY Result In Additional Charges.	
65-01-3000 1/4" Clear Polycarbonate Sliding Doors On Cabinets SHOP NOTE: Includes Brushed Finish Interior Trim.		1/4" Clear Polycarbonate Sliding Doors On Cabinets SHOP NOTE:	

01/14/2020		Page 2
PART NO 65-02-2230	"Complete Package" Stryker Power Load System	QTY
	SHOP NOTE:	
	Includes: Complete Stryker #6390 Power-LOAD System Installed.	
	Mounted In Center Position.	
	Floor Structure - Tapping Blocks.	
	Wired With 10-Gauge Power And Ground With A 15-Amp Circuit Breaker Powered By Shoreline Or Battery On Power.	
	DELETE Standard Life Line Floor Mount For Push Rail. No Required.	
	This Option Does NOT Include Cot.	
	Includes Stryker Standard 1-Year Warranty On Power-LOAD. See Option #65-02-2253 For Stryker "PREVENT" ProiCare Extended Warranty, Stryker Part #76011PT.	
65-02-2253	Stryker Power-LOAD PREVENT ProCare Extended Warranty #76011PT	1
	SHOP NOTE: Specify Custom Option:	
	Stryker ProCare "Power-LOAD" Extended Warranty. PREVENT. Stryker Part #76011PT (With Batteries).	
	Coverage For (6) Additional Years In Addition To Stryker Standard (1) Year Warranty. Total Warranty: (7) Years.	
	Prevent Includes:	
	*Stryker ÖEM Parts. *Labor And Travel Expense.	
	*Battery Servicing And Replacement.	
	*Stryker-Trained Service Specialist. *2-Hour Call Back Time.	
	*24-72 Hour Turnaround Time.	
	*Documentation For Governing Bodies.	
	*Annual PM Inspection Service.	
	NOTE: This Warranty Is Thru Stryker And Not Associated With Specialty Vehicles, Inc. / Life Line Emergency Vehicles. All Claims / Services To Be Handled By Stryker.	
	Does NOT Includes Year #1 PM Service.	
65-02-8000	L.R.O. Cabinet With Speed Load Door	1
	SHOP NOTE: With Positive Lock Feature.	
	To Include (1) PVC Adjustable Shelf Each Side Of Center Full Height Divider.	
65-03-3500	L.C.O. Cabinet With Speed Load Door	1
	SHOP NOTE: With Positive Lock Feature.	
	Same Depth And Height As Overhead Cabinets.	
	Includes (1) Adjustable PVC Shelf.	
	Vehicle Does Not Include Side CPR Seat.	
65-03-7500	L.F.O. Cabinet With Speed Load Door SHOP NOTE:	1
	With Positive Lock Feature.	
	To Include (1) PVC Adjustable Shelf Each Side Of Center Full Height Divider.	
65-04-1000	Left Rear Base Cabinet With Sliding Polycarbonate Door SHOP NOTE:	1

1/14/2020 PART NO	DESCRIPTION Includes (1) Adjustable shelf.
	Shallow Cabinet Depth Due To Split Depth In Exterior D-4 Compartment.
	Similar To Previous Unit #4390.
65-04-6600	Delete Standard Telemetry Area Cabinet SHOP NOTE: No Lip On Telemetry Area Counter Top. Match Previous Unit #4390.
65-04-8100	Delete Standard Lower Telemetry Area Cabinet (Factory Use) SHOP NOTE: Deleted Due To Custom Compartment Or Cabinet Design ILOS.
65-04-8500	Action Area Cabinet With Sliding Polycarbonate Door SHOP NOTE: Forward Section To Be For Elite Switch Panel, 12V Outlet, 125V Outlet And Department Installed
	Radios.
	Cabinet To Be 17-1/2" H x 18" W x 8-1/2" D.
	125V And 12V Outlets To Be Mounted Up High.
65-05-2100	Delete Standard Lower Action Area Cabinet (Factory Use) SHOP NOTE: Deleted Due To Custom Compartment Or Cabinet Design ILOS.
65-05-3600	Delete STD Action Area Tip-Out Trash Cabinet (Factory Use) SHOP NOTE: Deleted Due To Custom Compartment Or Cabinet Design ILOS.
65-05-5000	Cabinets ILOS Side Facing CPR Seat SHOP NOTE: CPR Seat Is Closed Off With Hinged Flip-Up Door With Gas Shocks. To Be Even With Countertops. The Paddle Handle Is To Be Mounted On The Top ILO The Face. Laminated Countertop. This Requires A Special Latch. Part # C01094 Southco Push To Close Latch. Similar to 4082.
	Vehicle Will Not Have Side CPR Seat.
	Similar To Previous Unit #4390.
65-05-8600	EVS 1780S Rear Facing Seat On Pedestal/Swivel Base SHOP NOTE: Specify Medi-VAC Color: MV112 Claret (Red). #1780S Seamless EVS Seat.
	Includes EVS Provided Pedestal Base For Compliance.
	Includes 3-Point Seat Belt.
	SPECIAL NOTE: Move The Attendant Seat Towards The Center To Match Unit #4390. Need To Make The Seat Swivel In All Locations Without Hitting The Electrical Closet.
	Additionally, The Seat Must Be Able To Access The Computer Installed On The Countertop Of The Lower Pass Thru.
65-05-9795	Delete Contoured Ergo Backrest/IMMI 4 Point Seatbelt (Ea) SHOP NOTE: (1) Curbside Squad Bench. Includes (2) Seated Positions On Curbside Squad Bench. (1) Street Side CPR Seat. Side CPR Seat Not Required.

01/14/2020 PART NO	DESCRIPTION	Page 2 QTY
65-06-2000	Rear Facing Electrical Cabinet And Door	
	SHOP NOTE: Vent Accordingly.	
65-06-9000	Cabinet Above The Walk-Thru With Hinged Solid Door	
	SHOP NOTE: Specify Hinge Side:	
	Two (2) Cabinets With Solid Doors.	
	Ceiling Height Cabinet To Be For Printer. Must Have 10" Clear Opening. Install M1Latch With Separate Key Lock Cylinder On Left Side Of The Cabinet So It Does Not Interfere With The Paper Tray. Top Hinged Door. Requires Printer To Be Secured To Cabinet Bottom.	
	Bottom Cabinet With Dual Hinged Doors With M1 Latch With Separate Key Lock Cylinder On Left Hinged Door. Miscellaneous Storage. A Department Supplied Metal Narcotics Box Will Be Installed On The Floor Of This Cabinet. Blue Narcotics Cabinet Measures 10" W x 7-1/2" Deep x 3-3/4" High With Flip Up Top Lid.	
	Must Have 20" Clear Opening Height From The Bottom Of The Pass Thru Cabinets And The Lower Pass Thru Cabinet Corian Counter Top For Computer.	
	Upper Cabinets Must Be Made To Accommodate The Equipment Carried. CRITICAL.	
	NOTE: Upper Bottom Cabinet Will Not Contain Vents. Bottom Cabinet With Hinged Doors To Contain Separate Key Lock Cylinder Due To Narcotics Stored Within Cabinet.	
65-07-2000	Delete Right Front Upper ALS Cabinet Doors SHOP NOTE: See Option #65-07-9000 For Full Height Right Front Stack.	1
65-07-5000	Delete Right Front Lower ALS Cabinet Doors	
00-07-0000	SHOP NOTE: See Option #65-07-9000 For Full Height Right Front Stack.	
65-07-6000	Full Height ALS Cabinet Solid Doors	-
	SHOP NOTE: Trim The Open Edges With Stainless Steel.	
	NOTE: Match #4082 With A Small Lip At The Bottom Of The Cabinet.	
	See Option #65-CS-1200 For Net Across Opening.	
65-07-9000	Add Cabinet In The Lower Walk-Thru Area	·
	SHOP NOTE: With Solid Surface Corian Counter Top Area. Includes Standard Lip.	
65-07-9500	CS Squad Bench w/Contoured Ergo Backrests w/2 Piece Lid & Divider	
	SHOP NOTE: Includes 2 Sets Of Black IMMI 4-Point Seat Belts	
	Includes 3 Cot Restraints & Retractors.	
	Backrest Color To Be: Claret MV112.	
	Match Previous Unit #4390. Floor To Top Of Lids Is 19-7/8" High.	
	Forward Lid Is Fixed Due To Drawer And Sharps/Waste Storage Accommodations.	
	Drop Foot End Of Storage Under Squad Bench To Floor For Added Storage.	
	NOTE: There Is 70 3/8" From The Rear Wall To The "A" Bar Cushion.	
65-08-4900	Formed Stainless Removable "A" Bar At Head Of Squad Bench	
	SHOP NOTE: Mounted At The Head Of The Squad Bench ILOS Cushion Area.	
	Does Not Contain Sharps Or Waste Containers.	

01/14/2020 PART NO	DESCRIPTION	Page 23
	Includes Removable Pin At Connection Point That Allow The "A" Bar To Be Removed.	
65-08-8500 65-09-2000	Squad Bench Headrest Cushion Two Section Bandage Cabinet With Speed Load Doors SHOP NOTE: Specify Cabinet Depth: 10".	1
	Add 1/2" Angle To Bottom Front Face Floor Of The Cabinets Interior To Prevent Objects From Falling Out When Opening Cabinets.	
	Non-Framed Polycarbonate Doors.	
	NOTE: Cannot Use Speed Load Door Due To Height Of Cabinet.	
	Match Previous Unit #4390.	
65-09-6100	Recessed Glove (Three) Box Storage In Side Door Cushion Area SHOP NOTE: (1) Above Rear Entry Doors.	2
	(1) Above Side Entry Door.	
	Recessed Storage Box With Top Hinged Polycarbonate Door.	
	SPECIAL NOTE: Unless Otherwise Specified, Cabinet Will Fit A 5" High x 10" Wide x 4" Deep Glove Box.	
65-09-8000	Single Metal Glove Butler (Ea) SHOP NOTE: Specify Location: In Cab On Lower Pass Thru Wall.	1
	Move Towards Streetside Near Vertical Welting To Allow Emergency Access System Lock Cabinet To Be Secured To Lower Pass Thru Wall On Right Side Of Metal Glove Holder.	
	Location To Match Previous Unit #4390.	
65-09-8500 65-10-0000	100" Long Formed Streetside Ceiling Grab Rail Custom Length Formed Curbside Ceiling Grab Rail SHOP NOTE:	1
	Specify Custom Length: 60".	
65-10-0500 65-10-2500	Formed "L" Door Assist Rails Mounted On The Hinge Side Formed Assist Rail On The Left Rear Wall SHOP NOTE:	1 1
	12" Assist Rail Is Standard Size.	
65-10-5000	Two C.P.I. #IV2008 Rubber Recessed IV Brackets SHOP NOTE: (2) Mounted In The Mid/Rear Cot Position.	1
65-10-6100	Add C.P.I. #IV2008 Rubber Recessed IV Bracket (Ea) SHOP NOTE:	2
	Specify Location: (2) Mounted In The Forward Cot Position.	
65-10-9000	Southco Cabinet Latches SHOP NOTE: SouthCo M1 Stainless Latches To Be Used For All Piano Hinged Heavy Polycarbonate Doors And Slide-Out Drawers.	1
	SouthCo C5 Black Push Button Latches To Be Used For Lower Pass Thru Cabinet Door (Left Only) And Upper Right Front Stack Cabinet Doors.	
	SouthCo M1 Latch To Be Used For Lower Pass Thru Cabinet Door On Right Side Where Portable Oxygen Slides Out.	

Page 24 01/14/2020 DESCRIPTION QTY PART NO Latches To Be Compliant With Change Notice 11 Unless Otherwise Noted. Locking Cabinet Drawer With Separate Key Lock (Ea) 3 65-11-3500 SHOP NOTE: Specify Cabinet Location: (1) Below Telemetry Counter Top. Smithworks IV Warmer Cabinet. (1) Lower Telemetry Area Below 1st Drawer. Customer To Store Bio Hazard Supplies. (1) Face Of Squad Bench To The Rear Of The BioWaste Drawer, 6" H x 12" W x 17" D. All Slide-Out Drawer To Match Previous Unit #4390. All Locking Cabinet Drawers And Doors To Be Keyed Alike. Stainless M1 Latch With Separate Locking Cylinder. 3 65-12-3600 Locking Cabinet Door (Separate Cylinder Lock) **SHOP NOTE:** Specify Cabinet Location: (1) Lower Pass Thru Cabinet. (Where Engel Cooler Is Installed). (1) Cabinet Directly Above Cab To Module Pass Thru Window / Below Printer Cabinet. Where Narcotics Blue Box Is Stored. (1) Cabinet Above The Pass Thru. Top Cabinet At Ceiling Height Where Printer Is Stored. Slide Out Sharps And Waste BioWaste Drawer 65-13-1600 SHOP NOTE: Specify Cabinet Location: Specify Cabinet Location: Face Of Squad Bench. Head End. Includes #8970 Sharps Container And Standard Rubbermaid Waste Container. Waste At Face Of Opening And Sharps To Rear Section. Includes M1 Latch On Door. 65-15-0001 Interior Laminate: Mouse Matte 928-58 Seam Sealed Cushions "KKK" Vinyl: DA-314 Desert Rose (Dark Red) 65-17-0267 SHOP NOTE: This Vinyl May Be Sent to EVS For Back Rests & Medi-Vac Seating For Exact Matches. EVS Seamless/Medi-Vac Vinyl Color: Claret MV112 (Red Maroon) 65-17-0512 SHOP NOTE: Matches Oxen Maroon. Welting Between Cabinets: Maroon 65-18-0004 SHOP NOTE: 180-05 Counter Tops (Main). Stormy Gray (Dusk) 65-19-0001 SHOP NOTE: Standard With 1" Lip. No Lip In Telemetry Area Due To Swivel Bracket For Monitor. Top: Dusk. Middle: White. Bottom / Base: Dusk. Counter Tops (Accent Stripe): Glacier White 65-20-0005 **SHOP NOTE:** Standard With 1" Lip. No Lip In Telemetry Area Due To Swivel Bracket For Monitor.

01/14/2020 Page 25 DESCRIPTION PART NO QTY Top: Dusk. Middle: White. Bottom / Base: Dusk. Lonseal Floor Selection: Lonplate I #161 Metallic Gray 65-21-0017 **SHOP NOTE:** Rolled Up 6" On Both Sides. Match Previous Unit #4390. 1 65-CS-1200 Cargo Net Over The R.F.S. Cabinet ILOS Door(s) Full Height SHOP NOTE: Match Previous Unit #4390. Total Available Seating Positions In this Unit 65-CS-3000 SHOP NOTE: (7) Total Including Cab, Module and Stretcher. (2) Cab. (1) Attendant Seat. (1) Side CPR Seat. (2) Curbside Squad Bench. (1) Stretcher. Writing Board On Curbside Wall 65-DL-0100 SHOP NOTE: Specify Custom Option: Above Squad Bench Seat Lid On P-4 Compartment Wall Shall Contain A Writing Board. Secured To Wall With Fast Leads. Trim With Stainless Steel. As Large / Wide As Possible. Streetside Aisle Storage Cabinet Above Lower Pass Thru 65-DL-0200 SHOP NOTE: Specify Custom Option: Includes Right Hinged Solid Door With One (1) Vent At Top And One (1) Vent At Bottom. No Adjustable Shelving Inside Required. Make As High And Deep And Wide As Possible. ***PATIENT COMPARTMENT ENVIRONMENTAL SYSTEMS** 12 Volt Powered Fresh Air Intake 70-01-0500 SHOP NOTE: Circuit Wired Thru The Exhaust Vent Circuit And Switch. Turbo 4000 12 Volt Powered 4" Exhaust Fan ILOS 70-01-1010 SHOP NOTE: (1) Atwood 4" Fan. LL Part #E09226. (1) 4" Vent Hose. LL Part #M040666. (2) LL Aluminum Manifolds. (1) Additional CPI Low-Profile Vent. (2) Interior Perko Vents. 70-01-1600 Cabinet Mounted Free Blow 12 Volt Hoseline Rear Heat/AC Unit SHOP NOTE: Includes Digital Temperature on ELITE Display. Includes Climate Indicators For Heat/AC/Fan Speed. Includes High-Medium-Low Fan Speeds. Evaporator Model #ACHU1131. Inline Booster Coolant Pump 70-01-2400 SHOP NOTE: 12 Volt Centrifugal Pump To Boost The Flow Capacity Of The Coolant System.

01/14/2020 PART NO	DESCRIPTION	Page QT
171111	Installed In D-1 Compartment Behind Removable Access Panel.	
70-01-2500 70-01-4510	Standard R.F.S. Overhead Cabinet Heat/AC Unit Location Hoseline Front Wall Mounted Aux 12 Volt A/C Condenser (Type I Modular Body) SHOP NOTE:	
	Condenser Model #TMC2007. Dual Inner Liner Will Help Cool The Patient Compartment Faster, Low Profile Condenser.	
	Condenser Body To Be Painted Body Color.	
	Use Life Line Manufactured Brackets For A/C Condenser.	
	Must Be Above (3) 900 Series Flashers On Front Wall.	
	The Unit When Installed Must Be Easy To Remove From Wall If Needed.	
70-01-6520	Ultimate Additional Insulation Pkg with Yellow Certifoam Body/Floor/Doors (R-6) SHOP NOTE: Includes:	
	Step #1:	
	2" Thick Plank Non-Deteriorating High Density Yellow Certifoam Insulation Between All Framing Including Module Body Walls, Floor, Ceiling And Exterior Compartment Doors. All Insulation Shall Be Cut To Fit Between All Structures With Minimal Voids.	
	Step #2: Install A 4-MIL Vapopr Barrier Covering The Module Body Walls, Ceiling And Patient Entry Doors.	
	Step #3: Acoustic Dampening Material Shall Be Installed On All (4) Sides Of The Side Entry Door Step Well And Wheel Wells.	
	Step #4: A 3/8" Thick Thermal Heat And Sound Insulation Product Featuring 100% Synthetic Fiber Felt That Provides Sound And Comfort Control As Well As A High-Tech Foil Heat Barrier That Blocks 70% Of Radiant Heat Up To 1500-Degrees Fahrenheit Installed On The Underside Of The Aluminum Sub Floor System. The Material Shall Include The Following Characteristics: Lightweight, Durable Shield, Reduces Sound, Absorbs Vibration, Protects From Radiant Heat, Provide An Extra Layer Of Insulating Padding, Flame Retardant.	
	Step #5:	
	A Non-Permeable Sound Dampening Material That Is Moisture Resistant For Additional Insulation Shall Be Installed In Addition To The 4-MIL Vapor Barrier. This Insulating Material Shall Be Installed In All Walls.	
	The Closed Cell Neoprene Shall Include The Following Characteristics. Soft / Expanded / Closed Cell Foam Rubber, Flame Resistant - FMVSS 301 Self - Extinguishing, Service Temperature Of -40 To 250 Degrees Fahrenheit.	
	Step #6: All Floor Structural Tubes Shall Be Filled With Expanding Foam Insulation.	
70-01-6610 70-DL-0100	Automotive Grade Underbody Undercoating W/2nd Coat On Module Floor Slide-Out Tray For Engel Cooler	
	SHOP NOTE: Specify Custom Option: Life Line Manufactured White Powder Coated Slide Out Tray Designed To Secure Woonsocket Fire Supplied Engel Cooler.	
	Includes 1" Strap With Metal Buckle On Each End With To Secure To Slide Out Tray.	
	Includes Latch To Keep Closed / Stored Position.	
	Installed In Lower Pass Thru Cabinet.	
	Match Previous Unit #4390.	

01/14/2020 PART NO	DESCRIPTION	Page 27 QTY
75-01-0000 75-01-2000 75-01-4000	***OXYGEN SYSTEM*** Ohio Style Action Area Oxygen Outlet Ohio Style Ceiling Mounted Oxygen Outlet Ohio Style Right Wall Mounted Oxygen Outlet SHOP NOTE: Does Not Allow Tube Style Flowmeter To Be Installed.	1 1 1
75-01-6500	Add Ohio Style Oxygen Outlet(s) (Ea) SHOP NOTE: Specify Location: (1) Action Area Next To Standard Outlet.	1
75-01-8000	Interior Oxygen Access/Viewing Door SHOP NOTE: Access Door Will Be Polycarbonate Framed Door With M1 Latch. Lower Section Of IS/OS Access To The P-4 Compartment.	1
75-01-8600	"M" Oxygen Tank Bracket In Streetside Front Compartment SHOP NOTE: Specify Location: P-4 Compartment. Mounted On Wall #2. Similar To Previous Unit #4390.	1
	Includes Zico Ratchet Style Straps #3030-135-138 For Oxygen Bottle ILOS.	
75-02-3710	Drill Mounting Plate For Both "H" or "M" Tank For O2 Bracket SHOP NOTE: Set Up For "M" Cylinder At Delivery.	1
75-02-9500 75-03-3010	Oxygen Wrench Installed In Oxygen Compartment/Cabinet ZICO Model QR-D-2 Quick Release Strapless Portable Oxygen Tank Bracket SHOP NOTE: Specify Location: (2) Side Entry Door Step Well Area.	1 2
	Do Not Drop Step Well. Install Between "A" Bar Mounts.	
	Raise Off The Floor By 2" To Allow Cleaning Under The Brackets.	
75-DL-0100	Oxygen Regulator / Transducer SHOP NOTE: Specify Custom Option: Mount The Oxygen Bottle Regulator To Wall #3 Of P-4 Compartment. Oxygen Gauge To Face The P-4 Compartment Opening. Includes Braided Stainless Steel Line To Connect To Onboard Oxygen Tank That Is Long Enough To Hook Up Tank Outside Of Vehicle When Securing The Main Oxygen Bottle.	1
80-01-0000 80-01-1500	****SUCTION SYSTEM*** 12 Volt Gast Suction Pump Controlled By Switch on Switch Panel 1 Ohio Style Action Area Suction Outlet SHOP NOTE: Includes Quick Disconnect For Outlet. Mount Forward Of Suction Container In The Street Side Action Area.	1 1
	Includes Vacuum Connector (Male) With Proper Sized Metal Barb Fitting To Adapt To Suction Hose From Connector To Canister.	
80-01-7500	SSCOR 22000 Suction Unit W/23002 Disposable Trap Set SHOP NOTE: Includes Flush Mounted Action Area Panel And Disposable Trap Set.	1
	Includes Standard Suction Outlet #80-01-1500.	
	Includes Vacuum Connector (Male) With Proper Sized Metal Barb Fitting To Adapt To Suction Hose From Connector To Canister.	

01/14/2020 PART NO	DESCRIPTION	Page 2 QTY
85-00-0100	***PAINT*** Standard Axalta Paint Process And Warranty SHOP NOTE: Includes 6 Year Pro-Rated Paint Warranty.	
	Which Is As Follows: For 3 Years 100%. 4th Year 50%. 5th Year 25%. 6th Year 10%.	
85-01-0000	Repaint Chassis ILOS O.E.M. White SHOP NOTE: Touch-Up Paint Is Included For Colored Chassis.	1
	Specify Color: Red # L0762EW. Same As Previous Unit #4390.	
	At Time Of Painting Vehicle, Include (2) Additional Spray Out Cards. Install In Plastic Sleeve Secured To The Bottom Of The Interior Electrical Closet Door. Make Certain They Are Completely Dry Before Inserting In Sleeve.	
85-01-1500	Paint Module Body Other Color ILOS O.E.M. White SHOP NOTE: Touch-Up Paint Is Included For Colored Module Body.	1
	Specify Color: Red # L0762EW. Same As Previous Unit #4390.	
	At Time Of Painting Vehicle, Include (2) Additional Spray Out Cards. Install In Plastic Sleeve Secured To The Bottom Of The Interior Electrical Closet Door. Make Certain They Are Completely Dry Before Inserting In Sleeve.	
85-01-4500 85-02-8500	Delete Standard Beltline Stripe Custom Two-Tone Paint SHOP NOTE: Specify Location And Color: Paint The Module Roof O.E.M. White From The Roof Corner Extrusion In Approximately 6".	1 1
	White Area Not Visible From The Ground.	
85-02-9500 85-02-9585	Do Not Paint The Nader Pins/Install After Paint Process Paint AC Condenser Cover SHOP NOTE: Specify Color: Red # L0762EW.	1 1
85-03-0000	Standard 1/4" Black Reflective Edge Pinstripe SHOP NOTE: Applied To Top And Bottom Of Both Scotchlite Stripes.	1
	Tape Off Edges Before Any Buffing / Compounding To Prevent Build Up On The Pinstripe.	
85-03-5000	6" Scotchlite Striping (Per Foot) SHOP NOTE: Specify Color And Location: 3M 680 Series White Reflective.	75
	Start 3" Above The Lower Crash Rail Starting At Rear Of Vehicle And Go Straight Towards Cab. Do Not Drop Stripe Forward Of Rear Axle.	
	Match Unit #4390.	
	Send Paint / Graphics Layout Drawings For Approval.	
85-03-6000	10" Scotchlite Striping (Per Foot) SHOP NOTE: Specify Color And Location: Mid Body 3M 680 Series White Reflective Stripe. Includes Rear Wall.	75
	Match Previous Unit #4390.	

PART NO	DESCRIPTION	QTY
	Send Paint / Graphics Layout Drawings For Approval.	
85-03-7000	Painted Wheels SHOP NOTE: Specify Color: Match Cab And Module Body Color.	1
	Includes Painting Both Sides Of All (7) Wheels.	
	Includes Removing Tires, Wheel Weights And Valve Stems Prior To Painting. Do NOT Tape Of Around Wheel Weights.	F
	Re-Balance All Tires After Painting Wheels.	
	Spray OEM Hubs And Nuts Gloss Black.	
85-04-0100	6" Wide Rear Wall Chevron (Two Color-Full Wall & Doors) SHOP NOTE: Specify Tape Color #1: 3M Red Diamond Grade #983-72NL. Specify Tape Color #2: 3M Fluorescent Yellow Green #983-23 ES.	1
	See Option #85-04-1200 For Diamond Grade Option.	
85-04-1200	Diamond Grade Chevron Upgrade SHOP NOTE: Specify Tape Color #1: 3M Red Diamond Grade #983-72NL. Specify Tape Color #2: 3M Fluorescent Yellow Green #983-23 ES.	2
	Al Stripes To Be 6" Wide.	
90-01-0400	***EMBLEMS AND DECALS*** Ship Exterior Labels / Decals Loose For Dealer To Install SHOP NOTE: Includes Rear Life Line Decal Only.	1 1
90-01-0600	Install Roof "SOL" Decal Only (Delete AMBULANCE Decals Only) SHOP NOTE: Delete Only The "AMBULANCE" Decals. Ship The Remaining Star-Of-Life Decals Loose.	1
90-01-1100	"NO SMOKING" - "FASTEN SEAT BELT" Decals SHOP NOTE: 1-Installed In The Cab. 1-Installed In The Module.	1
90-01-1200 90-01-5100	No Other Decals or Lettering Included Unless Specified Below Install 3/4" Red Reflective Tape Around Side And Rear Entry Doors SHOP NOTE: KKK-F Certification Requirement.	1 1
95-DL-0100	Delivery / Destination Charges SHOP NOTE: Specify Custom Option: Delivery From Life Line Manufacturing Facility In Sumner, Iowa To Woonsocket RI.	1
95-DL-0200	HGAC Fee SHOP NOTE: Specify Custom Option:	1
95-DL-0300	ESP PremiumCare Warranty - Ford Chassis SHOP NOTE: Specify Custom Option: PREMIUMCARE. Covers 1,000+ Components. See Attached Documents.	1
	Coverage Total Of 8 Years / 200,000 Miles / 8,000 Engine Hours / \$100.00 Deductible.	

01/14/2020 PART NO	DESCRIPTION	Page 30
95-DL-0400	Emergency Access System Lock Cabinet SHOP NOTE: Specify Custom Option: Supply / Install EAS Red Key Box In Cab.	1
95-DL-0500	Limo Tint Film On Module Body Windows SHOP NOTE: Specify Custom Option: Apply "Limo" Tint Film To All Module Body Windows For Added Privacy.	3
95-DL-0600	Remote Mobile Radio Cable SHOP NOTE: Specify Custom Option: Supply A Remote Radio Cable From Cab Front Console To Street Side Action Area.	1
95-DL-0700	Life Line To Install Cable During Construction. Printer Cable SHOP NOTE: Specify Custom Option: Install (1) USB Cable For Printer. From Printer To Computer. Install From Lower Pass Thru To Cabinet "M".	1
95-DL-0800	Havis Equipment Brackets SHOP NOTE: Specify Custom Option: Supply/ Install (2) Havis Equipment Brackets Front Cab Mobile Radios.	2
95-DL-0900	Kenwood TK7180 Mobile Radio And Installation SHOP NOTE: Specify Custom Option: Supply / Install The Following Radio System: *(1) Kenwood VHF Mobile Radio - TK7180HK. *(1) 2nd Microphone Adapter. Part #HKN6130A. *(1) Action Area Microphone. Part #HMN4069F. *(1) Action Area Speaker. Part #RSN4002. *(2) Antennas - 1-VHF / 1-800 Mhz. *(1) Volume Control. Part #LP8.	1
	Includes Remove And Reinstallation of 800 Mhz Radio From Old Rescue And (2) Motorola Vehicular Chargers.	
95-DL-1000	TransCor Computer System SHOP NOTE: Specify Custom Option: Supply / Install Computer System. See Quote From TransCor. Quote #: Quote Dated:	1
95-DL-1100	Ferno Washington Defibrillator Swivel Mount System SHOP NOTE: Specify Custom Option: Supply / Install (1) Ferno Washington Model D-360 Defibrillator Swivel Mount System In Telemetry Near D-3 Compartment.	1
05 DI 1000	Monitor Bracket To Secure Zoll X-Series Monitor.	1
95-DL-1200	Oxygen Flowmeters SHOP NOTE: Specify Custom Option: Supply / Install (2) Tube Style Flowmeters With Ohio Adapters And (1) LSP233 Click Style Flowmeter With Ohio adapter.	
	Click Style To Be 0-25 LPM.	

01/14/2020 Page 31 DESCRIPTION PART NO 95-DL-1300 3M 680 Series Printed Reflective Lettering SHOP NOTE: Specify Custom Option: 3M 680 Series Gold Reflective Lettering With Black Vinyl Drop Outline Shadow. Match Existing Fleet. 95-DL-1400 RI DOT Inspection **SHOP NOTE: Specify Custom Option:** Includes RI DOT Inspection. Wheel Chocks 95-DL-1500 SHOP NOTE: Supply (2) Orange Wheel Chocks. ***END OF QUOTE/PRODUCTION ORDER*** 1 Original & 1 Revision Work Order Before Penalty Pricing 95-SP-0100 SHOP NOTE: 1 Original Draft & 1 Revision Draft Work Order Before Penalty Pricing. The Revision Rate Is \$130.00 Per Hour With 1 Hour Minimum Charge. 95-SP-0200 1 Original & 1 Revision Drawing Before Penalty Pricing SHOP NOTE: 1 Original Draft & 1 Revision Draft Drawing Before Penalty Pricing. The Revision Rate Is \$130.00 Per Hour With 1 Hour Minimum Charge. Change After Sign-Off (Published Price + 50%) 95-SP-0600 Change After Production Start (Published Price + 75%) 95-SP-0700 Change After Production Completion (Published Price + 100%) 95-SP-0800 Life Line Indemnification Statement 95-SP-0850 SHOP NOTE: The purchaser aggrees to defend, idemnify and hold Life Line harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by alteration or modification of, or changes or additions to the purchased products or use of product purposes it was not designed or intended for. ***SIGNATURE-LIFE LINE EMERGENCY VEHICLES*** SHOP NOTE: This Is A Contract Between Life Line Emergency Vehicles And The Franchised Distributor Entering The Order. No Agreements Verbal Or Written Arrived At Between The Selling Distributor And The Purchasing Agency Not Listed On This Order Are Binding Upon Life Line Emergency Vehicles. THE VEHICLE IS BUILT TO THIS PRODUCTION ORDER. IT IS THE DISTRIBUTORS RESPONSIBILITY TO ASSURE THE VEHICLE MEETS THE CUSTOMER SPECIFICATIONS. Date Of Order: SPECIFY Franchised Distributor: SPECIFY Quote Number: SPECIFY Ordered By:



March 2, A.D. 2020

Ordinance

Chapter

TRANSFERRING FUNDS

IT IS ORDAINED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET AS FOLLOWS:

SECTION 1. That the following funds be transferred from and to the following accounts:

FY20	DIVISION	ACCOUNT NO.	APPROPRIATION	OBJECT ITEM	AMOUNT
FROM	M: City Capital Fund	1597-51455-55500	Expenditures	Unallocated	\$30,000
TO:	Fire Division General Fund	1010-05355-55542	Capital Outlays	Fire Safety Improvements	\$30,000
				6	

REASON FOR REQUEST:

To transfer funds from the Capital Fund to the General Fund's Fire Department's Fire Safety Improvements account in order to fund 10% required match for \$300,000 Federal Assistance to Firefighters Grant to purchase portable radios and structural firefighting turnout gear washer extractors and dryers.

SECTION 2. This Ordinance shall take effect immediately when signed by the Mayor following its passage by the City Council as provided in Chapter III, Section 5 of the Woonsocket Home Rule Charter and all Ordinances or parts of Ordinances inconsistent herewith are hereby repealed.

Daniel M. Gendron, City Council President Per Request of Administration



March 2, A.D. 2020

Ordinance

Chapter

AMENDING THE CODE OF ORDINANCES, CITY OF WOONSOCKET, RHODE ISLAND, ENTITLED "ALCOHOLIC BEVERAGES", CHAPTER 3, SECTION 3.5.(c)

WHEREAS, the City has had experiences wherein the need to immediately address public safety issues has arisen; and

WHEREAS, the Public Safety Division has recommended changes to Chapter 3 of the Code of Ordinances "Alcoholic Beverages" of the City of Woonsocket for more clarification.

IT IS ORDAINED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET AS FOLLOWS:

SECTION 1. Entitled "Alcoholic Beverages" is hereby amended by adding (1) as follows:

Sec. 3-5. Board of Commissioners Established.

- (c) Issuance and revocation of licenses. The board shall have the authority to approve, issue, renew, transfer, suspend or revoke any or all alcoholic beverages licenses under its control within the city and may also from time to time reduce or increase the number of any class of licenses in each category as shall be authorized and empowered by state law.
 - (1) Unless otherwise provided by state law, suspend, annul, rescind, cancel or revoke any license issued by the board of licenses for any reason which the board may deem to be in the public interest; provided, however, that no license shall be suspended for more than seventy-two (72) hours or annulled,

1

rescinded, cancelled or revoked unless the licensee shall have been given at least three (3) days' written notice of the action proposed to be taken and of the grounds therefor and the time and place of the hearing. The said licensee shall also be notified of the right to be represented at said hearing by legal counsel.

SECTION 2.

This Ordinance shall be enacted in accordance with the provisions of Sections 45-24-27 and 45-24-72 of the Rhode Island General Laws, and amended, and shall take effect on the eleventh consecutive day following its passage by the City Council as provided in Chapter III, Section 9 of the Woonsocket Home Rule Charter and all Ordinances or parts of Ordinances inconsistent herewith are hereby repealed.

Daniel M. Gendron, City Council President



February 17, 2020 A.D.

Resolution

AUTHORIZING THE CANCELLATION OF CERTAIN TAXES

WHEREAS, The City Assessor, recommends that the said taxes be cancelled and/or refunded in the amount as respectively and particularly set forth in said report.

IT IS HEREBY RESOLVED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET AS FOLLOWS:

- Section 1: That the said above described report be incorporated in and attached to this resolution and that the said report be made a part and parcel hereof.
 - Section 2: That the City Council hereby orders that said taxes be cancelled and/or refunded.
- Section 3: That the City Clerk of the City Council shall, upon the passage of this resolution forthwith certify to the City Treasurer and Tax Collector, of this city, that the taxes specified and itemized in said report have been cancelled and abated in the amounts as respectively and particularly set forth in said report; and that the Finance Director of the city of Woonsocket is hereby authorized, on the passage of this resolution, to make refunds in the amount or amounts as respectively and particularly set forth in said report.
 - Section 4: This resolution shall take effect upon passage.

Daniel M Gendron
By request of The Administration

ASSESSOR'S ABATEMENT CODES

CODE REASON

- 50 Erroneously assessed due to incorrect field data/incorrect classification
- 51 Veteran/Blind/Elderly/Veterans Widow Exemption not applied
- 52 Incorrect amount abated on previous abatement listing or error on prior certification
- 53 Non-Utilization Tax assessed subsequent to sale of property or/assessed in error
- 54 Homestead Exemption not applied/incorrectly classified
- 55 Tax Exempt.
- 56 Inventory exempt due to wholesaler's exemption
- 57 Legal Residence Out of Town Prior to Assessment Date
- 58 Registration Cancelled Vehicle sold
- 59 Vehicle traded in, or repossessed, and/stolen not recovered/seized by police
- 61 Vehicle garaged and/or registered out of City/State
- 62 Double taxation on vehicle
- 63 Over assessed on vehicle/registry error
- 64 Incorrect year/model/make of vehicle
- 65 Vehicle destroyed in accident
- 66 Should have been tax lien
- 67 Business relocated out of City prior to assessment date
- 68 Double taxation on Business/over overassessed on business
- 69 Out of Business prior to assessment date/business sold to new owner & recertified
- 70 Company erroneously included manufacturing equip/inv in their report of valuation
- 71 Company erroneously included, leasehold expenses, cash and other expenses, and/or overstated their assets
- 72 Removal of porches, decks, garages, pools, sheds or underground tanks
- 73 Double taxation on Real Estate
- 74 Over assessed due to adjustment in degree of building completion as of December 31st
- 75 Over assessed due to error in computation of valuation which was not in conformity with surrounding properties
- 76 Building (s) demolished prior to assessment date
- 77 Property was assessed at incorrect tax year/ incorrect tax rate/ incorrect field data
- 78 Adjustment to property valuation due to extreme deterioration prior to assessment date
- 79 Property sustained fire damage prior to assessment date
- 80 5 +5 Plan
- 81 Party deceased prior to assessment date
- 82 Per Order of the City Council
- 83 Original abatement was approved and granted last year, but not carried forward for this year's tax roll
- 84 Per advice & recommendation of Law Dept.
- 85 Per Court Order
- 86 First Appeal/Submitted by the Tax Board of Assessment Review
- 87 Wrong party recertified//wrong classification-recertified
- 88 Tax Exempt Interstate Commerce Vehicles Equipment assessed to tax exempt entity.
- 89 Value reduced by R.I. Vehicle Value Commission
- 90 Property taken over by the State for highway purposes
- 91 Tax Settlement Agreement / "PILOT " Agreement / Option Agreement
- 92 Bankruptcy
- 93 Lot dropped and added to another lot
- 94 Job Incentive Creation Program Exemption
- 95- Due to the new software system an abatement must be done prior to a recertification of taxes
- 96 Pro-Rated Homestead Exemption
- 97- Assessment adjustment due to supporting documentation submitted by taxpayer
- 98- Remove Homestead Exemption / recertified exemption credit
- 99 Motor Vehicle Phase Out

Amendment Report Abatement	Abatement	Wo	Woonsocket, RI	Posting Date //	
Status Pending		4	February 17, 2020	Transaction Date //	
Page 1				Report Printed 02/10/2020 02:22:15 PM	15 PM
R00-0309-63	2019 RP Tax Roll	PAQUETTE JR. ROGER A 81 BAYBERRY ROAD WOONSOCKET RI 02895	61D-204-020 at 81 BAYBERRY RD	96 PRO RATED HOMESTEAD	\$434.48
T00-0059-47	2019 Tng Tax Roll	SIBN LLC C/O DANIEL J. & SUSAN MCKEE 12 HILLSIDE ROAD CUMBERLAND RI 02864	WOONSOCKET HEALTH AND RB CLUB	69 OUT BUSINESS	\$2,650.40
T00-8392-80	2019 Tng Tax Roll	STERICYCLE INC 846 CUMBERLAND HILL RD WOONSOCKET RI 02895	STERICYCLE INC	68 Double Taxation	\$2,329.00
				Total	\$5,413.88



February 17, A.D. 2020

RESOLUTION

DIRECTING THE MAYOR, THROUGH HER ADMINISTRATION TO ISSUE A REQUEST FOR PROPOSAL TO EMPLOY A VENDOR TO PERFORM A SPACIAL ASSESSMENT ANALYSIS FOR THE POLICE AND FIRE DEPARTMENTS

2

WHEREAS, The Fire and Police Departments are in need of a current analysis of their facilities and equipment as well as a recommendation for determining needs based on current and future service demānds to include station locations, apparatus, and response time reduction; and

WHEREAS, The City Council is seeking a vendor to analyze the current location and physical conditions of our fire and police departments and a cost analysis associated with all recommended improvements.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET AS FOLLOWS:

SECTION 1: The City shall request for proposals and solicit bids for analysis of Fire and Police Department facilities and equipment, including recommendations for determining needs based on current and future service demands to include station locations, apparatus, and response time reduction, no later than March 23, 2020.

SECTION 2: That the bids results be provided to the City Council on or before April 23, 2020.

SECTION 3: This Resolution shall take effect immediately upon passage by the City Council.

Denise D. Sierra Woonsocket City Council



Resolution

February 17th, A.D. 2020

GRANTING PERMISSION TO USE CITY PROPERTY

- WHEREAS, Autumnfest is a community event celebrating its 42nd anniversary year; and
- WHEREAS, the Autumnfest Steering Committee respectfully requests permission to use the city park, WWII Veterans Memorial Park, and other surrounding parcels on Columbus Day weekend as well as several weeks before the festival to allow for set up; and
- WHEREAS, the Autumnfest Steering Committee is proud to once again partner with the City of Woonsocket, the Rotary Club of Woonsocket, and many wonderful local sponsors; and
- WHEREAS, Autumnfest has a long standing tradition of being a City sponsored event; and
- WHEREAS, Autumnfest is more than just a festival; it is the pride of our community and brings in nearly 100,000 people to the City that has a great impact on our local economy as well as showcases one of the best things about Woonsocket.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET, AS FOLLOWS:

The City of Woonsocket grants permission of WWII Veterans Memorial Park, Bouley Field (fireworks), a section of East School Street, 179 East School Street, and city owned land on East School Street (Plat 20, Lot 16), from October 9th, 2020 till October 12th, 2020, along with two weeks prior for set-up and one week after to break down, to the Autumnfest Steering Committee and its partners.

- Section 2. The Autumnfest Steering Committee shall be allowed to use all facilities in the park such as the grounds, bathrooms, concession stand, playground, ball field, basketball courts, parking lots, lampposts/lights, scoreboard, bleachers, etc.
- Section 3. The "Home of Autumnfest" sign shall be reinstalled by the Public Works Department at the park entry on Social Street no later than April 1st, 2020 and shall remain in place.
- Section 4. The Autumnfest Steering Committee shall send an insurance certificate to hold the City of Woonsocket harmless for any and all claims on city property through their insurance company at least one week prior to the event.
- Section 5. This resolution shall take effect immediately upon passage by the City Council.

David M. Soucy Woonsocket City Council Member



February 17, A.D. 2020

Resolution

AUTHORIZING THE PUBLIC WORKS DIRECTOR TO ENTER INTO A CONTRACT WITH T. MIOZZI INC.

- WHEREAS, the City of Woonsocket advertised Bid #5940 for competitive bidding for roadway improvements to Park Avenue; and
- WHEREAS, the lowest bidder was T. Miozzi, Inc. of North Kingstown, RI, in the amount of Four Hundred Thousand Five Hundred Seventy-Three dollars and Seventy-Five (\$400,573.75) (as shown in Exhibit A); and
- WHEREAS, the City is desirous of awarding the bid to T. Miozzi, Inc. of North Kingstown, RI.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET, RHODE ISLAND, AS FOLLOWS:

- The City Council authorizes the Public Works Director to award the bid and enter into a contract with T. Miozzi, Inc., for roadway improvements to Park Avenue, as detailed in the attached bid proposal (Exhibit A) per City Bid #5940 in the amount of Four Hundred Thousand Five Hundred Seventy-Three dollars and Seventy-Five (\$400,573.75) to be funded with CDBG Grant funds.
- **SECTION 2.** This Resolution shall take effect immediately upon its passage by the City Council.


Daniel M. Gendron
City Council President
By the Request of the Administration

OAD	WAY	ROADWAY IMPROVEMENTS - PARK AVENUE			BID 5940			1/23/2020
				T. Miozzi, Inc.	i, Inc.	Ğ	Pawtucket Hot Mix	Hot Mix
ltem#	Qty.	Description	Units	Price	Total	Units	Price	Price
-	269	Remove & Dispose sidewalks	AS	\$8.50	\$ 5.924.50	50 Sv	\$15.00	\$ 10.455.00
2	159	Earth Excavation for wheelchair ramps, driveways/sidewalks	ე გე	\$20.00	\$ 3.180.00		\$10.00	
က	62	Gravel Borrow for wheelchair ramps, driveways & sidewalks	· 5	\$25.00			\$20.00	
	43	Catch basin sediment capture device	each	\$100.00		a	\$75.00	
	2,207		ton	\$75.00	\$ 165,525.00	00 ton	\$96.00	\$211,872.00
	20,294	-	sy	\$.35	\$ 7,102.90	90 sy	\$.01	\$ 202.94
7	ო	Portland cement concrete sidewalks, 4 inches, Woonsocket standard	δ	\$300.00			\$375.00	\$ 1,125.00
	156	Install wheelchair ramps in ranite curbed areas, 8" Woonsocket standard	δ	\$300.00	\$ 46,800.00		\$375.00	\$ 58,500.00
+	1,030	Remove, handle, haul, trim, reset curb edging straight, circular, all types	Ŧ	\$25.00	\$ 25,750.00	00 If	\$20.00	\$ 20,600.00
0	31	Granite curb, 7 inch quarry split, straight, Woonsocket standard 7,3,2	Ŧ	\$40.00	\$ 1,240.00	JI 00	\$80.00	\$ 2,480.00
= :	7	Granite curb, 7 inch quarry split, 3 foot transitions, Woonsocket standard 7.3.2	each	\$270.00	\$ 540.00	00 each	\$400.00	\$ 800.00
12	240	Flagpersons	mhr	\$60.00	\$ 14,400.00	00 mhr	\$50.00	\$ 12,000.00
<u>0</u>	480	Police detail, officer & cruiser, Woonsocket standard @ \$68 per hour	mhr	\$68.00	\$ 32,640.00	00 mhr	\$68.00	\$ 32,640.00
4	300	Temporary construction signs RI standard 29.1.0 and 27.1.1	st	\$17.00	\$ 5,100.00	00 sf	\$10.00	\$ 3,000.00
15	200	Drum barricade standard 26.2.0	bday	\$.25	\$ 50.00	00 bday	\$.50	\$ 100.00
16	80	Fluorescent traffic cones standard 26.1.0	each	\$.01		0.80 each	\$10.00	\$ 800,00
17	203	Cleaning & sweeping pavement	hsy	\$8.00	\$ 1,624.00	00 hsy	\$8.00	
9	675	Full depth sawcut of bituminous pavement	Į	\$1.00		00 If	\$1.50	\$ 1,012.50
	940		y _	\$2.50	\$ 2,350.00	00 If	\$3.00	
20	20,294		sy	\$2.45	4	30 sy	\$2.00	4
21	30	Maintenance & movement of traffic protection devices, Woonsocket standard	mhr	\$75.00	\$ 2,250.00	00 mhr	\$50.00	\$ 1,500.00
22	20	Detectable warning systems Woonsocket standard cast in place	each	\$100.00	\$ 5,000.00	00 each	\$200.00	\$ 10,000.00
23	20	Plantable soil 4 inches deep	sy	\$4.95	\$ 99.00	00 sy	\$7.00	\$ 140.00
1	20	Residential seeding (tall fescue blend)	sy	\$1.90	\$ 38.00		\$2.00	\$ 40.00
T	1,600		<u>+</u>	\$10.00	\$ 16,000.00		\$11.00	\$ 17,600.00
	10,000		<u>+</u>	\$.22	\$ 2,200.00	00	\$.20	\$ 2,000.00
	2325	12 inch white fast - drying waterborne pavement marking paint	<u>+</u>	\$1.21	\$ 2,813.25	25 If	\$1.10	\$ 2,557.50
, 78	10,000		<u>4-</u>	\$.22		00	\$.20	\$ 2,000.00
53	4	Fast drying waterborne pavement arrow - straight, left, right, or combined standard 20.1.0	each	\$44.00	\$ 176.00	00 each	\$40.00	\$ 160.00
					\$ 400 573 75	75		\$443 011 94
						2		200
P۴								
age								
*								

	Hartford Paving	D.A	D'Ambra Constructn	structn)io	Digger's Landscape	dscape	H.	Lynch &	Sons, Inc		Cardi C
Units Price	Price	Units	Price	Price	Units	Price	Price	Units	Price	Price	Units	Price
\$25.00 \$	17,425.00	SV	\$30.00	\$ 20,910.00	AS	\$20.00	\$ 13,940.00	AS	\$35.00	\$ 24,395.00	λs	\$22.00
\$40.00	6,360.00	ે જે	\$150.00	\$ 23,850.00	` <u>}</u>	\$40.00	\$ 6,360.00	. ბ	\$75.00	\$ 11,925.00	· &	\$95.00
-	1,975.00	ò	\$50.00	\$ 3,950.00	Ś	\$45.00	\$ 3,555.00	જે	\$75.00		ঠ	\$90.00
each \$100.00 \$	4,300.00	each	\$70.00		each	\$100.00	\$ 4,300.00	each	\$200.00		each	\$150.00
ton \$83.50 \$	184,284.50	ton	\$85.00	\$ 187,595.00	ton	\$100.00	\$ 220,700.00	ton	\$110.00	24	ton	\$88.00
\$.40 \$	8,117.60	sy	\$.40	\$ 8,117.60	sy	\$.50	\$ 10,147.00	sy	\$.40	\$ 8,117.60	sy	\$.40
\$618.00 \$		જે	\$450.00		cy	\$400.00	\$ 1,200.00	ć	\$400.00	\$ 1,200.00	જે	\$510.00
		cy	\$450.00		ς	\$450.00	\$ 70,200.00	ςς	\$450.00		ે જે	\$470.00
\$35.00	36,050.00	If	\$30.00	ന	If	\$27.00	\$ 27,810.00	<u>-</u>	\$25.00	7	<u>-</u>	\$40.00
\$75.00	2	Ŧ	\$100.00	3,10	Į	\$35.00	Ĺ,	Į	\$60.00	٦,	Ŧ	\$72.00
each \$400.00 \$	800.00	each	\$350.00	\$ 700.00	each	\$300.00	\$ 600.00	each	\$350.00		each	\$355,00
mhr \$65.00 \$	15,600.00	mhr	\$.01	\$ 2.40	mhr	\$1.00	\$ 240.00	mhr	\$40.00		mhr	\$72.00
mhr \$68.00 \$	32,640.00	mhr	\$68.00	က	mhr	\$68.00	\$ 32,640.00	mhr	\$68.00	\$ 32,640.00	mhr	\$68.00
sf \$10.00 \$	3,000.00	sf	\$10.00		sf	\$4.00	\$ 1,200.00	sf	\$7.50		ş	\$30.00
bday \$1.00 \$	200.00	bday	\$2.00		bday	\$1.00	\$ 200.00	bday	\$.25		bday	\$.35
\$16.00	1,280.00	each	\$20.00	\$ 1,600.00	each	\$15.00		each	\$16.00	\$ 1,280.00	each	\$25.00
hsy \$8.00 \$	1,624.00	hsy	\$12.00		hsy	\$50.00	\$ 10,150.00	hsy	\$10.00	\$ 2,030.00	hsy	\$9.00
\$2.00	1,350.00	ĮĮ.	\$3.00		Ħ	\$2.00		≖	\$1.50	\$ 1,012.50	<u>+</u>	\$6.00
\$3.50	3,290.00	If	\$3.00	\$ 2,820.00	<u>+</u>	\$3.00	\$ 2,820.00	₩	\$1.75		₹	\$1,50
sy \$1.85 \$	37,543.90	sy	\$2.75	\$ 55,808.50	sy	\$2.60	\$ 52,764.40	sy	\$3.00	\$ 60,882.00	sy	\$3.00
-		mhr	\$325.00		mhr	\$50.00		mhr	\$125.00		mhr	\$500.00
	Ş,	each	\$200.00		each	\$100.00	ຜ	each	\$150.00	7,	each	\$400.00
sy \$40.00 \$	800.00	sy	\$100.00	2	sy	\$20.00		sy	\$10.00		sy	\$10.00
	40.00	sy	\$20.00		sy	\$20.00	1.1	sy	\$10.93		sy	\$20.00
\$14.00	22,400.00	≝	\$9.00		<u>-</u>	\$13.30	~	=	\$9.00		<u>_</u>	\$10.00
	1,800.00	<u>.</u>	\$.20		<u></u>	\$.25	\$ 2,500.00	<u>+</u>	\$.25	\$ 2,500.00	±	\$.40
\$.24	258.00	<u>.</u>	\$1.10		<u>+</u>	\$1.56		<u>-</u>	\$1.10	7	<u>-</u>	\$3.00
-	1,800.00	<u>-</u>	\$.20		<u>-</u>	\$.25	\$ 2,500.00	<u>+</u>	\$.25	2,	╧	\$.40
each \$250.00 \$	1,000.00	each	\$40.00	\$ 160.00	each	\$50.00	\$ 200.00	each	\$75.00	\$ 300.00	each	\$205.00
64	492,275.00			\$ 497,682.00			\$499,868.40			\$ 546,758.20		

orp.	Na	Narragansett Improv	t Imp	rov	S	Sciaba Const.	st.	Corp
Price	Units	Price		Price	Units	Price		Price
\$ 15,334.00	>S	\$18.00	€5	12 546 00	à	\$48.00	¥	32 062 00
\$ 15,105.00	3	\$22.00		3 498 00	5 8	883.00	÷ €	13 107 00
\$ 7,110.00	S S	\$40.00	69	3.160.00	ें दे	\$105.00	9 6	8 205 00
	each	\$200.00	မာ	8,600,00	each	\$170.00	ψ.	7.310.00
\$ 194,216.00	ton	\$92.00	1 1	203,044.00	ton	\$135.00	₩	297,945,00
	ss	\$5.60	69	113,646.40	λs	\$6.50	69	131,911.00
	ςς	\$540.00	↔	1,620.00	` ক্র	\$5,000.00	S	15,000,00
	જે	\$540.00		84,240.00	જે	\$371.00	S	57,876,00
4	<u>-</u>	\$46.00		47,380.00	4 =	\$70.00	↔	72,100.00
2,	Ŧ	\$60.00	↔	1,860.00	<u>4</u>	\$50.00	S	1,550.00
	each	\$200.00		400.00	each	\$1,922.95	()	3,845.90
ч	mhr	\$80.00		19,200.00	mhr	\$30.00	↔	7,200.00
ന	mhr	\$68.00		32,640.00	mhr	\$68.00	€9	32,640.00
0,0	sf	\$10.00	↔	3,000.00	sŧ	\$84.00	€9	25,200.00
	bday	\$.50	မှာ	100.00	bday	\$50.00	69	10,000.00
	each	\$20.00	↔	1,600.00	each	\$20.00	↔	1,600.00
	hsy	\$15.00	↔	3,045.00	hsy	\$115.00	S	23,345,00
	Ŧ	\$2.50	↔	1,687.50	느	\$8.00	S	5,400.00
	<u>u-</u>	\$5.00	S	4,700.00	₩	\$8.00	€9	7,520.00
_	sy		€>	1	sy	\$6.15	49	124,808.10
	mhr	\$100.00	↔	3,000.00	mhr	\$100.00	↔	3,000.00
20,	each	\$220.00	S	1,000.00	each	\$350.00	↔	17,500.00
	sy	\$25.00	↔	500.00	sy	\$8.00	↔	160.00
- 1	sy	\$5.00	↔	100.00	sy	\$2.00	↔	40.00
7	<u></u>	\$18.00	\$	28,800.00	If	\$60.00	₩	96,000.00
1	£	\$.75	€9	7,500.00	<u>+</u>	\$5.00	₩	50,000.00
	<u></u>	\$2.00	↔	4,650.00	₹	\$10.00	69	23,250.00
4,	<u>+</u>	\$.75	ss	7,500.00	۳	\$5.00	67	50,000.00
\$ 820.00	each	\$150.00	↔	00.009	each	\$500.00	↔	2,000.00
\$ 561,878.60			\$ 60	609,616.90			8	1,120,755.00
Pa								
a								

CITY OF WOONSOCKET RHODE ISLAND



February 17, A.D. 2020

RECOGNIZING PARAMEDIC REMI GRABER AND EMERGENCY MEDICAL TECHNICIAN RYVELL TETTEH ON THEIR ACT OF BRAVERY IN PROTECTING THE LIVES OF TWO INDIVIDUALS

- WHEREAS, Remi Graber, a Woonsocket resident, is a Paramedic with Medstar Ambulance and Ryvell Tetteh is an Emergency Medical Technician with Medstar Ambulance; and
- WHEREAS, On November 11, 2019, Paramedic Graber and EMT Tetteh were on a routine, 2:00 am call to Millbury, Massachusetts and encountered a Massachusetts State Trooper and another individual in the midst of a dangerous struggle in the middle of the road; and
- WHEREAS, Paramedic Graber and EMT Tetteh, without regard for their own safety, intervened in the struggle and assisted the officer in apprehending the suspect, while helping to bring control to the situation and preventing serious harm to either; and
- WHEREAS, Paramedic Graber sustained a shoulder injury in the process of deescalating the struggle, but insisted on medically assessing both the officer and the other individual to ensure neither had sustained injury; and
- WHEREAS, Paramedic Graber and EMT Tetteh have been recognized by Medstar Ambulance for their selfless act (document attached); and
- WHEREAS, The Woonsocket City Council expresses a sincere thank you to Paramedic Graber and EMT Tetteh for going above and beyond their job description to ensure the safety of the community and making our city proud in the process.

NOW, THEREFORE BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET, RHODE ISLAND, AS FOLLOWS:

	of the City of Woonsocket hereby recognizes and thanks mi Graber and EMT Ryvell Tetteh on their act of bravery.
SECTION 2. This Resolution shall Council.	take effect immediately upon its passage by the City
Daniel M. Gendron, President	Jon D. Brien, Vice-President
James Cournoyer	Denise Sierra
Alex Kithes	



AMBULANCE

1000 Battles St. Leominster, MA 01453 978-466-8883

60C Solferino St. Worcester, MA 01604 508-799-6999

January 29, 2020

To Whom it May Concern:

In the early morning hours of November 11, 2019, Paramedic Jeremy Graber and Emergency Medical Technician Ryvell Tetteh of MedStar Ambulance were in the final hours of their twenty-four-hour shift when they rolled up on a traffic stop being conducted by a Massachusetts State Police trooper.

The crew quickly identified that this traffic stop was anything but "routine" as they identified the trooper engaged in a struggle with a suspect and the altercation had moved from the shoulder of Highway 146 in Worcester into the middle of the roadway where a passing motorist could have easily struck both persons by accident.

Paramedic Graber instructed EMT Tetteh to stop the ambulance and activate its emergency equipment while placing the ambulance in a position to provide protection to the trooper. Then, both crew members exited the ambulance to assist. In an act of extreme courage, both crew members sprang into action without regard for their personal safety to assist the trooper in distress. The crew did not know the circumstances of the stop, were unable to know if there were weapons in play, and could not have known whether they or the trooper would survive the incident. Despite the insurmountable risk involved in their actions, Paramedic Graber and EMT Tetteh quickly joined the fight and successfully aided the trooper in apprehending the suspect.

During the altercation with the suspect, Paramedic Graber sustained non-life-threatening injuries to his arm which caused him to be placed on light duty since the incident. While every public servant is blatantly aware of the potential risk involved with the job, paramedics are not inherently responsible for engaging with combative citizens in order to affect an arrest. Paramedics and EMTs are not trained in defensive tactics nor do we carry any variety of protective equipment to protect us in the event of an attack.

The actions of Paramedic Graber and EMT Tetteh went well above and beyond the call of duty. It is a demonstration that the men and women of public safety, regardless of our function in the community,

are committed to each other and an attack on one is an attack on all of us. Paramedic Graber's quick thinking and prompt action in this situation very well may have prevented the loss of a trooper that morning. The crew's actions could have also subject either, or both, men to serious bodily harm or death in their attempt to provide aid.

"Greater love hath no man than this, that a man lay down his life for his friends," John 15:13. This quote often is used to describe the depth of commitment the men and women of public safety have for their communities. The actions of the state trooper, Paramedic Graber, and EMT Tetteh fully embody the meaning of this verse. These men performed courageously in the face of danger and, as a result of their acts of bravery, there was no loss of life on the highway that night.

The Medal of Valor is awarded for actions above and beyond the call of duty and exhibiting exceptional courage, extraordinary decisiveness and presence of mind, regardless of his or her own personal safety, in an attempt to save or protect human life. Paramedic Graber and EMT Tetteh did, in fact, demonstrate exceptional courage by entering a scene which appeared to be unsafe knowing that a citizen was actively fighting a police officer. These men did, in fact, demonstrate extraordinary decisiveness and presence of mind by deciding to stop, without hesitation, leave the safety of their ambulance, and enter into a situation with unknown risk in an effort to preserve not just the life of a peace officer but both human lives that were at risk and, they did so, at the risk of their own lives.

It is my distinct pleasure, and is with great humility, that I recommend Paramedic Jeremy Graber and EMT Ryvell Tetteh be recognized for their bravery with the EMS Medal of Valor.

Respectfully,

Jeffrey M. Haworth, NRP

Field Supervisor

Worcester Division

MedStar Ambulance

C: 641-352-9342

jhaworth@medstarma.com

City of Woonsocket Rhode Island



March 2, 2020 A.D.

Resolution

AUTHORIZING THE CANCELLATION OF CERTAIN TAXES

WHEREAS, The City Assessor, recommends that the said taxes be cancelled and/or refunded in the amount as respectively and particularly set forth in said report.

IT IS HEREBY RESOLVED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET AS FOLLOWS:

- Section 1: That the said above described report be incorporated in and attached to this resolution and that the said report be made a part and parcel hereof.
 - Section 2: That the City Council hereby orders that said taxes be cancelled and/or refunded.
- Section 3: That the City Clerk of the City Council shall, upon the passage of this resolution forthwith certify to the City Treasurer and Tax Collector, of this city, that the taxes specified and itemized in said report have been cancelled and abated in the amounts as respectively and particularly set forth in said report; and that the Finance Director of the city of Woonsocket is hereby authorized, on the passage of this resolution, to make refunds in the amount or amounts as respectively and particularly set forth in said report.
 - Section 4: This resolution shall take effect upon passage.

Daniel M Gendron
By request of The Administration

ASSESSOR'S ABATEMENT CODES

CODE REASON

- 50 Erroneously assessed due to incorrect field data/incorrect classification
- 51 Veteran/Blind/Elderly/Veterans Widow Exemption not applied
- 52 Incorrect amount abated on previous abatement listing or error on prior certification
- 53 Non-Utilization Tax assessed subsequent to sale of property or/assessed in error
- 54 Homestead Exemption not applied/incorrectly classified
- 55 Tax Exempt.
- 56 Inventory exempt due to wholesaler's exemption
- 57 Legal Residence Out of Town Prior to Assessment Date
- 58 Registration Cancelled Vehicle sold
- 59 Vehicle traded in, or repossessed, and/stolen not recovered/seized by police
- 61 Vehicle garaged and/or registered out of City/State
- 62 Double taxation on vehicle
- 63 Over assessed on vehicle/registry error
- 64 Incorrect year/model/make of vehicle
- 65 Vehicle destroyed in accident
- 66 Should have been tax lien
- 67 Business relocated out of City prior to assessment date
- 68 Double taxation on Business/over overassessed on business
- 69 Out of Business prior to assessment date/business sold to new owner & recertified
- 70 Company erroneously included manufacturing equip/inv in their report of valuation
- 71 Company erroneously included, leasehold expenses, cash and other expenses, and/or overstated their assets
- 72 Removal of porches, decks, garages, pools, sheds or underground tanks
- 73 Double taxation on Real Estate
- 74 Over assessed due to adjustment in degree of building completion as of December 31st
- 75 Over assessed due to error in computation of valuation which was not in conformity with surrounding properties
- 76 Building (s) demolished prior to assessment date
- 77 Property was assessed at incorrect tax year/ incorrect tax rate/ incorrect field data
- 78 Adjustment to property valuation due to extreme deterioration prior to assessment date
- 79 Property sustained fire damage prior to assessment date
- 80 5 +5 Plan
- 81 Party deceased prior to assessment date
- 82 Per Order of the City Council
- 83 Original abatement was approved and granted last year, but not carried forward for this year's tax roll
- 84 Per advice & recommendation of Law Dept.
- 85 Per Court Order
- 86 First Appeal/Submitted by the Tax Board of Assessment Review
- 87 Wrong party recertified//wrong classification-recertified
- 88 Tax Exempt Interstate Commerce Vehicles Equipment assessed to tax exempt entity.
- 89 Value reduced by R.I. Vehicle Value Commission
- 90 Property taken over by the State for highway purposes
- 91 Tax Settlement Agreement / "PILOT" Agreement / Option Agreement
- 92 Bankruptcy
- 93 Lot dropped and added to another lot
- 94 Job Incentive Creation Program Exemption
- 95- Due to the new software system an abatement must be done prior to a recertification of taxes
- 96 Pro-Rated Homestead Exemption
- 97- Assessment adjustment due to supporting documentation submitted by taxpayer
- 98- Remove Homestead Exemption / recertified exemption credit
- 99 Motor Vehicle Phase Out

Amendment Report Abatement	batement		Woonsocket, RI	Posting Date //	
Status Pending			MARCH 2, 2020	Transaction Date //	
Page 1				Report Printed 02/24/2020 10:39:42 AM	
T00-8392-78	2019 Tng Tax Roll	COAST REALTY 68 CUMBERLAND STREET WOONSOCKET RI 02895	COAST REALTY	69 OUT OF BUSINESS \$232	\$232.90

\$232.90

Total

City of Woonsocket Rhode Island



March 2, A.D. 2020

RESOLUTION

IN OPPOSITION TO CERTAIN SECTIONS OF THE GOVERNOR'S 2021 BUDGET PROPOSAL – H7171

- WHEREAS, Article 1, Section 1 of the Governor's 2021 Rhode Island State Budget Proposal includes a 50% cut in the amount of Distressed Community Relief Funds, decreasing state aid to Woonsocket by \$387,753; and
- WHEREAS, Woonsocket taxpayers have a high property tax burden relative to our community wealth, has the second lowest Per Capita Income (68% of the state average) and has experienced the lowest growth in Median Household Income over the past 25 years.

NOW, THEREFORE BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET, RHODE ISLAND AS FOLLOWS:

the entire Woonsocket delegation	equests that the Leaders of the House and Senate, on and all of the General Assembly membership stressed Community Aid in the FY2021 budget.
members of the Woonsocket de Speaker of the House of Repres	ge, provide a copy of this Resolution to the legation to the General Assembly, the Honorable entatives, the Honorable Senate President and the use and Senate Finance Committees.
This resolution shall be effective	e immediately upon passage.
<u> </u>	Jon D. Brien, Vice President
endron, President	James C. Cournoyer
icy	Alex Kithes
	the entire Woonsocket delegatic support the restoration of the Di That the City Clerk, upon passa members of the Woonsocket de Speaker of the House of Repres Honorable Chairmen of the Hou

Denise D. Sierra

City of Woonsocket Rhode Island



March 2, A.D. 2020

RESOLUTION

ESTABLISHING A CITY COUNCIL COMMITTEE TO EXPLORE ANIMAL SHELTER BUILDING AND OPERATING OPTIONS

WHEREAS, The City Council wishes to explore the potential of the current animal shelter and its building.

IT IS ORDANINED BY THE CITY COUNCIL OF THE CITY OF WOONSOCKET, RHODE ISLAND AS FOLLOWS:

- Section 1. Pursuant to Chapter II, Section 19 of the City of Woonsocket's Home Rule Charter, the Woonsocket City Council hereby establishes a committee ("Animal Shelter Committee") to explore the potential of the animal shelter and its building.
- Section 2. That the following members of the City Council shall comprise the Animal Shelter Committee:

Denise D. Sierra-Committee Chairperson Jon D. Brien-Committee Member John Ward-Committee Member

Section 3. This Resolution shall take effect immediately upon its passage by the City Council.

Denise Sierra, Councilwoman